

PRICELIST

2025

 **VENTUS**
FOOD SERVICE EQUIPMENT

A trustful relationship

After 30 years of success in the market of food service equipment, having acquired a remarkable network of branded customers and suppliers, as well as valuable associates, «VENTUS FOOD SERVICE EQUIPMENT & SOLUTIONS S.A.» was founded.

The main activities of «VENTUS FOOD SERVICE EQUIPMENT & SOLUTIONS S.A.» are:

- trading of professional equipment for hotels, restaurants, cafes and bars
- providing installation, maintenance and repair services for our products
- providing advisement, design and implementation services for our customers

Long-standing personal partnerships with branded factories and worldwide firms offers «VENTUS FOOD SERVICE EQUIPMENT & SOLUTIONS S.A.» the ability to provide high quality products and solutions at highly competitive prices.

The wide range of our products and our experienced partners are at your disposal.

Panagiotis Chaitaidis

CONTENTS

COOKING EQUIPMENT



- FRYERS [08]
- PASTA COOKERS [10]
- FOOD HEATING LAMPS [11]
- GRIDDLE PLATES [12]
- CONTACT GRILLS [14]
- TOASTERS [15]
- SALAMANDERS [15]
- INDUCTION COOKERS [16]
- POP CORN MAKER [17]
- KITCHEN UTENSILS [17]
- WAFFLE MAKERS [18]
- PANCAKE MAKERS [18]
- CREPE MAKERS [19]
- HOT DOG MAKERS [19]
- SOUS VIDE CIRCULATORS [20]
- HEATED DISPENSERS [20]
- FOOD DEHYDRATORS [21]
- SOUP COOKERS [21]
- BAIN MARIE [22]
- CHAFING DISH [23]
- VEGETABLE CUTTERS [24]
- POTATO SLICERS [25]
- BURGER PRESSERS [25]
- MEAT GRINDERS [26]
- CUTTERS [27]
- PIZZA DOUGH ROLLER [27]
- POTATO PEELERS [28]
- THERMOMETERS [29]
- SQUEEZERS [29]
- BLENDERS [30]
- PASTRY MIXERS [32]
- DOUGH MIXERS [34]
- TROLLEYS [36]
- SINK PEDAL VALVES [38]
- PULL-DOWN FAUCETS [39]

DISPLAYS



- DISPLAY REFRIGERATORS [42]
- SUBZERO BEER COOLERS [53]
- WINE COOLERS [54]
- BACK BAR COOLERS [56]
- COOLING DISPLAYS [57]
- COUNTERTOP DISPLAYS [60]
- SUSHI DISPLAYS [72]
- NEUTRAL DISPLAYS [73]
- REFRIGERATED DISPLAYS [74]
- ICE CREAM [78]
- PASTRY DISPLAYS [80]
- MEAT DISPLAYS [82]
- SELF SERVICE DISPLAYS [83]

FREEZERS

- CHEST FREEZERS [86]
- FLAT SLIDING GLASS LID FREEZERS [88]
- CURVED SLIDING GLASS LID FREEZERS [89]
- ISLAND CHEST FREEZERS [90]
- BEER CHEST FREEZER [92]
- VERTICAL FREEZERS [93]

OVENS



- CONVECTION ELECTRIC OVENS [96]
- COMBI STEAM OVENS [100]
- PROVERS [102]
- TRAYS [103]
- GRILLS [104]
- OVEN CLEANERS [104]
- PIZZA OVENS [105]

DISHWASHERS



NANSIE SERIES [112]
UNDERCOUNTER [115]
HOOD-TYPE [124]
UTENSIL [127]
TUNNELS [130]
WATER SOFTENERS [132]
ACCESSORIES [133]

ICEMAKERS



FULL ICE CUBE [138]
HOLLOW ICE CUBE [145]
GRANULAR ICE [147]
FLAT ICE FLAKE [149]
STORAGE BINS [150]



HOLLOW ICE CUBE [152]
DICE ICE CUBE [153]
FLAT ICE FLAKE [155]
STORAGE BINS [156]

INOX

GREASE COLLECTORS [160]
HAND SINKS HACCP [161]
RACKS [161]
WASTE CONTAINERS [162]
WALL VENTILATION FUNNELS [163]
FILTERS [163]
TUBULAR SHELVES [163]
GLASSWARE CABINETS [164]
WORKING TABLES [165]
TABLES WITH SINK [166]
REFRIGERATED COUNTERS [170]
REFRIGERATED SALAD COUNTERS [178]
CABINETS [181]
BAR STATIONS [184]
HEATING CABINETS [185]
COFFEE STATIONS [186]
GASTRONORME CONTAINERS [187]

BLAST CHILLERS SHOCK FREEZERS



BLAST CHILLERS/SHOCK FREEZERS [190]

KITCHEN EQUIPMENT



COUNTERTOP ELECTRIC STOVES [194]
COUNTERTOP GAS STOVES [195]
COUNTERTOP ELECTRIC FRYERS [196]
BAIN MARIE & NEUTRALS [197]
ELECTRIC GRIDDLE PLATES [198]
ELECTRIC CHROMIUM GRIDDLE PLATES [199]
GAS GRIDDLE PLATES [200]
GAS CHROMIUM GRIDDLE PLATES [201]
ELECTRIC WATER GRILLS [202]
ELECTRIC & GAS RANGES WITH OVEN [202]
FLOOR MOUNTED GAS FRYERS [203]
FLOOR MOUNTED ELECTRIC & GAS PASTA COOKERS [204]
ELECTRIC & GAS TILTING BRATT PANS [204]
FLOOR MOUNTED INDUCTION COOKERS [205]
GAS FREE STANDING RANGES [205]

DOORS / COLD ROOMS / SHELVES



DOORS [208]
REFRIGERATION SYSTEMS [213]
COLD ROOMS [215]
COLD ROOM SHELVES [216]

SUPPLIERS



INDEX

- ACCESSORIES [133]
- BACK BAR COOLERS [56]
- BAIN MARIE [22, 197]
- BAR STATIONS [184]
- BEER CHEST FREEZER [92]
- BLAST CHILLERS/SHOCK FREEZERS [190]
- BLENDERS [30]
- BURGER PRESSERS [25]
- CABINETS [181]
- CHAFING DISH [23]
- CHEST FREEZERS [86]
- COFFEE STATIONS [186]
- COLD ROOMS [215]
- CONTACT GRILLS [14]
- COOLING DISPLAYS [57]
- COUNTERTOP DISPLAYS [60]
- COUNTERTOP FRYERS [196]
- COUNTERTOP STOVES [194]
- CREPE MAKERS [19]
- CURVED SLIDING GLASS LID FREEZERS [89]
- CUTTERS [24]
- DICE ICE CUBE [153]
- DISPLAY REFRIGERATORS [42]
- DOORS [208]
- DOUGH MIXERS [34]
- FILTERS [163]
- FLAT ICE FLAKE [149, 155]
- FLAT SLIDING GLASS LID FREEZERS [88]
- FLOOR MOUNTED PASTA COOKERS [204]
- FLOOR MOUNTED FRYERS [203]
- FLOOR MOUNTED INDUCTION COOKERS [205]
- FOOD DEHYDRATORS [21]
- FOOD HEATING LAMPS [11]
- FRYERS [08]
- FULL ICE CUBE [138]
- GAS CHROMIUM GRIDDLE PLATES [201]
- GAS FREE STANDING RANGES [205]
- GAS GRIDDLE PLATES [200]
- GASTRONORME CONTAINERS [187]
- GLASSWARE CABINETS [164]
- GRANULAR ICE [147]
- GREASE COLLECTORS [160]
- GRIDDLE PLATES [12, 198]
- HAND SINKS HACCP [161]
- HEATED DISPENSERS [20]
- HEATING CABINETS [185]
- HOLLOW ICE CUBE [145, 152]
- HOOD-TYPE DISHWASHERS [124]
- HOT DOG MAKERS [19]
- ICE CREAM [78]
- INDUCTION COOKERS [16]
- ISLAND CHEST FREEZERS [90]
- KITCHEN UTENSILS [17]
- MEAT DISPLAYS [82]
- MEAT GRINDERS [26]
- MULTI CUTTERS [27]
- NANSIE SERIES [112]
- NEUTRALS [197]
- NEUTRAL DISPLAYS [73]
- PANCAKE MAKERS [18]
- PASTA COOKERS [10]
- PASTRY DISPLAYS [80]
- PASTRY MIXERS [32]
- PIZZA DOUGH ROLLER [27]
- POP CORN MAKER [17]
- POTATO PEELERS [28]
- POTATO SLICERS [25]
- PULL-DOWN FAUCETS [39]
- RACKS [161]
- REFRIGERATED COUNTERS [170]
- REFRIGERATED DISPLAYS [74]
- REFRIGERATED SALAD COUNTERS [178]
- REFRIGERATION SYSTEMS [213]
- RANGES WITH OVEN [202]
- SALAMANDERS [15]
- SELF SERVICE DISPLAYS [83]
- SINK PEDAL VALVES [38]
- SOUP COOKERS [21]
- SOUS VIDE CIRCULATORS [20]
- SQUEEZERS [29]
- STORAGE BINS [150]
- STORAGE BINS [156]
- SUBZERO BEER COOLERS [53]
- SUSHI DISPLAYS [72]
- TABLES WITH SINK [166]
- TILTING BRATT PANS [204]
- THERMOMETERS [29]
- TOASTERS [15]
- TROLLEYS [36]
- TUBULAR SHELVES [163]
- TUNNELS [130]
- UNDERCOUNTER DISHWASHERS [115]
- UTENSIL DISHWASHERS [127]
- VERTICAL FREEZERS [93]
- WAFFLE MAKERS [18]
- WALL VENTILATION FUNNELS [163]
- WASTE CONTAINERS [162]
- WATER GRILLS [202]
- WATER SOFTENERS [132]
- WINE COOLERS [54]
- WORKING TABLES [165]

COOKING EQUIPMENT



Cooking Equipment

FRYERS [08]	SOUP COOKERS [21]
PASTA COOKERS [10]	BAIN MARIE [22]
FOOD HEATING LAMPS [11]	CHAFING DISH [23]
GRIDDLE PLATES [12]	VEGETABLE CUTTERS [24]
CONTACT GRILLS [14]	POTATO SLICERS [25]
TOASTERS [15]	BURGER PRESSERS [25]
SALAMANDERS [15]	MEAT GRINDERS [26]
INDUCTION COOKERS [16]	CUTTERS [27]
POP CORN MAKER [17]	PIZZA DOUGH ROLLER [27]
KITCHEN UTENSILS [17]	POTATO PEELERS [28]
WAFFLE MAKERS [18]	THERMOMETERS [29]
PANCAKE MAKERS [18]	SQUEEZERS [29]
CREPE MAKERS [19]	BLENDERS [30]
HOT DOG MAKERS [19]	PASTRY MIXERS [32]
SOUS VIDE CIRCULATORS [20]	DOUGH MIXERS [34]
HEATED DISPENSERS [20]	TROLLEYS [36]
FOOD DEHYDRATORS [21]	SINK PEDAL VALVES [38]
	PULL-DOWN FAUCETS [39]

FRYERS

FRY E4

ELECTRIC FRYER SINGLE

DIMENSIONS: 270x430x310 mm
 BASKET DIMENSIONS: 18x21x11 cm
 POWER: 2500 Watt - 230 V
 TEMPERATURE: 50 - 190°C
 CAPACITY: 4 lt

INFO

Stainless steel casing
 Safety thermostat
 Basket with moulded handle
 Removable oil container

115 €+V.A.T.



FRY S4

ELECTRIC FRYER SINGLE

DIMENSIONS: 190x440x330 mm
 BASKET DIMENSIONS: 10x24x12 cm
 POWER: 2500 Watt - 230 V
 TEMPERATURE: 50 - 190°C
 CAPACITY: 4 lt

INFO

Stainless steel casing
 On/off switch
 Safety thermostat
 Basket with moulded handle
 Removable oil container

165 €+V.A.T.



FRY S44

ELECTRIC FRYER DOUBLE

DIMENSIONS: 390x440x330 mm
 BASKET DIMENSIONS: 10x24x12 cm
 POWER: 2500+2500 Watt - 230 V
 TEMPERATURE: 50 - 190°C
 CAPACITY: 4+4 lt

INFO

Stainless steel casing
 On/off switch
 Safety thermostat
 Basket with moulded handle
 Removable oil container

295 €+V.A.T.





FRY S8

ELECTRIC FRYER SINGLE

DIMENSIONS: 270x420x350 mm
 BASKET DIMENSIONS: 18x24x14 cm
 POWER: 3000 Watt - 230 V
 TEMPERATURE: 50 - 190°C
 CAPACITY: 8 lt

INFO

Stainless steel casing
 Safety thermostat
 Basket with moulded handle
 Removable oil container

175 € + V.A.T.



FRY S88

ELECTRIC FRYER DOUBLE

DIMENSIONS: 530x420x350 mm
 BASKET DIMENSIONS: 18x24x14 cm
 POWER: 3000+3000 Watt - 230 V
 TEMPERATURE: 50 - 190°C
 CAPACITY: 8+8 lt

INFO

Stainless steel casing
 Safety thermostat
 Basket with moulded handle
 Removable oil container

320 € + V.A.T.



FRY ST10

ELECTRIC FRYER SINGLE 3 PHASE (HEAVY DUTY)

DIMENSIONS: 340x540x410 mm
 BASKET DIMENSIONS: 24x28x14 cm
 POWER: 6000 Watt - 380 V
 TEMPERATURE: 50 - 190°C
 CAPACITY: 10 lt

INFO

Stainless steel casing
 On/off switch
 Safety thermostat
 Basket with moulded handle
 Micro-switch activation of the unit head
 Oil tap
 Bucket rounded inside
 Timer

437 € + V.A.T.

FRYERS

FRY DT10

ELECTRIC FRYER DOUBLE 3 PHASE (HEAVY DUTY)

DIMENSIONS: 690x540x410 mm
 BASKET DIMENSIONS: 24x28x14 cm
 POWER: 6000+6000 Watt - 380 V
 TEMPERATURE: 50 - 190°C
 CAPACITY: 10+10 lt

INFO

Stainless steel casing
 On/off switch
 Safety thermostat
 Basket with moulded handle
 Micro-switch activation of the unit head
 Oil tap
 Bucket rounded inside
 Timer

878 €+V.A.T.



PASTA COOKERS

VEP 4

ELECTRIC PASTA COOKER 4 BASKETS

DIMENSIONS: 410x570x280 mm
 POWER: 4000 Watt - 220 V

INFO

Stainless steel casing
 Stainless steel resistors
 Round wire basket
 Oil tap

260 €+V.A.T.



PCG 40G

GAS PASTA COOKER

DIMENSIONS: 400x700x900(+140) mm
 BASIN DIMENSIONS: 310x397x230 mm
 POWER: 12 Kw
 CAPACITY: 25 lt

INFO

Stainless steel casing Aisi304
 2 baskets (296 x 172 x 213 mm)

1.485 €+V.A.T.



FOOD HEATING LAMPS

KBS

HEATING ELEMENT

INFO

Intensity adjustment dimmer
Ceramic resistors
Suitable for shelf installation



MODEL	DIMENSIONS	POWER		
KBS 72	700x120x80 mm	700 Watt		220 €+V.A.T.
KBS 92	900x120x80 mm	700 Watt		225 €+V.A.T.
KBS 113	1100x120x80 mm	1050 Watt		235 €+V.A.T.
KBS 133	1300x120x80 mm	1050 Watt		250 €+V.A.T.
KBS 154	1500x120x80 mm	1400 Watt		270 €+V.A.T.
KBS 174	1700x120x80 mm	1400 Watt		285 €+V.A.T.
KBS 195	1900x120x80 mm	1750 Watt		310 €+V.A.T.



522360

FOOD HEATING LAMP

DIMENSIONS: 600x335x580 mm
POWER: 500 Watt - 230 V

INFO

Stainless steel casing
2 lamps
Suitable for GN 1/1 containers

275 €+V.A.T.



VA 33BR/33BL/33SL

FOOD HEATING LAMP

POWER: 250 Watt - 230 V
DIAMETER: Ø 270 mm
COLOR: Copper | Black | Silver

INFO

Adjustable height 600-1800 mm

99 €+V.A.T.



VA 32BR/32BL/32SL

FOOD HEATING LAMP

POWER: 250 Watt - 230 V
DIAMETER: Ø 175 mm
COLOR: Copper | Black | Silver

INFO

Adjustable height 600-1800 mm

95 €+V.A.T.

GRIDDLE PLATES

VEG 350**ELECTRIC GRIDDLE PLATE**

DIMENSIONS: 350x520x275 mm
 POWER: 2200 Watt - 230 V
 TEMPERATURE: 50 - 300°C

INFO

Stainless steel casing
 Grease drawer
 1 heating zone

205 €+V.A.T.

**VEG 818****ELECTRIC GRIDDLE PLATE**

DIMENSIONS: 550x420x160 mm
 POWER: 3000 Watt - 230 V
 TEMPERATURE: 50 - 300°C

INFO

Stainless steel casing
 Grease drawer
 1 heating zone

198 €+V.A.T.

**VEG 822****ELECTRIC GRIDDLE PLATE**

DIMENSIONS: 730x470x240 mm
 POWER: 4400 Watt - 230 V
 TEMPERATURE: 50 - 300°C

INFO

Stainless steel casing
 Grease drawer
 2 heating zones

347 €+V.A.T.

**VEG 700****ELECTRIC GRIDDLE PLATE**

DIMENSIONS: 700x520x320 mm
 POWER: 4500 Watt - 230 V
 TEMPERATURE: 50 - 300°C

INFO

Stainless steel casing
 Grease drawer
 2 heating zones

457 €+V.A.T.





VEG 853

ELECTRIC GRIDDLE PLATE

DIMENSIONS: 760x650x560 mm
 POWER: 6000 Watt - 230 V
 TEMPERATURE: 50 - 300°C

INFO

Stainless steel casing
 Grease drawer
 2 heating zones

1.265 € + V.A.T.



VEG 510 C

CHROME PLATED ELECTRIC GRIDDLE PLATE

DIMENSIONS: 500x520x320 mm
 PLATE THICKNESS: 10 mm
 POWER: 3000 Watt - 230 V
 TEMPERATURE: 50 - 300°C

INFO

Stainless steel casing
 Grease drawer
 1 heating zone
 Chrome plated surface 10 mm

NEW **506 €** + V.A.T.



VEG 910 C

CHROME PLATED ELECTRIC GRIDDLE PLATE

DIMENSIONS: 760x600x360 mm
 PLATE THICKNESS: 12 mm
 POWER: 6000 Watt - 230 V
 TEMPERATURE: 50 - 300°C

INFO

Stainless steel casing
 Grease drawer
 1 heating zone
 Chrome plated surface 12 mm

NEW **980 €** + V.A.T.

CONTACT GRILLS

811100**CONTACT GRILL SINGLE**

DIMENSIONS: 310x320x210 mm
 TOP PLATE DIMENSIONS: 213x213 mm
 BOTTOM PLATE DIMENSIONS: 240x238 mm
 POWER: 1.8 Kw / 220V / 50Hz
 TEMPERATURE: 50 - 300°C
 PLATE: Top & bottom ribbed cast iron plates

INFO

Stainless steel casing
 Grease drawer

NEW 195 €+V.A.T.

**812100****CONTACT GRILL MEDIUM**

DIMENSIONS: 430x340x210 mm
 TOP PLATE DIMENSIONS: 338x218 mm
 BOTTOM PLATE DIMENSIONS: 358x233 mm
 POWER: 2.2 Kw / 220V / 50Hz
 TEMPERATURE: 50 - 300°C
 PLATE: Top & bottom ribbed cast iron plates

INFO

Stainless steel casing
 Grease drawer

NEW 225 €+V.A.T.

**813100****CONTACT GRILL DOUBLE**

DIMENSIONS: 570x305x210 mm
 TOP PLATE DIMENSIONS: 218x218 mm
 BOTTOM PLATE DIMENSIONS: 496x236 mm
 POWER: 1.8+1.8 Kw / 220V / 50Hz
 TEMPERATURE: 50 - 300°C
 PLATE: Top & bottom ribbed cast iron plates

INFO

Stainless steel casing
 Grease drawer

NEW 405 €+V.A.T.



TOASTERS

FOOD SERVICE SOLUTIONS
GALEORE



VE 4AM

4-SLICE TOASTER

DIMENSIONS: 370x210x225 mm
POWER: 2300 Watt - 230 V
CAPACITY: 4 slots

INFO

Stainless steel casing
Timer

165 € + V.A.T.



VE 6AM

6-SLICE TOASTER

DIMENSIONS: 460x210x225 mm
POWER: 3240 Watt - 230 V
CAPACITY: 6 slots

INFO

Stainless steel casing
Timer

205 € + V.A.T.

SALAMANDER



VE 450

SALAMANDER

DIMENSIONS: 450x520x520 mm
GRID DIMENSIONS: 440x320 mm
POWER: 2800 Watt - 230 V

INFO

Stainless steel casing
Top thermal resistor
Adjustable height top part
Chrome grid

890 € + V.A.T.



VE 600

SALAMANDER

DIMENSIONS: 600x520x520 mm
GRID DIMENSIONS: 590x320 mm
POWER: 4000 Watt - 230 V

INFO

Stainless steel casing
Top thermal resistor
Adjustable height top part
Chrome grid

965 € + V.A.T.

INDUCTION COOKERS

300108

DIGITAL INDUCTION COOKER

DIMENSIONS: 340x440x120 mm
 PLATE DIMENSIONS: 285x285 mm
 POWER: 3500 Watt / 230 V
 TEMPERATURE: 35°C - 240°C
 FANS: 4

INFO

Stainless steel casing
 Suitable for induction utensils Ø120-320 mm

NEW 320 €+V.A.T.



300112

DIGITAL INDUCTION COOKER

DIMENSIONS: 290x370x60 mm
 PLATE DIMENSIONS: 290x370 mm
 POWER: 2000 Watt / 230 V
 TEMPERATURE: 60°C - 240°C
 FANS: 1

INFO

Plastic or PVC ??? casing
 Suitable for induction utensils Ø120-260 mm

NEW 120 €+V.A.T.



600201

ANALOG INDUCTION COOKER

DIMENSIONS: 410x770x120 mm
 PLATE DIMENSIONS: 340x585 mm
 POWER: 3500+3500 Watt / 230 V
 TEMPERATURE: 60°C - 240°C
 FANS: 4

INFO

Stainless steel casing
 Suitable for induction utensils Ø120-240 mm

NEW 1.190 €+V.A.T.



POP CORN

VE 6BC

POP CORN MAKER

DIMENSIONS: 560x420x760 mm

POWER: 1440 Watt - 230 V

INFO

Production 80z

320 € + V.A.T.



KITCHEN UTENSILS



249338-249558

MAGNETIC KNIVES' RACK

249338 | 330 mm

7,70 € + V.A.T.

249558 | 550 mm

11,90 € + V.A.T.

INFO

Knives not included.



099102-105

ALUMINIUM TAP GRAPPER

099102 | 450 mm

14,40 € + V.A.T.

099103 | 600 mm

19,20 € + V.A.T.

099104 | 900 mm

28,50 € + V.A.T.

099105 | 1200 mm

38 € + V.A.T.



WAFFLE MAKERS

**VE RW1****ANALOG ROUND WAFFLE MAKER**

DIMENSIONS: 250x540x300 mm
 WAFFLE DIMENSIONS: Ø185 mm
 TEMPERATURE: 50°C - 300°C
 POWER: 1.2 Kw - 220 V / 50 Hz

INFO
 Stainless steel casing
 Non-stick plates
 Rotating

NEW 215 €+V.A.T.

**VE DRW1****DIGITAL ROUND WAFFLE MAKER**

DIMENSIONS: 250x540x300 mm
 WAFFLE DIMENSIONS: Ø185 mm
 TEMPERATURE: 50°C - 300°C
 POWER: 1.2 Kw - 220 V / 50 Hz

INFO
 Stainless steel casing
 Non-stick plates
 Rotating

NEW 335 €+V.A.T.

PANCAKE MAKERS

**VEH 9****PANCAKE MAKER**

DIMENSIONS: 310x350x180 mm
 PLATE SURFACE: 250X250mm
 POWER: 900 W - 220 V / 50 Hz
 CAPACITY: 9 molds
 BAKING MOLD DEPTH: 10 mm
 WAFFLE DIAMETER: Ø76 mm

INFO
 Stainless steel construction

NEW 160 €+V.A.T.

**VEH 9 TOP****PANCAKE MAKER WITH TOP**

DIMENSIONS: 320x370x240 mm
 POWER: 1750 W - 220 V / 50 Hz
 CAPACITY: 9 molds
 BAKING MOLD DEPTH: 10 mm
 WAFFLE DIAMETER: Ø76 mm

INFO
 Stainless steel construction

NEW 305 €+V.A.T.

CREPE MAKERS



CREP 1

1-PLATE ELECTRIC CREPE MAKER

DIMENSIONS: 450x510x240 mm
DIAMETER: Ø40 mm
TEMPERATURE: 50°C - 300°C
POWER: 2.8 Kw - 220 V / 50 Hz

INFO

Stainless steel construction
Drawer
Non-stick plates

NEW 210 €+V.A.T.



CREP 2

2-PLATES ELECTRIC CREPE MAKER

DIMENSIONS: 880x510x240 mm
DIAMETER: Ø40 mm
TEMPERATURE: 50°C - 300°C
POWER: 2.8+2.8 Kw - 220 V / 50 Hz

INFO

Stainless steel construction
Drawer
Non-stick plates

NEW 405 €+V.A.T.

HOT DOG MAKERS



VE HD00

HOT DOG MAKER

DIMENSIONS: 305x320x420 mm
POWER: 450W - 220 V / 50Hz
TEMPERATURE: 170°C

INFO

Stainless steel construction

NEW 205 €+V.A.T.



VE HD03

STEAM HOT DOG MAKER WITH BREAD HEATERS

DIMENSIONS: 550x290x380 mm
POWER: 700W - 220 V / 50Hz
TEMPERATURE: 170°C

INFO

Stainless steel construction
3 sticks for heating or warming bread

NEW 290 €+V.A.T.

SOUS VIDE

SV 150A**SOUS VIDE CIRCULATOR**

DIMENSIONS: 140x110x323 mm

POWER: 1500 Watt - 230 V

INFO

Digital display

Suitable for water container up to 30 lt

415 € + V.A.T.

HEATED DISPENSERS

**CW 04****HEATED DISPENSER**

DIMENSIONS: 230x420x390 mm

POWER: 550 Watt - 230 V

TEMPERATURE: up to 99°C

INFO

Heated nozzle

Stainless steel construction

Suitable for cheddar

425 € + V.A.T.**EXTRA****053048**

Internal bowl for CW04

30 € + V.A.T.**CW 04A****HEATED DISPENSER**

DIMENSIONS: 230x250x385 mm

CAPACITY: 2.5 Ltr

POWER: 300 W - 220 V

TEMPERATURE: up to 85°C

INFO

Heated nozzle

Stainless steel construction

Suitable for cheddar, hot fudge, caramel, chili & various toppings

**365 €** + V.A.T.



VE FD6

6-GRIDS FOOD DEHYDRATOR

DIMENSIONS: 320x360x350mm
CAPACITY: 6 grids
GRID DIMENSIONS: 280x200 mm
SPACE BETWEEN GRIDS: 4.6 cm
POWER: 400W / 220 V / 50Hz
TEMPERATURE: 35°C up to 90°C

INFO
Stainless steel casing

NEW 230 € + V.A.T.

VE FD10

10-GRIDS FOOD DEHYDRATOR

DIMENSIONS: 420x460x440 mm
CAPACITY: 10 grids
GRID DIMENSIONS: 380x290 mm
SPACE BETWEEN GRIDS: 3.5 cm
POWER: 1000W / 220 V / 50Hz
TEMPERATURE: 35°C up to 90°C

INFO
Stainless steel casing

NEW 325 € + V.A.T.

SOUP MAKER



SK 10L

SOUP MAKER

DIMENSIONS: 320x320x360mm
CAPACITY: 10 Ltr
POWER: 400W – 220 V – 50Hz
TEMPERATURE: 30°C up to 80°C

NEW 85 € + V.A.T.

BAIN MARIE

BM 150**COUNTERTOP BAIN MARIE**

DIMENSIONS: 340x570x242 mm
 CAPACITY: GN 1/1-150 mm
 POWER: 1200 Watt - 230 V
 TEMPERATURE: up to 85°C

INFO

Stainless steel casing
 GN container not included

195 €+V.A.T.

**BM 200****COUNTERTOP BAIN MARIE WITH TAP**

DIMENSIONS: 340x590x280 mm
 CAPACITY: GN 1/1-200 mm
 POWER: 1200 Watt - 230 V
 TEMPERATURE: up to 85°C

INFO

Stainless steel casing
 Oil tap
 GN container not included

230 €+V.A.T.

**BM 1502V****COUNTERTOP BAIN MARIE**

DIMENSIONS: 570x430x270 mm
 CAPACITY: 2 GN 1/2 150mm
 POWER: 1.5 kW / 220 V
 TEMPERATURE: 30°C up to 110°C

INFO

Stainless steel casing
 Oil tap

175 €+V.A.T.





VE 355

CHAFING DISH

DIMENSIONS: 600x350x320 mm
CAPACITY: 9 Ltr

INFO
Included:
2 fuel holders
1GN 1/1-65mm

NEW 85 €+V.A.T.



VE 357

CHAFING DISH ROLL TOP

DIMENSIONS: 640x440x450 mm
CAPACITY: 9 Ltr

INFO
Roll top 180°
Included:
2 fuel holders
1GN 1/1-65mm

NEW 175 €+V.A.T.



VE 359

CHAFING DISH

DIMENSIONS: 420x340x330 mm
CAPACITY: 9 Ltr

INFO
Included:
1 fuel holder

NEW 80 €+V.A.T.

VEGETABLE CUTTERS

**VFC 750/SS****VEGETABLE CUTTER**

DIMENSIONS: 575x290x520 mm
 CONSTRUCTION: Stainless steel
 POWER: 750 Watt

INFO

Including 5 cutting disks set
 GRATING: 3 mm, 5 mm
 SLICING: 1.5 mm, 3 mm, 6 mm

 **NEW**  **1.095 €+V.A.T.**

**VFC 850****VEGETABLE CUTTER**

DIMENSIONS: 655x255x485 mm
 CONSTRUCTION: Stainless steel & Aluminium
 POWER: 750 Watt

INFO

Including 5 cutting disks set
 GRATING: 3 mm, 5 mm
 SLICING: 1.5 mm, 3 mm, 6 mm

 **NEW**  **1.205 €+V.A.T.**

CUTTING DISKS (suitable for VFC 750/SS & VFC 850)

 All disks are made from aluminium and have stainless steel blades

**SD015/SD050**

GRATING DISK 3 mm, 5 mm

 **NEW**  **60 €+V.A.T.**

**S015/S030/S050/S060**

SLICING DISK WITH 2 BLADES
 1.5 mm, 3 mm, 5 mm, 6 mm

 **NEW**  **60 €+V.A.T.**

**S100**

SLICING DISK WITH 1 BLADE 10 mm

 **NEW**  **60 €+V.A.T.**

**SP040**

SLICING DISK Julienne 4x4 mm

 **NEW**  **60 €+V.A.T.**

**SP060**

SLICING DISK Julienne 6x6 mm

 **NEW**  **60 €+V.A.T.**

**SP080**

SLICING DISK Julienne 8x8 mm

 **NEW**  **60 €+V.A.T.**



F010

STICK FRENCH CUTTING DISK 8x8 mm

Works combined with slicing disk S100.

60 €+V.A.T.



C006

CUBE CUTTING DISK 6x6 mm

Works combined with slicing disk S060.

60 €+V.A.T.



C010

CUBE CUTTING DISK 10x10 mm

Works combined with slicing disk S100.

60 €+V.A.T.



VCH

18-SLOT STAND FOR CUTTING DISKS

40 €+V.A.T.

POTATO SLICERS



VEG 03

MANUAL POTATO SLICER

DIMENSIONS: 370x190x260 mm

INFO

Including 3 knives: 6 mm, 9 mm, 13 mm

155 €+V.A.T.

BURGER PRESSERS



VH 130

MANUAL BURGER PRESSER

DIMENSIONS: 275x230x300 mm

DIAMETER: Ø 130 mm

INFO

Anodised aluminium body

Stainless steel internal

Non-slip feet

230 €+V.A.T.

MEAT GRINDERS

MG 12A**MEAT GRINDER**

DIMENSIONS: 430x230x450 mm

POWER: 550 Watt

OUTPUT: 120 kg/h

INFO

Stainless steel

Including: blade, snail & 2 plates of 6 mm & 8 mm

Forward/Return grinding direction

NEW 540 €+V.A.T.**MG 22A****MEAT GRINDER**

DIMENSIONS: 455x230x510 mm

POWER: 750 Watt

OUTPUT: 220 kg/h

INFO

Stainless steel

Including: blade, snail & 2 plates of 6 mm & 8 mm

Forward/Return grinding direction

NEW 755 €+V.A.T.**MG 32A****MEAT GRINDER**

DIMENSIONS: 665x365x590 mm

POWER: 1100 Watt

OUTPUT: 320 kg/h

INFO

Stainless steel

Including: blade, snail & 2 plates of 6 mm & 8 mm

Forward/Return grinding direction

NEW 1.520 €+V.A.T.

CUTTERS



VHR 9 CUTTER

DIMENSIONS: 485x350x375 mm
CAPACITY: 9 lt
POWER: 1100 Watt

INFO
Adjustable rotation speed 1000-2000 rpm
Transparent cover

 **NEW** 870 €+V.A.T.

VHR 12 CUTTER

DIMENSIONS: 520x380x400 mm
CAPACITY: 12 lt
POWER: 1500 Watt

INFO
Adjustable rotation speed 1000-2000 rpm
Transparent cover

 **NEW** 985 €+V.A.T.



VPS 40 PIZZA DOUGH ROLLER

DIMENSIONS: 565x370x715 mm
PIZZA DIAMETER: 10-40 cm
POWER: 370 Watt

INFO
Stainless steel
Protective cover
Thickness adjustment 1-4 mm
Metal gears

 **NEW** 1.530 €+V.A.T.

POTATO PEELERS

VP 6D

POTATO PEELER

DIMENSIONS: 570x335x845 mm

CAPACITY: 6 kg

POWER: 370 Watt

OUTPUT: 120-180 kg/h

INFO

Stainless steel

Timer

Transparent cover

Emergency switch

Water supply and drainage

Automatic water draining

NEW 1.199 €+V.A.T.



VP 10D

POTATO PEELER

DIMENSIONS: 675x410x880 mm

CAPACITY: 10 kg

POWER: 550 Watt

OUTPUT: 200-300 kg/h

INFO

Stainless steel

Timer

Transparent cover

Emergency switch

Water supply and drainage

Automatic water draining

NEW 1.520 €+V.A.T.

VP 15D

POTATO PEELER

DIMENSIONS: 665x365x590 mm

CAPACITY: 15 kg

POWER: 750 Watt

OUTPUT: 300-450 kg/h

INFO

Stainless steel

Timer

Transparent cover

Emergency switch

Water supply and drainage

Automatic water draining

NEW 1.815 €+V.A.T.

VP 30D

POTATO PEELER

DIMENSIONS: 665x365x590 mm

CAPACITY: 30 kg

POWER: 1500 Watt

OUTPUT: 600-900 kg/h

INFO

Stainless steel

Timer

Transparent cover

Emergency switch

Water supply and drainage

Automatic water draining

NEW 2.035 €+V.A.T.

THERMOMETERS



THE 500UN

ANALOG THERMOMETER

TEMPERATURE: -40 up to +50°C

4 €+V.A.T.



THE 501UN

ANALOG THERMOMETER

TEMPERATURE: -40 up to +40°C

NEW **4 €**+V.A.T.



THE 005UN

DIGITAL THERMOMETER WITH PROBE

TEMPERATURE: -50 up to +300°C

INFO

Stainless steel probe
Probe length 110 mm
Battery LR44 (included)

11 €+V.A.T.

SQUEEZERS



VE 180 N

ELECTRIC SQUEEZER

DIMENSIONS: 190x300x340 mm
POWER: 180 Watt
ROTATION SPEED: 1400 rpm
COLOUR: Black

INFO

2 cones included

NEW **190 €**+V.A.T.



VCJ 250

ELECTRIC SQUEEZER/JUICER

DIMENSIONS: 190x220x380 mm
POWER: 250 Watt
ROTATION SPEED: 1500 rpm
CONSTRUCTION: Special aluminium alloy
COLOUR: Black

INFO

2 cones included

NEW **400 €**+V.A.T.

BLENDERS

1052

ANALOG BLENDER

DIMENSIONS: 210x210x540 mm
 JAR CAPACITY: 2 lt
 POWER: 1800 Watt - 220 V
 ROTATION SPEED: 28000-30000 Rpm
 SPEED SETTINGS: 10 levels & Pulse function

INFO

Stainless steel blades
 Polycarbonate blender jar
 Non-slip base

 **NEW**  **215 €+V.A.T.**



010

ANALOG BLENDER

DIMENSIONS: 175x215x480 mm
 JAR CAPACITY: 2 lt
 POWER: 1500 Watt / 3Hp
 ROTATION SPEED: 26000-28000 rpm
 SPEED SETTINGS: Adjustable & Pulse function

INFO

Stainless steel blades
 Polycarbonate blender jar
 Non-slip base

 **190 €+V.A.T.**



DBL 100

ANALOG BLENDER

DIMENSIONS: 210x210x540 mm
 JAR CAPACITY: 2 lt
 POWER: 1800 Watt / 3Hp
 ROTATION SPEED: 20000-24000 rpm
 SPEED SETTINGS: Adjustable & Pulse function

INFO

Stainless steel blades
 Polycarbonate blender jar
 Non-slip base
 LCD Touch Screen
 Motor overheating protection
 8 programmes

 **290 €+V.A.T.**





VBL 806

ANALOG BLENDER

DIMENSIONS: 210x220x460 mm
JAR CAPACITY: 2 lt
POWER: 1500 Watt
ROTATION SPEED: 22000-32000 Rpm
SPEED SETTINGS: Adjustable & Pulse function

INFO

Stainless steel blades
Polycarbonate blender jar
Non-slip base
Grey color

 **NEW**  **155 €**+V.A.T.



VBL 836

DIGITAL BLENDER

DIMENSIONS: 220x230x490 mm
JAR CAPACITY: 2 lt
POWER: 1500 Watt
ROTATION SPEED: 22000-32000 Rpm
SPEED SETTINGS: Adjustable & Pulse function

INFO

Stainless steel blades
Polycarbonate blender jar
Non-slip base
Soundproof cover
Black color

 **NEW**  **310 €**+V.A.T.

PASTRY MIXERS



B7W 500

PASTRY MIXER

DIMENSIONS: 380x235x405 mm
 CAPACITY: 7 lt
 POWER: 500 Watt
 SPEED: Adjustable 75-680 rpm
 COLOR: White

INFO

Stainless steel bowl
 Max flour quantity: 750 gr
 Mixing cream: 1500 gr
 Included: shovel, dough hook & balloon whisk

765 €+V.A.T.



B7R 500

PASTRY MIXER

DIMENSIONS: 380x235x405 mm
 CAPACITY: 7 lt
 POWER: 500 Watt
 SPEED: Adjustable 75-680 rpm
 COLOR: Red

INFO

Stainless steel bowl
 Max flour quantity: 750 gr
 Mixing cream: 1500 gr
 Included: shovel, dough hook & balloon whisk

NEW **765 €**+V.A.T.



B7S 500

PASTRY MIXER

DIMENSIONS: 380x235x405 mm
 CAPACITY: 7 lt
 POWER: 500 Watt
 SPEED: Adjustable 75-680 rpm
 COLOR: Inox

INFO

Stainless steel
 Max flour quantity: 750 gr
 Mixing cream: 1500 gr
 Included: shovel, dough hook & balloon whisk

878 €+V.A.T.

B10S 500

PASTRY MIXER

DIMENSIONS: 380x235x445 mm
 CAPACITY: 10 lt
 POWER: 500 Watt
 SPEED: Adjustable 75-680 rpm
 COLOR: Inox

INFO

Stainless steel
 Max flour quantity: 1000 gr
 Mixing cream: 2000 gr
 Included: shovel, dough hook & balloon whisk

1.035 €+V.A.T.



B20S

PASTRY MIXER

DIMENSIONS: 420x530x780 mm
CAPACITY: 20 lt
SPEED: 105/180/425 rpm
POWER: 1100 Watt / 220V / 50Hz
WEIGHT: 60 kg
COLOR: Silver

INFO
Stainless steel bowl
3 levels adjustable speed
Included: shovel, dough hook & balloon whisk

 **NEW**  **1.078 €**+V.A.T.



B30S

PASTRY MIXER

DIMENSIONS: 390x450x810 mm
CAPACITY: 30 lt
SPEED: 110/200/420 rpm
POWER: 1500 Watt / 220V / 50Hz
WEIGHT: 70 kg
COLOR: Silver

INFO
Stainless steel bowl
3 levels adjustable speed
Included: shovel, dough hook & balloon whisk

 **NEW**  **1.350 €**+V.A.T.



B40S

PASTRY MIXER

DIMENSIONS: 530x610x1020 mm
CAPACITY: 40 lt
SPEED: 65/102/296 rpm
POWER: 2000 Watt / 380V / 50Hz
WEIGHT: 130 kg
COLOR: Silver

INFO
Stainless steel bowl
3 levels adjustable speed
Included: shovel, dough hook & balloon whisk

 **NEW**  **2.455 €**+V.A.T.

DOUGH MIXERS

VS 10**DOUGH MIXER**

DIMENSIONS: 550x340x530 mm
 CAPACITY: 10 Ltr
 POWER: 750 Watt / 220 V
 KNEADING SPEED: Adjustable 153-213 Rpm
 BOWL ROTATION SPEED: 13-20 Rpm

INFO

Stainless steel bowl
 Adjustable speed
 Timer
 Max flour quantity 4 kg

 **NEW**  **1.685 €** +V.A.T.

**VS 20****DOUGH MIXER**

DIMENSIONS: 730x390x900 mm
 CAPACITY: 20 Ltr
 POWER: 1500 Watt / 220 V
 KNEADING SPEED: Adjustable 150-200 Rpm
 BOWL ROTATION SPEED: 15-20 Rpm

INFO

Stainless steel bowl
 Adjustable speed
 Timer
 Max flour quantity 8 kg

 **NEW**  **1.860 €** +V.A.T.

VS 30**DOUGH MIXER**

DIMENSIONS: 750x435x900 mm
 CAPACITY: 34 Ltr
 POWER: 1500 Watt / 220 V
 KNEADING SPEED: Adjustable 150-200 Rpm
 BOWL ROTATION SPEED: 15-20 Rpm

INFO

Stainless steel bowl
 Adjustable speed
 Timer
 Max flour quantity 12 kg

 **NEW**  **1.935 €** +V.A.T.



VS 40

DOUGH MIXER

DIMENSIONS: 800x480x970 mm
CAPACITY: 45 Ltr
POWER: 3000 Watt / 220 V
KNEADING SPEED: Adjustable 150-200 Rpm
BOWL ROTATION SPEED: 15-20 Rpm

INFO

Stainless steel bowl
Adjustable speed
Timer
Max flour quantity 16 kg

 **NEW**  **2.590 €**+V.A.T.

VS 50

DOUGH MIXER

DIMENSIONS: 850x510x970 mm
CAPACITY: 54 Ltr
POWER: 3000 Watt / 220 V
KNEADING SPEED: Adjustable 150-200 Rpm
BOWL ROTATION SPEED: 15-20 Rpm

INFO

Stainless steel bowl
Adjustable speed
Timer
Max flour quantity 20 kg

 **NEW**  **2.960 €**+V.A.T.

VS 60

DOUGH MIXER

DIMENSIONS: 850x510x970 mm
CAPACITY: 64 Ltr
POWER: 3000 Watt / 220 V
KNEADING SPEED: Adjustable 150-200 Rpm
BOWL ROTATION SPEED: 15-20 Rpm

INFO

Stainless steel bowl
Adjustable speed
Timer
Max flour quantity 25 kg

 **NEW**  **3.275 €**+V.A.T.

TROLLEYS

**X 1512**SERVING TROLLEY
WITH 3 SHELVES

DIMENSIONS: 780x430x950 mm

160 €+V.A.T.

**VE 14X**SERVING TROLLEY
WITH 2 SHELVES

DIMENSIONS: 950x500x950 mm

160 €+V.A.T.

**VE 15X**SERVING TROLLEY
WITH 2 SHELVES

DIMENSIONS: 850x450x900 mm

110 €+V.A.T.

**VE 11X**SERVING TROLLEY
WITH 3 SHELVES

DIMENSIONS: 950x500x950 mm

145 €+V.A.T.

**VE 121X**SERVING TROLLEY
WITH 2 SHELVES
WITH COLLECTION BASIN

DIMENSIONS: 950x500x950 mm

197 €+V.A.T.

**VE 124X**SERVING TROLLEY
WITH 2 SHELVES
WITH SIDE PROTECTION

DIMENSIONS: 950x500x950 mm

120 €+V.A.T.



VE 135X

**INOX MOBILE RACK
FOR 15 GN 1/1 CONTAINERS**

DIMENSIONS: 380x550x1735 mm

INFO

Space between: 75 mm
Wheels Ø 20 cm

245 €+V.A.T.



VE 131X

**INOX MOBILE RACK
FOR 15 TRAYS 40x60 cm**

DIMENSIONS: 470x620x1735 mm

INFO

Space between: 75 mm
Wheels Ø 15 cm

170 €+V.A.T.



VE 165 BASKET

**INOX MOBILE RACK
FOR 10 BASKETS 50X50 cm**

DIMENSIONS: 560x550x1650 mm
CAPACITY: 10 baskets 500x500 mm
SPACE BETWEEN: 11.5 cm

INFO

Stainless steel construction

NEW **240 €**+V.A.T.

SINK PEDAL VALVES





N9

SINK PEDAL VALVE

DIMENSIONS: 240x80 mm
HOLES: 2
PEDAL: 1

NEW 105 €+V.A.T.





N 11

SINK PEDAL VALVE SINGLE THERMOMIXING?

DIMENSIONS: 240x80 mm
WATER SUPPLY HOLES: 2
PEDAL: 1

NEW 110 €+V.A.T.





N 10

SINK PEDAL VALVE DOUBLE THERMOMIXING?

DIMENSIONS: 240x70 mm
WATER SUPPLY HOLES: 2
PEDALS: 2

NEW 155 €+V.A.T.



KITCHEN FAUCETS

N 24

KITCHEN FAUCET

DIMENSIONS: 215x150 mm

NEW 38 €+V.A.T.



RINSER SPARE PARTS

GW 005


RINSER SPARE PART

DIMENSIONS: Ø114x73 mm

NEW 37 €+V.A.T.



PULL-DOWN FAUCETS



FE 15A

COUNTERTOP PULL-DOWN FAUCETS

HEIGHT: 1140 mm


WATER SUPPLY: 2 holes (warm & cold)

OUTLET: 1

INFO

Rotating faucet
Mixer

NEW 407 €+V.A.T.



FE 16

COUNTERTOP PULL-DOWN FAUCETS

HEIGHT: 600 mm


WATER SUPPLY: 2 holes (warm & cold)

OUTLET: 1

INFO

Rotating faucet
Mixer

NEW 430 €+V.A.T.



FE 8A

WALL MOUNTED PULL-DOWN FAUCET

HEIGHT: 1090 mm


WATER SUPPLY: 2 holes (warm & cold)

OUTLETS: 2

INFO

Rotating faucet
Mixer

NEW 415 €+V.A.T.



FE 11

WALL MOUNTED PULL-DOWN FAUCET

HEIGHT: 810 mm

WATER SUPPLY: 2 holes (warm & cold)

OUTLETS: 2

INFO

Rotating faucet
Mixer

NEW 470 €+V.A.T.

DISPLAYS



Displays

DISPLAY REFRIGERATORS [42]

SUBZERO BEER COOLERS [53]

WINE COOLERS [54]

BACK BAR COOLERS [56]

COOLING DISPLAYS [57]

COUNTERTOP DISPLAYS [60]

SUSHI DISPLAYS [72]

NEUTRAL DISPLAYS [73]

REFRIGERATED DISPLAYS [74]

ICE CREAM [78]

PASTRY DISPLAYS [80]

MEAT DISPLAYS [82]

SELF SERVICE DISPLAYS [83]

DISPLAY REFRIGERATORS



VCB 315

DISPLAY REFRIGERATOR

DIMENSIONS: 556x530x1826 mm
 TEMPERATURE: +1°C up to +10°C
 CAPACITY: 280 lt
 COOLING: Ventilated
 DEFROST: Manual
 POWER: 220 Watt
 REFRIGERANT: R600a
 THERMOSTAT: Analog
 SHELVES: 4 adjustable

INFO

Lock
 Led illumination
 Door opening left to right
 Colour: white internal & external

NEW 720 € + V.A.T.



VCB 375

DISPLAY REFRIGERATOR

DIMENSIONS: 615x600x1950 mm
 TEMPERATURE: +1°C up to +10°C
 CAPACITY: 375 lt
 COOLING: Ventilated
 DEFROST: Manual
 POWER: 300 Watt
 REFRIGERANT: R600a
 THERMOSTAT: Analog
 SHELVES: 4 adjustable

INFO

Lock
 Led illumination
 Canopy illumination
 Door opening left to right
 Colour: white internal & gray external

860 € + V.A.T.

VCB 440 Black/RB

DISPLAY REFRIGERATOR

DIMENSIONS: 615x610x1990 mm
 TEMPERATURE: +1°C up to +10°C
 CAPACITY: 360 lt
 COOLING: Ventilated
 DEFROST: Manual
 POWER: 265 Watt
 REFRIGERANT: R600a
 THERMOSTAT: Analog
 SHELVES: 4 adjustable

INFO

Lock
 Led illumination
 Canopy illumination
 Door opening left to right
 Colour: white internal & black external

NEW 925 € + V.A.T.





VCB 440 Full Black/RB

DISPLAY REFRIGERATOR

DIMENSIONS: 615x610x1990 mm
TEMPERATURE: +1°C up to +10°C
CAPACITY: 360 lt
COOLING: Ventilated
DEFROST: Manual
POWER: 265 Watt
REFRIGERANT: R600a
THERMOSTAT: Analog
SHELVES: 4 adjustable

INFO

Lock
Led illumination
Canopy illumination
Door opening left to right
Colour: black internal & external

 **965 €** + V.A.T.



Electronic temperature display

VCB 460 B/DG

DISPLAY REFRIGERATOR

DIMENSIONS: 615x610x1950 mm
TEMPERATURE: +1°C up to +10°C
CAPACITY: 360 lt
COOLING: Ventilated
DEFROST: Manual
POWER: 350 Watt
REFRIGERANT: R600a
THERMOSTAT: Analog
SHELVES: 4 adjustable

INFO

Electronic temperature display
Lock
Led illumination
Canopy illumination
Door opening left to right
Colour: white internal & black external

 **1.085 €** + V.A.T.



VCB 460 Full B/DG

DISPLAY REFRIGERATOR

DIMENSIONS: 615x610x1950 mm
TEMPERATURE: +1°C up to +10°C
CAPACITY: 360 lt
COOLING: Ventilated
DEFROST: Manual
POWER: 350 Watt
REFRIGERANT: R600a
THERMOSTAT: Analog
SHELVES: 4 adjustable

INFO

Electronic temperature display
Lock
Led illumination
Canopy illumination
Door opening left to right
Colour: black internal & external

 **1.130 €** + V.A.T.

DISPLAY REFRIGERATORS



VCB 400B

FRAMELESS DISPLAY REFRIGERATOR

DIMENSIONS: 595x620x1830 mm
 TEMPERATURE: +1°C up to +10°C
 CAPACITY: 385 lt
 COOLING: Ventilated
 DEFROST: Manual
 POWER: 300 Watt
 REFRIGERANT: R600a
 THERMOSTAT: Analog
 SHELVES: 5 adjustable

INFO

Lock
 Led illumination
 «Frameless» door, opening left to right
 Analog temperature indicator
 Colour: black internal & external

1.025 € + V.A.T.

DBC 650BL

DISPLAY REFRIGERATOR

DIMENSIONS: 620x705x2050 mm
 TEMPERATURE: +1°C up to +10°C
 CAPACITY: 450 lt
 COOLING: Ventilated
 DEFROST: Automatic
 POWER: 300 Watt
 REFRIGERANT: R290
 THERMOSTAT: Electronic
 SHELVES: 5 adjustable

INFO

Castors
 Led illumination
 Door opening left to right
 Colour: white internal & black external

1.345 € + V.A.T.



VCB 450 Full Black

DISPLAY REFRIGERATOR

DIMENSIONS: 650x580x1940 mm
 TEMPERATURE: +2°C up to +10°C
 CAPACITY: 450 lt
 COOLING: Ventilated
 DEFROST: Automatic
 POWER: 240 Watt
 REFRIGERANT: R600a
 THERMOSTAT: Electronic
 SHELVES: 4 adjustable black

INFO

Led illumination
 Colour: black internal & external

NEW **1.095 €** + V.A.T.





SLIM 230H

SLIM DISPLAY REFRIGERATOR

DIMENSIONS: 420x525x1935 mm
TEMPERATURE: +1°C up to +10°C
CAPACITY: 217 lt
COOLING: Ventilated
DEFROST: Manual
POWER: 180 Watt
REFRIGERANT: R600
THERMOSTAT: Analog
SHELVES: 5 adjustable

INFO

Lock
Led illumination
Door opening left to right
Colour: white internal & black external

 **NEW**  **865 €**+V.A.T.



SLIM 230HF

SLIM FRAMELESS DISPLAY REFRIGERATOR

DIMENSIONS: 420x525x1935 mm
TEMPERATURE: +1°C up to +10°C
CAPACITY: 217 lt
COOLING: Ventilated
DEFROST: Manual
POWER: 180 Watt
REFRIGERANT: R600
THERMOSTAT: Electronic
SHELVES: 5 adjustable

INFO

Lock
Double Led illumination
«Frameless» door, opening left to right
Colour: black internal & external

 **NEW**  **1.015 €**+V.A.T.

DISPLAY REFRIGERATORS

VF 120F

DISPLAY REFRIGERATOR

DIMENSIONS: 545x588x837 mm
 TEMPERATURE: +1°C up to +10°C
 CAPACITY: 120 lt
 COOLING: Ventilated
 DEFROST: Manual
 POWER: 130 Watt
 REFRIGERANT: R600a
 THERMOSTAT: Analog
 SHELVES: 2 adjustable

INFO

Double Led illumination
 Colour: white internal & black external

NEW 538 € + V.A.T.



VF 105F

DISPLAY REFRIGERATOR

DIMENSIONS: 445x510x831 mm
 TEMPERATURE: +1°C up to +10°C
 CAPACITY: 92 lt
 COOLING: Static with ventilator
 DEFROST: Manual
 POWER: 95 Watt
 REFRIGERANT: R600a
 THERMOSTAT: Analog
 SHELVES: 4 adjustable

INFO

Led illumination
 Door opening left to right
 Colour: black internal & external

438 € + V.A.T.



VE 56 Black

DISPLAY REFRIGERATOR

DIMENSIONS: 495x450x495 mm
 TEMPERATURE: +2°C up to +10°C
 CAPACITY: 45 lt
 COOLING: Static with ventilator
 DEFROST: Manual
 POWER: 75 Watt
 REFRIGERANT: R600a
 THERMOSTAT: Analog
 SHELVES: 1

INFO

Led illumination
 Door opening left to right
 Colour: white internal & black external

NEW 430 € + V.A.T.





VFR 60FE

FRAMELESS DISPLAY REFRIGERATOR

DIMENSIONS: 495x450x495 mm
TEMPERATURE: +4°C up to +10°C
CAPACITY: 45 lt
COOLING: Static with ventilator
DEFROST: Manual
POWER: 75 Watt
REFRIGERANT: R600a
THERMOSTAT: Electronic
SHELVES: 1

INFO

Led illumination
«Frameless» door, opening left to right
Colour: black internal & external

 **NEW**  **550 €** + V.A.T.



VFR 115FE

FRAMELESS DISPLAY REFRIGERATOR

DIMENSIONS: 495x450x825 mm
TEMPERATURE: +4°C up to +10°C
CAPACITY: 95 lt
COOLING: Static with ventilator
DEFROST: Manual
POWER: 95 Watt
REFRIGERANT: R600a
THERMOSTAT: Electronic
SHELVES: 3

INFO

Led illumination
«Frameless» door, opening left to right
Colour: black internal & external

 **NEW**  **765 €** + V.A.T.

DISPLAY REFRIGERATORS

DBC 670S

DISPLAY REFRIGERATOR

DIMENSIONS: 1080x595x2120mm
 TEMPERATURE: +1°C up to +10°C
 CAPACITY: 670 lt
 COOLING: Ventilated
 DEFROST: Automatic
 POWER: 480 Watt
 REFRIGERANT: R134/R290
 THERMOSTAT: Electronic

INFO

Led illumination
 Sliding doors
 Colour: white internal & black external

2.280 € + V.A.T.



DBC 1070S

DISPLAY REFRIGERATOR

DIMENSIONS: 1220x660x2120mm
 TEMPERATURE: +1°C up to +10°C
 CAPACITY: 1070 lt
 COOLING: Ventilated
 DEFROST: Automatic
 POWER: 550 Watt
 REFRIGERANT: R134/R290
 THERMOSTAT: Electronic
 SHELVES: 4+4 adjustable

INFO

Led illumination
 Sliding doors
 Colour: white internal & black external

2.380 € + V.A.T.



VCB 830

DISPLAY REFRIGERATOR

DIMENSIONS: 1190x660x2020 mm
 TEMPERATURE: +1°C up to +10°C
 CAPACITY: 810 lt
 COOLING: Ventilated
 DEFROST: Automatic
 POWER: 550 Watt
 REFRIGERANT: R290
 THERMOSTAT: Electronic
 SHELVES: 4+4 adjustable

INFO

Led illumination
 Revolving doors
 Colour: white internal & black external

1.850 € + V.A.T.





VCB 750HF

FRAMELESS DISPLAY REFRIGERATOR

DIMENSIONS: 1100x600x1985 mm
TEMPERATURE: +1°C up to +10°C
CAPACITY: 710 lt
COOLING: Ventilated
DEFROST: Automatic
POWER: 260 Watt
REFRIGERANT: R290
THERMOSTAT: Electronic
SHELVES: 5+5 adjustable

INFO

Led illumination
2 «frameless» revolving doors
Colour: white internal & black external

 **2.500 €** + V.A.T.



VCB 1150HF

FRAMELESS DISPLAY REFRIGERATOR

DIMENSIONS: 1650x600x1985 mm
TEMPERATURE: +1°C up to +10°C
CAPACITY: 1100 lt
COOLING: Ventilated
DEFROST: Automatic
POWER: 500 Watt
REFRIGERANT: R290
THERMOSTAT: Electronic
SHELVES: 5+5+5 adjustable

INFO

Led illumination blue
3 «frameless» revolving doors
Colour: white internal & black external

 **2.907 €** + V.A.T.

DISPLAY REFRIGERATORS



DBC 1050H

DISPLAY REFRIGERATOR

DIMENSIONS: 1250x705x2050 mm
 TEMPERATURE: +2°C up to +8°C
 CAPACITY: 950 lt
 COOLING: Ventilated
 DEFROST: Automatic
 POWER: 480 Watt
 REFRIGERANT: R290
 THERMOSTAT: Electronic
 SHELVES: 5+5 adjustable

INFO

Led illumination
 2 revolving doors
 Colour: white internal & black external

NEW 2.385 €+V.A.T.



DBC 1050HBL

DISPLAY REFRIGERATOR

DIMENSIONS: 1250x705x2050 mm
 TEMPERATURE: +2°C up to +8°C
 CAPACITY: 950 lt
 COOLING: Ventilated
 DEFROST: Automatic
 POWER: 480 Watt
 REFRIGERANT: R290
 THERMOSTAT: Electronic
 SHELVES: 5+5 adjustable

INFO

Led illumination
 2 revolving doors
 Colour: black internal & external

NEW 2.485 €+V.A.T.



DBC 1500H

DISPLAY REFRIGERATOR

DIMENSIONS: 1880x705x2050 mm
 TEMPERATURE: +2°C up to +8°C
 CAPACITY: 1450 lt
 COOLING: Ventilated
 DEFROST: Automatic
 POWER: 1080 Watt
 REFRIGERANT: R290
 THERMOSTAT: Electronic
 SHELVES: 5+5+5 adjustable

INFO

Led illumination
 3 revolving doors
 Colour: white internal & black external

NEW 3.900 €+V.A.T.



DBC 2050H

DISPLAY REFRIGERATOR

DIMENSIONS: 2500x705x2050 mm
 TEMPERATURE: +2°C up to +8°C
 CAPACITY: 1950 lt
 COOLING: Ventilated
 DEFROST: Automatic
 POWER: 1950 Watt
 REFRIGERANT: R290
 THERMOSTAT: Electronic
 SHELVES: 5+5+5+5 adjustable

INFO

Led illumination
 4 revolving doors
 Colour: white internal & black external

NEW 5.250 €+V.A.T.



DBC 760BLCL

DISPLAY REFRIGERATOR

DIMENSIONS: 750x705x2075 mm
TEMPERATURE: +1°C up to +10°C
CAPACITY: 600 lt
COOLING: Ventilated
DEFROST: Automatic
POWER: 300 Watt
REFRIGERANT: R290
THERMOSTAT: Electronic
SHELVES: 5 adjustable

INFO

Castors
Led illumination around the door
Door opening left to right
Colour: black internal & external

 **1.870 €**+V.A.T.



DBC 1350BLCL

DISPLAY REFRIGERATOR

DIMENSIONS: 1250x705x2075 mm
TEMPERATURE: +1°C up to +10°C
CAPACITY: 1090 lt
COOLING: Ventilated
DEFROST: Automatic
POWER: 480 Watt
REFRIGERANT: R290
THERMOSTAT: Electronic
SHELVES: 5+5 adjustable

INFO

Castors
Led illumination around the doors
2 revolving doors
Colour: black internal & external

 **3.215 €**+V.A.T.

DISPLAY REFRIGERATORS

DBC 2590BLCL

DISPLAY REFRIGERATOR

DIMENSIONS: 1880x705x2075 mm
 TEMPERATURE: +1°C up to +10°C
 CAPACITY: 1715 lt
 COOLING: Ventilated
 DEFROST: Automatic
 POWER: 1080 Watt
 REFRIGERANT: R290
 THERMOSTAT: Electronic
 SHELVES: 5+5+5 adjustable

INFO

Castors
 Led illumination around the doors
 3 revolving doors
 Colour: black internal & external

 **NEW**  **4.350 €**+V.A.T.



DBC 3000BLCL

DISPLAY REFRIGERATOR

DIMENSIONS: 2500x705x2175 mm
 TEMPERATURE: +1°C up to +10°C
 CAPACITY: 2360 lt
 COOLING: Ventilated
 DEFROST: Automatic
 POWER: 1240 Watt
 REFRIGERANT: R290
 THERMOSTAT: Electronic
 SHELVES: 5+5+5+5 adjustable

INFO

Castors
 Led illumination around the doors
 4 revolving doors
 Colour: black internal & external

 **NEW**  **5.825 €**+V.A.T.



SUBZERO BEER COOLERS



SZB 380

SUBZERO BEER COOLER

DIMENSIONS: 615x610x1950 mm

TEMPERATURE: -5°C up to 3°C

CAPACITY: 350 lt

COOLING: Ventilated

DEFROST: Automatic

POWER: 300 Watt

REFRIGERANT: R600

THERMOSTAT: Electronic

SHELVES: 4 adjustable

INFO

Lock

Led illumination

Canopy illumination

Door opening left to right

1.635 € + V.A.T.



SZB 490

SUBZERO BEER COOLER

DIMENSIONS: 655x685x1960 mm

TEMPERATURE: -5°C up to 3°C

CAPACITY: 455 lt

COOLING: Ventilated

DEFROST: Automatic

THERMOSTAT: Electronic

REFRIGERANT: R290

SHELVES: 4 adjustable + 1 στο κάτω μέρος

INFO

Led illumination

Colour: white internal & gray external

1.815 € + V.A.T.

WINE COOLERS

VW 60E**WINE COOLER**

DIMENSIONS: 495x450x495 mm
 TEMPERATURE: +6°C up to +18°C
 CAPACITY: 45 lt / 13 bottles (750ml)
 COOLING: Static
 DEFROST: Manual
 POWER: 78 Watt
 REFRIGERANT: R600a
 THERMOSTAT: Electronic
 SHELVES: 3 wooden (1+2)

INFO

Led illumination
 «Frameless» door, opening left to right
 Colour: black internal & external

NEW 645 € + V.A.T.

**VW 110E****WINE COOLER**

DIMENSIONS: 495x450x825 mm
 TEMPERATURE: +6°C up to +18°C
 CAPACITY: 95 lt / 32 bottles (750ml)
 COOLING: Static
 DEFROST: Manual
 POWER: 75 Watt
 REFRIGERANT: R600a
 THERMOSTAT: Electronic
 SHELVES: 6 wooden (4+2)

INFO

Led illumination
 «Frameless» door, opening left to right
 Colour: black internal & external

NEW 845 € + V.A.T.

**VW 500****FRAMELESS PANORAMIC WINE COOLER**

DIMENSIONS: 656x656x1894 mm
 TEMPERATURE: +5°C up to +18°C
 CAPACITY: 400 lt / 81 bottles (750ml)
 POWER: 330 Watt
 COOLING: Ventilated
 DEFROST: Automatic
 REFRIGERANT: R290
 THERMOSTAT: Electronic
 SHELVES: 9 chrome

INFO

4-side Led illumination
 Colour: black with inox details

NEW 3.070 € + V.A.T.





VW 400

FRAMELESS WINE COOLER

DIMENSIONS: 600x630x1835 mm
TEMPERATURE: +6°C up to +14°C
CAPACITY: 342 lt / 103 bottles (750 ml)
COOLING: Static
DEFROST: Automatic
REFRIGERANT: R600
THERMOSTAT: Electronic
SHELVES: 7 wooden

INFO

Led illumination
Colour: black internal & external

1.420 € + V.A.T.



VW 450 DUAL/SS

2-ZONES WINE COOLER

DIMENSIONS: 595x540x1785 mm
TEMPERATURE: +5°C up to +12°C & +12°C εωs +22°C
CAPACITY: 320 lt / 88 bottles (750 ml)
POWER: 140 Watt
COOLING: Static & auxiliary fan
DEFROST: Automatic
REFRIGERANT: R600
THERMOSTAT: Electronic
SHELVES: 14 wooden

INFO

Led illumination
Colour: black internal & external

NEW **2.525 €** + V.A.T.



VW 750 HF

FRAMELESS WINE COOLER

DIMENSIONS: 1100x600x1985 mm
TEMPERATURE: +1°C up to +10°C
CAPACITY: 710 lt
COOLING: Ventilated
DEFROST: Automatic
POWER: 360 Watt
REFRIGERANT: R290
THERMOSTAT: Electronic
SHELVES: 5+5 adjustable

INFO

Led illumination blue
2 «frameless» revolving doors
Colour: black internal & external

NEW **2.550 €** + V.A.T.

BACK BAR COOLERS

**BBC 220S****BACK BAR COOLER**

DIMENSIONS: 900x536x840 mm
 TEMPERATURE: +2°C up to +8°C
 CAPACITY: 208 lt
 COOLING: Ventilated
 DEFROST: Automatic
 POWER: 160 Watt
 REFRIGERANT: R600a
 THERMOSTAT: Electronic
 SHELVES: 2+2 adjustable

INFO

Led illumination
 Lock
 2 sliding doors

 **NEW**  **1.085 €**+V.A.T.

**BBC 320S****BACK BAR COOLER**

DIMENSIONS: 1350x536x840 mm
 TEMPERATURE: +2°C up to +8°C
 CAPACITY: 330 lt
 COOLING: Ventilated
 DEFROST: Automatic
 POWER: 160 Watt
 REFRIGERANT: R600a
 THERMOSTAT: Electronic
 SHELVES: 2+2+2 adjustable

INFO

Led illumination
 Lock
 3 sliding doors

 **NEW**  **1.315 €**+V.A.T.

COOLING DISPLAYS



VF 55BT

COOLING DISPLAY

DIMENSIONS: 595x555x623 mm
TEMPERATURE: -18°C up to -22°C
CAPACITY: 55 lt
COOLING: Static
DEFROST: Manual
THERMOSTAT: Electronic
REFRIGERANT: R290
POWER: 155 Watt
SHELVES: 2 adjustable

INFO

Led illumination
Colour: white internal & black external

NEW 768 €+V.A.T.



VF 98BT

COOLING DISPLAY

DIMENSIONS: 595x555x842 mm
TEMPERATURE: -18°C up to -22°C
CAPACITY: 98 lt
COOLING: Static
DEFROST: Manual
THERMOSTAT: Electronic
REFRIGERANT: R290
POWER: 210 Watt
SHELVES: 3 adjustable

INFO

Led illumination
Colour: white internal & black external

NEW 1.075 €+V.A.T.



VCDL 600B

COOLING DISPLAY

DIMENSIONS: 1000x652x1890 mm
TEMPERATURE: -13°C up to -22°C
CAPACITY: 600 lt
COOLING: Ventilated
DEFROST: Automatic
THERMOSTAT: Electronic
SHELVES: 4+4 adjustable

INFO

Sliding doors
Upper Led illumination at shelves
Colour: black

NEW 8.250 €+V.A.T.

COOLING DISPLAYS

SLIM 250NG**SLIM COOLING DISPLAY**

DIMENSIONS: 390x460x1880 mm
 TEMPERATURE: -15°C up to -22°C
 CAPACITY: 170 lt
 COOLING: Ventilated
 DEFROST: Automatic
 POWER: 165 Watt
 REFRIGERANT: R290
 THERMOSTAT: Electronic
 SHELVES: 5

INFO

Led illumination

 **NEW**  **1.520 €**+V.A.T.

**VFG 400B****COOLING DISPLAY**

DIMENSIONS: 600x585x1850 mm
 TEMPERATURE: -15°C up to -22°C
 CAPACITY: 326 lt
 COOLING: Static
 DEFROST: Manual
 POWER: 384 Watt
 REFRIGERANT: R290
 THERMOSTAT: Electronic
 SHELVES: 6 fixed

INFO

Led illumination

Lock

Colour: white internal & black external

 **NEW**  **1.640 €**+V.A.T.

**DFV 550H****COOLING DISPLAY**

DIMENSIONS: 620x765x2035 mm
 TEMPERATURE: -15°C up to -22°C
 CAPACITY: 450 lt
 COOLING: Ventilated
 DEFROST: Automatic
 POWER: 650 Watt
 REFRIGERANT: R290
 THERMOSTAT: Electronic
 SHELVES: 5 adjustable

INFO

Led illumination

Colour: white internal & black external

 **NEW**  **3.075 €**+V.A.T.





DFV 1050H

COOLING DISPLAY

DIMENSIONS: 1250x765x2035 mm
 TEMPERATURE: -15°C up to -22°C
 CAPACITY: 990 lt
 COOLING: Ventilated
 DEFROST: Automatic
 POWER: 1280 Watt
 REFRIGERANT: R290
 THERMOSTAT: Electronic
 SHELVES: 5+5 adjustable

INFO

Led illumination
 2 revolving doors
 Colour: white internal & black external

 **NEW**  **4.395 €**+V.A.T.



DFV 1500H

COOLING DISPLAY

DIMENSIONS: 1500x765x2035 mm
 TEMPERATURE: -15°C up to -22°C
 CAPACITY: 1540 lt
 COOLING: Ventilated
 DEFROST: Automatic
 POWER: 1660 Watt
 REFRIGERANT: R290
 THERMOSTAT: Electronic
 SHELVES: 5+5+5 adjustable

INFO

Led illumination
 3 revolving doors
 Colour: white internal & black external

 **NEW**  **7.250 €**+V.A.T.



DFV 2050H

COOLING DISPLAY

DIMENSIONS: 2500x765x2035 mm
 TEMPERATURE: -15°C up to -22°C
 CAPACITY: 2080 lt
 COOLING: Ventilated
 DEFROST: Automatic
 POWER: 2000 Watt
 REFRIGERANT: R290
 THERMOSTAT: Electronic
 SHELVES: 5+5+5+5 adjustable

INFO

Led illumination
 4 revolving doors
 Colour: white internal & black external

 **NEW**  **9.850 €**+V.A.T.

COUNTERTOP DISPLAYS

VE 60BL

COUNTERTOP REFRIGERATED DISPLAY

DIMENSIONS: 456x410x819 mm
 TEMPERATURE: 0°C up to +12°C
 CAPACITY: 59 lt
 COOLING: Ventilated
 DEFROST: Automatic
 REFRIGERANT: R290
 THERMOSTAT: Electronic
 SHELVES: 2 adjustable

INFO

Led illumination
 Colour: black

645 € + V.A.T.



VE 60C

COUNTERTOP REFRIGERATED DISPLAY

DIMENSIONS: 456x410x819 mm
 TEMPERATURE: 0°C up to +12°C
 CAPACITY: 59 lt
 COOLING: Ventilated
 DEFROST: Automatic
 REFRIGERANT: R290
 THERMOSTAT: Electronic
 SHELVES: 2 adjustable

INFO

Led illumination
 Colour: white

635 € + V.A.T.



VE 80BL

COUNTERTOP WINE COOLER

DIMENSIONS: 456x410x969 mm
 TEMPERATURE: 0°C up to +12°C
 CAPACITY: 79 lt
 COOLING: Ventilated
 DEFROST: Automatic
 REFRIGERANT: R290
 THERMOSTAT: Electronic
 SHELVES: 3 adjustable

INFO

Led illumination
 Colour: black

695 € + V.A.T.





VE 80C

COUNTERTOP REFRIGERATED DISPLAY

DIMENSIONS: 456x410x969 mm
 TEMPERATURE: 0°C up to +12°C
 CAPACITY: 79 lt
 COOLING: Ventilated
 DEFROST: Automatic
 REFRIGERANT: R290
 THERMOSTAT: Electronic
 SHELVES: 3 adjustable

INFO

Led illumination
 Colour: white

685 €+V.A.T.



VE 109BL

COUNTERTOP COOLING DISPLAY

DIMENSIONS: 682x450x675 mm
 TEMPERATURE: +2°C up to +10°C
 CAPACITY: 100 lt
 POWER: 190 Watt
 COOLING: Ventilated
 DEFROST: Automatic
 REFRIGERANT: R290
 THERMOSTAT: Electronic
 SHELVES: 2 adjustable

INFO

Led illumination
 Colour: black

878 €+V.A.T.



VE 120C 2

COUNTERTOP COOLING DISPLAY

DIMENSIONS: 702x568x686 mm
 TEMPERATURE: +2°C up to +10°C
 CAPACITY: 120 lt
 POWER: 215 Watt
 COOLING: Ventilated
 DEFROST: Automatic
 REFRIGERANT: R290
 THERMOSTAT: Electronic
 SHELVES: 2 adjustable

INFO

Led illumination
 Front & back doors
 Colour: black

1.290 €+V.A.T.

COUNTERTOP COOLING DISPLAYS



VE 345

COUNTERTOP COOLING DISPLAY

DIMENSIONS: 702x568x886 mm
 TEMPERATURE: +2°C up to +10°C
 CAPACITY: 145 lt
 POWER: 215 Watt
 COOLING: Ventilated
 DEFROST: Automatic
 REFRIGERANT: R290
 THERMOSTAT: Electronic
 SHELVES: 3 adjustable

INFO

Led illumination
 Colour: black
 Hot air extraction system at the front glass

NEW 1.375 € + V.A.T.



VE 395

COUNTERTOP COOLING DISPLAY

DIMENSIONS: 880x568x886 mm
 TEMPERATURE: +2°C up to +10°C
 CAPACITY: 195 lt
 POWER: 240 Watt
 COOLING: Ventilated
 DEFROST: Automatic
 REFRIGERANT: R290
 THERMOSTAT: Electronic
 SHELVES: 3 adjustable

INFO

Led illumination
 Colour: black
 Hot air extraction system at the front glass

NEW 1.425 € + V.A.T.



VE 346

COUNTERTOP COOLING DISPLAY

DIMENSIONS: 615x560x874 mm
 TEMPERATURE: +2°C up to +10°C
 CAPACITY: 146 lt
 POWER: 200 Watt
 COOLING: Ventilated
 DEFROST: Automatic
 REFRIGERANT: R290
 THERMOSTAT: Electronic
 SHELVES: 3 adjustable

INFO

Led illumination
 Colour: black
 Hot air extraction system at the sides and the front glass

NEW 1.465 € + V.A.T.



VE 396

COUNTERTOP COOLING DISPLAY

DIMENSIONS: 795x560x874 mm
 TEMPERATURE: +2°C up to +10°C
 CAPACITY: 196 lt
 POWER: 200 Watt
 COOLING: Ventilated
 DEFROST: Automatic
 REFRIGERANT: R290
 THERMOSTAT: Electronic
 SHELVES: 3 adjustable

INFO

Led illumination
 Colour: black & inox
 Hot air extraction system at the sides and the front glass

NEW 1.580 € + V.A.T.



MARE 90

COUNTERTOP COOLING DISPLAY

DIMENSIONS: 698x882x417 mm
 TEMPERATURE: +2°C up to +10°C
 CAPACITY: 90 lt | GN 1/1-4 cm x 2
 POWER: 170 Watt
 COOLING: Static
 DEFROST: Automatic
 REFRIGERANT: R290
 THERMOSTAT: Electronic

INFO

Led illumination
 Colour: black
 GN containers are included

 **NEW** 1.080 €+V.A.T.



MARE 130

COUNTERTOP COOLING DISPLAY

DIMENSIONS: 1023x882x417 mm
 TEMPERATURE: +2°C up to +10°C
 CAPACITY: 130 lt | GN 1/1-4 cm x 3
 POWER: 180 Watt
 COOLING: Static
 DEFROST: Automatic
 REFRIGERANT: R290
 THERMOSTAT: Electronic

INFO

Led illumination
 Colour: black
 GN containers are included

 **NEW** 1.750 €+V.A.T.



MARE 110

COUNTERTOP COOLING DISPLAY

DIMENSIONS: 689x874x419 mm
 TEMPERATURE: +2°C up to +10°C
 CAPACITY: 112 lt | GN 1/1-4 cm x 2
 POWER: 170 Watt
 COOLING: Static
 DEFROST: Automatic
 REFRIGERANT: R290
 THERMOSTAT: Electronic

INFO

Led illumination
 Colour: black

 **NEW** 1.080 €+V.A.T.



MARE 160

COUNTERTOP COOLING DISPLAY

DIMENSIONS: 1014x874x419 mm
 TEMPERATURE: +2°C up to +10°C
 CAPACITY: 160 lt | GN 1/1-4 cm x 3
 POWER: 180 Watt
 COOLING: Static
 DEFROST: Automatic
 REFRIGERANT: R290
 THERMOSTAT: Electronic

INFO

Led illumination
 Colour: black

 **NEW** 1.750 €+V.A.T.

COUNTERTOP COOLING DISPLAYS



VE 120C

COUNTERTOP COOLING DISPLAY

DIMENSIONS: 702x568x686 mm
 TEMPERATURE: +2°C up to +10°C
 CAPACITY: 120 lt
 POWER: 215 Watt
 COOLING: Ventilated
 DEFROST: Automatic
 REFRIGERANT: R290
 THERMOSTAT: Electronic
 SHELVES: 2 adjustable

INFO

Led illumination
 Colour: black
 Hot air extraction system at the front glass

1.245 € + V.A.T.



VE 160C

COUNTERTOP COOLING DISPLAY

DIMENSIONS: 880x568x686 mm
 TEMPERATURE: +2°C up to +10°C
 CAPACITY: 160 lt
 COOLING: Ventilated
 POWER: 240 Watt
 DEFROST: Automatic
 REFRIGERANT: R290
 THERMOSTAT: Electronic
 SHELVES: 2 adjustable

INFO

Led illumination
 Colour: black
 Hot air extraction system at the front glass

1.395 € + V.A.T.



VE 200C

COUNTERTOP COOLING DISPLAY

DIMENSIONS: 1220x568x686 mm
 TEMPERATURE: +2°C up to +10°C
 CAPACITY: 200 lt
 COOLING: Ventilated
 POWER: 260 Watt
 DEFROST: Automatic
 REFRIGERANT: R290
 THERMOSTAT: Electronic
 SHELVES: 2 adjustable

INFO

Led illumination
 Colour: black
 Hot air extraction system at the front glass

1.935 € + V.A.T.



VE 250C

COUNTERTOP COOLING DISPLAY

DIMENSIONS: 1525x588x686 mm
 TEMPERATURE: +2°C up to +10°C
 CAPACITY: 265 lt
 POWER: 365 Watt
 COOLING: Ventilated
 DEFROST: Automatic
 REFRIGERANT: R290
 THERMOSTAT: Electronic
 SHELVES: 2 adjustable

INFO

Led illumination
 Colour: black or inox
 Hot air extraction system at the front glass

NEW **2.195 €** + V.A.T.

COUNTERTOP HEATED DISPLAYS



VE 120H

COUNTERTOP HEATED DISPLAY

DIMENSIONS: 678x568x686 mm
CAPACITY: 120 lt
TEMPERATURE: +30°C up to +90°C
POWER: 1100 Watt
THERMOSTAT: Analog
SHELVES: 3 adjustable

INFO

Led illumination
Colour: black

950 € +V.A.T.

VE 160H

COUNTERTOP HEATED DISPLAY

DIMENSIONS: 856x568x686 mm
CAPACITY: 160 lt
TEMPERATURE: +30°C up to +90°C
POWER: 1500 Watt
THERMOSTAT: Analog
SHELVES: 3 adjustable

INFO

Led illumination
Colour: black

1.090 € +V.A.T.

VE 200H

COUNTERTOP HEATED DISPLAY

DIMENSIONS: 1200x568x686 mm
CAPACITY: 200 lt
TEMPERATURE: +30°C up to +90°C
POWER: 1500 Watt
THERMOSTAT: Analog
SHELVES: 3 adjustable

INFO

Led illumination
Colour: black

1.410 € +V.A.T.

COUNTERTOP HEATED DISPLAYS



VE 50H

COUNTERTOP HEATED DISPLAY

DIMENSIONS: 554x361x376 mm
 TEMPERATURE: +30°C up to +90°C
 CAPACITY: 50 lt
 POWER: 800 Watt
 THERMOSTAT: Analog
 SHELVES: 2 fixed

INFO

Stainless steel

460 € + V.A.T.



VE 80H

COUNTERTOP HEATED DISPLAY

DIMENSIONS: 700x400x376 mm
 TEMPERATURE: +30°C up to +90°C
 CAPACITY: 80 lt
 POWER: 1100 Watt
 THERMOSTAT: Analog
 SHELVES: 2 fixed

INFO

Stainless steel

590 € + V.A.T.



BMT 2GN

COUNTERTOP HEATED DISPLAY BAIN MARIE TYPE

DIMENSIONS: 790x690x710 mm
 TEMPERATURE: +30°C up to +90°C
 CAPACITY: 2 GN 1/1-65mm
 POWER: 800 Watt
 THERMOSTAT: Analog

INFO

Water drawer
 Lighting
 Fans for air circulation
 Display shelf

1.260 € + V.A.T.



BMT 3GN

COUNTERTOP HEATED DISPLAY BAIN MARIE TYPE

DIMENSIONS: 1140x690x710 mm
 TEMPERATURE: +30°C up to +90°C
 CAPACITY: 3 GN 1/1-65mm
 POWER: 1200 Watt
 THERMOSTAT: Analog

INFO

Water drawer
 Lighting
 Fans for air circulation
 Display shelf

1.420 € + V.A.T.



VHW 827

COUNTERTOP HEATED DISPLAY

DIMENSIONS: 660x500x620 mm
CAPACITY: 2 GN 1/2-65 mm
POWER: 800 Watt
TEMPERATURE: +30°C up to +85°C
THERMOSTAT: Analog
SHELVES: 2

INFO

Colour: black

275 € + V.A.T.



VHW 350

COUNTERTOP HEATED DISPLAY

DIMENSIONS: 350x450x520 mm
POWER: 800 Watt
TEMPERATURE: +30°C up to +85°C
THERMOSTAT: Analog
SHELVES: 3

INFO

Stainless steel

385 € + V.A.T.



VHW 350A

COUNTERTOP HEATED DISPLAY

DIMENSIONS: 460x460x615 mm
POWER: 950 Watt
TEMPERATURE: +30°C up to +85°C
THERMOSTAT: Analog
SHELVES: 3

INFO

Stainless steel

595 € + V.A.T.

COUNTERTOP DISPLAYS FOR GN 1/4 CONTAINERS



401234

COUNTERTOP DISPLAY FOR GN 1/4 CONTAINERS

DIMENSIONS: 1200x335x435 mm
CAPACITY: 5 GN 1/4
POWER: 150 Watt
COOLING: Static
DEFROST: Automatic
REFRIGERANT: R290
TEMPERATURE: +2°C up to +10°C
THERMOSTAT: Electronic

INFO

Stainless steel
Containers are not included

775 € + V.A.T.

401534

COUNTERTOP DISPLAY FOR GN 1/4 CONTAINERS

DIMENSIONS: 1500x335x435 mm
CAPACITY: 7 GN 1/4
POWER: 150 Watt
COOLING: Static
DEFROST: Automatic
REFRIGERANT: R290
TEMPERATURE: +2°C up to +10°C
THERMOSTAT: Electronic

INFO

Stainless steel
Containers are not included

915 € + V.A.T.

401434

COUNTERTOP DISPLAY FOR GN 1/4 CONTAINERS

DIMENSIONS: 1400x335x435 mm
CAPACITY: 6 GN 1/4
POWER: 150 Watt
COOLING: Static
DEFROST: Automatic
REFRIGERANT: R290
TEMPERATURE: +2°C up to +10°C
THERMOSTAT: Electronic

INFO

Stainless steel
Containers are not included

860 € + V.A.T.

401834

COUNTERTOP DISPLAY FOR GN 1/4 CONTAINERS

DIMENSIONS: 1800x335x435 mm
CAPACITY: 8 GN 1/4
POWER: 150 Watt
COOLING: Static
DEFROST: Automatic
REFRIGERANT: R290
TEMPERATURE: +2°C up to +10°C
THERMOSTAT: Electronic

INFO

Stainless steel
Containers are not included

980 €+V.A.T.

401634

COUNTERTOP DISPLAY FOR GN 1/4 CONTAINERS

DIMENSIONS: 1600x335x435 mm
CAPACITY: 7 GN 1/4
POWER: 150 Watt
COOLING: Static
DEFROST: Automatic
REFRIGERANT: R290
TEMPERATURE: +2°C up to +10°C
THERMOSTAT: Electronic

INFO

Stainless steel
Containers are not included

935 €+V.A.T.

402034

COUNTERTOP DISPLAY FOR GN 1/4 CONTAINERS

DIMENSIONS: 2000x335x435 mm
CAPACITY: 10 GN 1/4
POWER: 150 Watt
COOLING: Static
DEFROST: Automatic
REFRIGERANT: R290
TEMPERATURE: +2°C up to +10°C
THERMOSTAT: Electronic

INFO

Stainless steel
Containers are not included

1.015 €+V.A.T.

COUNTERTOP DISPLAYS FOR GN 1/3 CONTAINERS



401238

COUNTERTOP DISPLAY FOR GN 1/3 CONTAINERS

DIMENSIONS: 1200x395x435 mm
 CAPACITY: 4 GN 1/3
 POWER: 150 Watt
 COOLING: Static
 DEFROST: Automatic
 REFRIGERANT: R290
 TEMPERATURE: +2°C up to +10°C
 THERMOSTAT: Electronic

INFO

Stainless steel
 Containers are not included

825 € + V.A.T.

401538

COUNTERTOP DISPLAY FOR GN 1/3 CONTAINERS

DIMENSIONS: 1500x395x435 mm
 CAPACITY: 6 GN 1/3
 POWER: 150 Watt
 COOLING: Static
 DEFROST: Automatic
 REFRIGERANT: R290
 TEMPERATURE: +2°C up to +10°C
 THERMOSTAT: Electronic

INFO

Stainless steel
 Containers are not included

935 € + V.A.T.

401438

COUNTERTOP DISPLAY FOR GN 1/3 CONTAINERS

DIMENSIONS: 1400x395x435 mm
 CAPACITY: 6 GN 1/3
 POWER: 150 Watt
 COOLING: Static
 DEFROST: Automatic
 REFRIGERANT: R290
 TEMPERATURE: +2°C up to +10°C
 THERMOSTAT: Electronic

INFO

Stainless steel
 Containers are not included

905 € + V.A.T.

401838

COUNTERTOP DISPLAY FOR GN 1/3 CONTAINERS

DIMENSIONS: 1800x395x435 mm
CAPACITY: 8 GN 1/3
POWER: 150 Watt
COOLING: Static
DEFROST: Automatic
REFRIGERANT: R290
TEMPERATURE: +2°C up to +10°C
THERMOSTAT: Electronic

INFO

Stainless steel
Containers are not included

1.025 €+V.A.T.

401638

COUNTERTOP DISPLAY FOR GN 1/3 CONTAINERS

DIMENSIONS: 1600x395x435 mm
CAPACITY: 7 GN 1/3
POWER: 150 Watt
COOLING: Static
DEFROST: Automatic
REFRIGERANT: R290
TEMPERATURE: +2°C up to +10°C
THERMOSTAT: Electronic

INFO

Stainless steel
Containers are not included

970 €+V.A.T.

402038

COUNTERTOP DISPLAY FOR GN 1/3 CONTAINERS

DIMENSIONS: 2000x395x435 mm
CAPACITY: 9 GN 1/3
POWER: 150 Watt
COOLING: Static
DEFROST: Automatic
REFRIGERANT: R290
TEMPERATURE: +2°C up to +10°C
THERMOSTAT: Electronic

INFO

Stainless steel
Containers are not included

1.075 €+V.A.T.

SUSHI DISPLAYS

VE 413S**SUSHI DISPLAY**

DIMENSIONS: 1130x395x375 mm
 CAPACITY: 4 GN1/3-4 cm
 COOLING: Static
 POWER: 150 Watt
 DEFROST: Automatic
 REFRIGERANT: R290
 TEMPERATURE: +2°C up to +10°C
 THERMOSTAT: Electronic

INFO

Display shelf
 Led illumination
 Containers are not included

1.140 €+V.A.T.

VE 513S**SUSHI DISPLAY**

DIMENSIONS: 1309x395x375 mm
 CAPACITY: 5 GN1/3-4 cm
 COOLING: Static
 POWER: 150 Watt
 DEFROST: Automatic
 REFRIGERANT: R290
 TEMPERATURE: +2°C up to +10°C
 THERMOSTAT: Electronic

INFO

Display shelf
 Led illumination
 Containers are not included

1.190 €+V.A.T.

FRONT



BACK

**VE 613S****SUSHI DISPLAY**

DIMENSIONS: 1485x395x375 mm
 CAPACITY: 6 GN1/3-4 cm
 COOLING: Static
 POWER: 160 Watt
 DEFROST: Automatic
 REFRIGERANT: R290
 TEMPERATURE: +2°C up to +10°C
 THERMOSTAT: Electronic

INFO

Display shelf
 Led illumination
 Containers are not included

1.250 €+V.A.T.

VE 813S**SUSHI DISPLAY**

DIMENSIONS: 1756x395x375 mm
 CAPACITY: 8 GN1/3 + 5 GN 1/2-4 cm
 COOLING: Static
 POWER: 170 Watt
 DEFROST: Automatic
 REFRIGERANT: R290
 TEMPERATURE: +2°C up to +10°C
 THERMOSTAT: Electronic

INFO

Display shelf
 Led illumination
 Containers are not included

1.350 €+V.A.T.

NEUTRAL DISPLAYS



VE 35N

NEUTRAL DISPLAY

DIMENSIONS: 554x361x370 mm

CAPACITY: 35 lt

INFO

Stainless steel & glass

210 € + V.A.T.



VE 50N

NEUTRAL DISPLAY

DIMENSIONS: 554x361x379 mm

CAPACITY: 50 lt

INFO

Stainless steel & glass

225 € + V.A.T.



VE 70N

NEUTRAL DISPLAY

DIMENSIONS: 360x605x515 mm

CAPACITY: 70 lt

INFO

Stainless steel & glass

NEW **315 €** + V.A.T.

REFRIGERATED DISPLAYS

**HBS 90****REFRIGERATED
DISPLAY**

DIMENSIONS: 900x700x1200 mm
 CAPACITY: 300 lt
 POWER: 450 Watt
 COOLING: Ventilated
 DEFROST: Automatic
 REFRIGERANT: R290/R134
 TEMPERATURE: +2°C up to +10°C
 THERMOSTAT: Electronic
 SHELVES: 2

INFO

Sliding doors
 Upper & shelves' Led illumination
 Colour: Black
 Antifog film

3.070 € + V.A.T.

HBS 150**REFRIGERATED
DISPLAY**

DIMENSIONS: 1500x700x1200 mm
 CAPACITY: 525lt
 POWER: 650 Watt
 COOLING: Ventilated
 DEFROST: Automatic
 REFRIGERANT: R290/R134
 TEMPERATURE: +2°C up to +10°C
 THERMOSTAT: Electronic
 SHELVES: 2

INFO

Sliding doors
 Upper & shelves' Led illumination
 Colour: Black
 Antifog film

3.460 € + V.A.T.

HBS 120**REFRIGERATED
DISPLAY**

DIMENSIONS: 1200x700x1200 mm
 CAPACITY: 415 lt
 POWER: 550 Watt
 COOLING: Ventilated
 DEFROST: Automatic
 REFRIGERANT: R290/R134
 TEMPERATURE: +2°C up to +10°C
 THERMOSTAT: Electronic
 SHELVES: 2

INFO

Sliding doors
 Upper & shelves' Led illumination
 Colour: Black
 Antifog film

3.270 € + V.A.T.



CBS 90

REFRIGERATED HEATED DISPLAY

DIMENSIONS: 900x700x1220 mm
CAPACITY: 300 lt
POWER: 1200 Watt
TEMPERATURE: +30°C up to +70°C
THERMOSTAT: Electronic
SHELVES: 2

INFO

Sliding doors
Upper & shelves' Led illumination
Colour: black

1.850 € + V.A.T.

CBS 120

REFRIGERATED HEATED DISPLAY

DIMENSIONS: 1200x700x1220 mm
CAPACITY: 415 lt
POWER: 1600 Watt
TEMPERATURE: +30°C up to +70°C
THERMOSTAT: Electronic
SHELVES: 2

INFO

Sliding doors
Upper & shelves' Led illumination
Colour: black

2.075 € + V.A.T.



CBS 150

REFRIGERATED HEATED DISPLAY

DIMENSIONS: 1500x700x1200 mm
CAPACITY: 528 lt
POWER: 2200 Watt
TEMPERATURE: +30°C up to +70°C
THERMOSTAT: Electronic
SHELVES: 2

INFO

Sliding doors
Upper & shelves' Led illumination
Colour: black

2.185 € + V.A.T.

➤ All CBS & HBS refrigerated displays are also available in white colour.

REFRIGERATED DISPLAYS

VE 280 BL**PANORAMIC REFRIGERATED DISPLAY**

DIMENSIONS: 562x532x1905 mm
 CAPACITY: 270 lt
 COOLING: Ventilated
 DEFROST: Automatic
 POWER: 350 Watt
 TEMPERATURE: 0°C up to +12°C
 THERMOSTAT: Electronic
 SHELVES: 5 adjustable

INFO

Led illumination
 Colour: black

1.500 € + V.A.T.



DISPLAYS

VCL 250C/250B/250S**PANORAMIC REFRIGERATED DISPLAY**

DIMENSIONS: 522x487x1860 mm
 CAPACITY: 250 lt
 COOLING: Ventilated
 DEFROST: Automatic
 TEMPERATURE: +1°C up to +10°C
 THERMOSTAT: Electronic

INFO

Upper & shelves' Led illumination
 Colour: black

3.025 € + V.A.T.





VCL 400C/400B/400S

PANORAMIC REFRIGERATED DISPLAY

DIMENSIONS: 652x652x1875 mm

CAPACITY: 400 lt

COOLING: Ventilated

DEFROST: Automatic

TEMPERATURE: +1°C up to +10°C

THERMOSTAT: Electronic

INFO

Upper Led illumination and vertical in all corners

Adjustable laminated shelves

Double glazing

Castors

3.570 € + V.A.T.



VCL 600C/600B/600S

PANORAMIC REFRIGERATED DISPLAY

DIMENSIONS: 852x652x1890 mm

CAPACITY: 600 lt

COOLING: Ventilated

DEFROST: Automatic

TEMPERATURE: +1°C up to +10°C

THERMOSTAT: Electronic

INFO

Upper Led illumination and vertical in all corners

Adjustable laminated shelves

Double glazing

Castors

4.235 € + V.A.T.

ICE CREAM DISPLAYS

SDF 150G**ICE CREAM DISPLAY**

DIMENSIONS EXT.: 665x715x875 mm
 DIMENSIONS INT.: 515x540x647 mm
 CAPACITY: 120 lt
 POWER: 260 Watt - 230 V
 TEMPERATURE: -25°C
 THERMOSTAT: Analog
 COOLING: Static
 REFRIGERANT: R290

INFO
 Castors

1.295 €+V.A.T.

SDF 260G**ICE CREAM DISPLAY**

DIMENSIONS EXT.: 990x715x875 mm
 DIMENSIONS INT.: 840x540x647 mm
 CAPACITY: 210 lt
 POWER: 300 Watt - 230 V
 TEMPERATURE: -25°C
 THERMOSTAT: Analog
 COOLING: Static
 REFRIGERANT: R290

INFO
 Castors

1.415 €+V.A.T.

SDF 360G**ICE CREAM DISPLAY**

DIMENSIONS EXT.: 1260x715x875 mm
 DIMENSIONS INT.: 1110x540x647 mm
 CAPACITY: 290 lt
 POWER: 350 Watt - 230 V
 TEMPERATURE: -25°C
 THERMOSTAT: Analog
 COOLING: Static
 REFRIGERANT: R290

INFO
 Castors

1.870 €+V.A.T.

**SDF 460G****ICE CREAM DISPLAY**

DIMENSIONS EXT.: 1530x715x875 mm
 DIMENSIONS INT.: 1380x540x647 mm
 CAPACITY: 370 lt
 POWER: 520 Watt - 230 V
 TEMPERATURE: -25°C
 THERMOSTAT: Analog
 COOLING: Static
 REFRIGERANT: R290

INFO
 Castors

2.145 €+V.A.T.

SDF 560G**ICE CREAM DISPLAY**

DIMENSIONS EXT.: 1800x715x875 mm
 DIMENSIONS INT.: 1650x540x647 mm
 CAPACITY: 450 lt
 POWER: 580 Watt - 230 V
 TEMPERATURE: -25°C
 THERMOSTAT: Analog
 COOLING: Static
 REFRIGERANT: R290

INFO
 Castors

2.635 €+V.A.T.



IC 10

ICE CREAM DISPLAY

DIMENSIONS: 1410x850x1300 mm
CAPACITY: 10 containers (360x165x120mm)
POWER: 1500 Watt
COOLING: Ventilated
DEFROST: Automatic
TEMPERATURE: -18°C up to -22°C
THERMOSTAT: Electronic

INFO

Sliding back doors
Internal electronic thermometer
Led illumination
Curved glasses

 **NEW**  **7.130 €**+V.A.T.



IC 10S

ICE CREAM DISPLAY

DIMENSIONS: 1410x850x1300 mm
CAPACITY: 10 containers (360x165x120 mm)
POWER: 1500 Watt
COOLING: Ventilated
DEFROST: Automatic
TEMPERATURE: -18°C up to -22°C
THERMOSTAT: Electronic

INFO

Sliding back doors
Internal electronic thermometer
Led illumination
Flat glasses

 **NEW**  **7.130 €**+V.A.T.

PASTRY DISPLAYS



VCM 60

PASTRY DISPLAY

DIMENSIONS: 600x800x1055 mm
 CAPACITY: 170 lt
 POWER: 340 Watt
 COOLING: Ventilated
 DEFROST: Automatic
 TEMPERATURE: +2°C up to +8°C
 THERMOSTAT: Electronic
 REFRIGERANT: R290

INFO

Led illumination
 Castors
 Refrigerated storing area at the bottom part
 Display shelf on top
 Air extraction system at the sides and the front glass

NEW 4.070 €+V.A.T.



VCM 90

PASTRY DISPLAY

DIMENSIONS: 900x800x1055 mm
 CAPACITY: 270 lt
 POWER: 340 Watt
 COOLING: Ventilated
 DEFROST: Automatic
 TEMPERATURE: +2°C up to +8°C
 THERMOSTAT: Electronic
 REFRIGERANT: R290

INFO

Led illumination
 Castors
 Refrigerated storing area at the bottom part
 Display shelf on top
 Air extraction system at the sides and the front glass

NEW 4.290 €+V.A.T.

VCM 120

PASTRY DISPLAY

DIMENSIONS: 1200x800x1055 mm
 CAPACITY: 375 lt
 POWER: 380 Watt
 COOLING: Ventilated
 DEFROST: Automatic
 TEMPERATURE: +2°C up to +8°C
 THERMOSTAT: Electronic
 REFRIGERANT: R290

INFO

Led illumination
 Castors
 Refrigerated storing area at the bottom part
 Display shelf on top
 Air extraction system at the sides and the front glass

NEW 4.840 €+V.A.T.

VCM 150

PASTRY DISPLAY

DIMENSIONS: 1500x800x1055 mm
 CAPACITY: 475 lt
 POWER: 420 Watt
 COOLING: Ventilated
 DEFROST: Automatic
 TEMPERATURE: +2°C up to +8°C
 THERMOSTAT: Electronic
 REFRIGERANT: R290

INFO

Led illumination
 Castors
 Refrigerated storing area at the bottom part
 Display shelf on top
 Air extraction system at the sides and the front glass

NEW 5.830 €+V.A.T.





MC 2000

MEAT DISPLAY

DIMENSIONS: 2000x1050x1230 mm

CAPACITY: 2360 lt

POWER: 1100 Watt - 220 V

TEMPERATURE: 1°C up to 10°C

THERMOSTAT: Analog

COOLING: Ventilated

DEFROST: Automatic

REFRIGERANT: R290

INFO

Castors

Led illumination

Digital control panel

 **NEW**

5.800 €+V.A.T.

SELF SERVICE DISPLAYS



FREEZERS

03

Freezers

CHEST FREEZERS [86]

FLAT SLIDING GLASS LID FREEZERS [88]

CURVED SLIDING GLASS LID FREEZERS [89]

ISLAND CHEST FREEZERS [90]

BEER CHEST FREEZER [92]

VERTICAL FREEZERS [93]

CHEST FREEZERS

ES 110 BLACK / DUAL

DUAL TEMPERATURE CHEST FREEZER

DIMENSIONS: 635x580x800 mm
 CAPACITY: 100 lt
 COOLING: Static
 DEFROST: Manual
 REFRIGERANT: R600a
 TEMPERATURE: +8°C/-20°C
 THERMOSTAT: Electronic
 COLOUR: Black

INFO

Climate class N/ST
 Led illumination around the glass
 Castors

 **NEW**  **645 €**+V.A.T.



ES 150

CHEST FREEZER

DIMENSIONS EXT.: 545x610x830 mm
 DIMENSIONS INT.: 434x414x682 mm
 CAPACITY: 100 lt
 TEMPERATURE: -18°C/-25°C
 POWER: 95 Watt
 DEFROST: Manual
 REFRIGERANT: R600a
 THERMOSTAT: Analog
 COLOUR: White

INFO

Climate class Tropical
 Illumination
 Castors
 Lock

 **350 €**+V.A.T.

ES 241

CHEST FREEZER

DIMENSIONS EXT.: 720x678x830 mm
 DIMENSIONS INT.: 600x480x692 mm
 CAPACITY: 197 lt
 TEMPERATURE: -18°C/-25°C
 POWER: 120 Watt
 DEFROST: Manual
 REFRIGERANT: R600a
 THERMOSTAT: Analog
 COLOUR: White

INFO

Climate class Tropical
 Illumination
 Castors
 Lock

 **440 €**+V.A.T.



ES 270

CHEST FREEZER

DIMENSIONS: 720x678x830 mm
 CAPACITY: 227 lt
 TEMPERATURE: -18°C/-25°C
 POWER: 120 Watt
 DEFROST: Manual
 REFRIGERANT: R600a
 THERMOSTAT: Analog
 COLOUR: Gray

INFO

Climate class Sub-Tropical
 Led illumination
 Castors
 Lock

 **NEW**  **450 €**+V.A.T.



ES 295

CHEST FREEZER

DIMENSIONS EXT.: 985x560x830 mm
 DIMENSIONS INT.: 874x405x683 mm
 CAPACITY: 240 lt
 TEMPERATURE: -18°C/-25°C
 POWER: 125 Watt
 DEFROST: Manual
 REFRIGERANT: R600a
 THERMOSTAT: Analog
 COLOUR: White

INFO

Climate class Tropical
 Illumination
 Castors
 Lock

485 €+V.A.T.



ES 491

CHEST FREEZER

DIMENSIONS EXT.: 1480x670x830 mm
 DIMENSIONS INT.: 1342x480x675 mm
 CAPACITY: 423 lt
 TEMPERATURE: -18°C/-25°C
 POWER: 223 Watt
 DEFROST: Manual
 REFRIGERANT: R290
 THERMOSTAT: Analog
 COLOUR: White

INFO

Climate class Tropical
 Illumination
 Castors
 Lock

765 €+V.A.T.



ES 690

CHEST FREEZER

DIMENSIONS: 1800x760x827 mm
 CAPACITY: 600 lt
 TEMPERATURE: -18°C/-25°C
 POWER: 270 Watt
 DEFROST: Manual
 REFRIGERANT: R290
 THERMOSTAT: Analog
 COLOUR: Gray

INFO

Climate class Sub-Tropical
 Led illumination
 Castors
 Lock

NEW **970 €**+V.A.T.



ES 790

CHEST FREEZER

DIMENSIONS EXT.: 1945x797x825 mm
 DIMENSIONS INT.: 1805x615x615 mm
 CAPACITY: 750 lt
 TEMPERATURE: -18°C/-25°C
 POWER: 450 Watt
 DEFROST: Manual
 REFRIGERANT: R290
 THERMOSTAT: Analog
 COLOUR: Gray

INFO

Climate class ST
 Illumination
 Castors
 Lock

1.485 €+V.A.T.

LID FREEZERS WITH SLIDING GLASS

SDF 140**FLAT SLIDING GLASS
LID FREEZER**

DIMENSIONS: 620x510x830mm
 CAPACITY: 100 lt
 COOLING: Static
 DEFROST: Manual
 REFRIGERANT: R600a
 TEMPERATURE: -18°C
 THERMOSTAT: Analog
 SLIDING GLASSES: 2
 BASKETS: 2 (not included)
 COLOUR: White

INFO

Climate class N
 Castors

**545 €**+V.A.T.**SDF 230****FLAT SLIDING GLASS
LID FREEZER**

DIMENSIONS: 990x545x784mm
 CAPACITY: 205 lt
 COOLING: Static
 DEFROST: Manual
 REFRIGERANT: R600a
 TEMPERATURE: -18°C
 THERMOSTAT: Analog
 SLIDING GLASSES: 2
 BASKETS: 3 (not included)
 COLOUR: White

INFO

Climate class N
 Castors

**695 €**+V.A.T.**SDF 320****FLAT SLIDING GLASS
LID FREEZER**

DIMENSIONS: 1165x605x784mm
 CAPACITY: 288 lt
 COOLING: Static
 DEFROST: Manual
 REFRIGERANT: R290
 TEMPERATURE: -18°C
 THERMOSTAT: Analog
 SLIDING GLASSES: 2
 BASKETS: 4 (not included)
 COLOUR: White

INFO

Climate class N
 Castors

**835 €**+V.A.T.



SDF 550

FLAT SLIDING GLASS LID FREEZER

DIMENSIONS: 1688x675x782mm
 CAPACITY: 469 lt
 COOLING: Static
 DEFROST: Manual
 REFRIGERANT: R290
 TEMPERATURE: -18°C
 THERMOSTAT: Analog
 SLIDING GLASSES: 2
 BASKETS: 5 (not included)
 COLOUR: White

INFO
 Climate class N
 Castors

NEW 1.165 €+V.A.T.

SDC 550

CURVED SLIDING GLASS LID FREEZER

DIMENSIONS EXT.: 1475x757x858 mm
 CAPACITY: 500 lt
 TEMPERATURE: -18°C up to -20°C
 COOLING: Static
 REFRIGERANT: R290
 POWER: 400 Watt
 THERMOSTAT: Electronic
 BASKETS: 4
 COLOUR: Gray

INFO
 Castors
 Climate class ST
 Digital temperature indicator
 Led illumination
 Insulation 75 mm

NEW 1.750 €+V.A.T.

SDC 750

CURVED SLIDING GLASS LID FREEZER

DIMENSIONS EXT.: 2000x757x858 mm
 CAPACITY: 700 lt
 TEMPERATURE: -18°C up to -20°C
 COOLING: Static
 REFRIGERANT: R290
 POWER: 530 Watt
 THERMOSTAT: Electronic
 BASKETS: 6
 COLOUR: Gray

INFO
 Castors
 Climate class ST
 Digital temperature indicator
 Led illumination
 Insulation 75 mm

NEW 2.290 €+V.A.T.



ISLAND CHEST FREEZERS

**SDC 550/ADF****CURVED SLIDING GLASS
ISLAND CHEST FREEZER**

DIMENSIONS: 1500x850x850 mm
 CAPACITY: 550 lt
 TEMPERATURE: -18°C up to -20°C
 COOLING: Static
 DEFROST: Automatic (hot gas)
 REFRIGERANT: R290
 POWER: 600 Watt
 THERMOSTAT: Electronic

INFO

Castors
 Lock
 Climate class 4/L1
 Insulation 75 mm
 Led illumination

NEW 2.710 €+V.A.T.

SDC 750/ADF**«HEADER» CURVED SLIDING GLASS
ISLAND CHEST FREEZER**

DIMENSIONS: 1900x850x850 mm
 CAPACITY: 750 lt
 TEMPERATURE: -18°C up to -20°C
 COOLING: Static
 DEFROST: Automatic (hot gas)
 REFRIGERANT: R290
 POWER: 700 Watt
 THERMOSTAT: Electronic

INFO

Castors
 Lock
 Climate class 4/L1
 Insulation 75 mm
 Led illumination

NEW 2.035 €+V.A.T.





SDC 800/ADF

CURVED SLIDING GLASS ISLAND CHEST FREEZER

DIMENSIONS: 2000x850x850 mm
 CAPACITY: 800 lt
 TEMPERATURE: -18°C up to -20°C
 COOLING: Static
 DEFROST: Automatic (hot gas)
 REFRIGERANT: R290
 POWER: 700 Watt
 THERMOSTAT: Electronic

INFO

Castors
 Lock
 Climate class 4/L1
 Insulation 75 mm
 Led illumination

 **NEW** 2.695 €+V.A.T.

SDC 1000/ADF

CURVED SLIDING GLASS ISLAND CHEST FREEZER

DIMENSIONS: 2500x850x850 mm
 CAPACITY: 1000 lt
 TEMPERATURE: -18°C up to -20°C
 COOLING: Static
 DEFROST: Automatic (hot gas)
 REFRIGERANT: R290
 POWER: 800 Watt
 THERMOSTAT: Electronic

INFO

Castors
 Lock
 Climate class 4/L1
 Insulation 75 mm
 Led illumination

 **NEW** 3.070 €+V.A.T.



BEER CHEST FREEZER

BFC 300

BEER CHEST FREEZER

DIMENSIONS: 965x595x885 mm
 CAPACITY: 218 lt / 80 bottles (600ml)
 COOLING: Static with auxiliary fan
 DEFROST: Automatic
 TEMPERATURE: -3°C/+3°C
 REFRIGERANT: R600
 POWER: 150 Watt
 THERMOSTAT: Electronic
 BASKETS: 5 suitable for beers
 COLOUR: White

INFO

Climate class ST
 Lock
 Castors

825 € + V.A.T.



Cooling circulation fan



Digital display



80 bottles (600 ml) capacity

VERTICAL FREEZERS



VF 130 BLACK

VERTICAL FREEZER

DIMENSIONS: 550x546x833 mm
CAPACITY: 100 lt
TEMPERATURE: -25°C
POWER: 95 Watt
COOLING: Static
DEFROST: Manual
REFRIGERANT: R600a
THERMOSTAT: Analog
SHELVES: 3

INFO

Climate class Sub-Tropical
Colour: white internal & black external

 **NEW**  **415 €** +V.A.T.



VF 310 BLACK

VERTICAL FREEZER WITH SHELVES

DIMENSIONS: 600x620x1690 mm
CAPACITY: 310 lt
TEMPERATURE: -25°C
POWER: 130 Watt
COOLING: Static
DEFROST: Manual
REFRIGERANT: R600a
THERMOSTAT: Analog
SHELVES: 7

INFO

Climate class Sub-Tropical
Colour: white internal & black external

 **NEW**  **720 €** +V.A.T.

COOKING

04

Ovens

CONVECTION ELECTRIC OVENS [96]

COMBI STEAM OVENS [100]

PROVERS [102]

TRAYS [103]

GRILLS [104]

OVEN CLEANERS [105]

PIZZA OVENS [106]



BC 45**CONVECTION ELECTRIC OVEN
ANALOG**

DIMENSIONS: 580x570x510 mm
 CAPACITY: 4 grills 450x330 mm
 or 4 trays 460x330 mm
 SPACE BETWEEN TRAYS: 72 mm
 POWER: 2,8 kW - 230 V
 TEMPERATURE: 65°C up to 250°C
 FANS: 1 non-auto reverse rotation

INFO

Stainless steel
 Grills included
 Trays not included

768 €+V.A.T.

**BC 45GH****CONVECTION ELECTRIC OVEN
ANALOG**

DIMENSIONS: 580x570x510 mm
 CAPACITY: 4 grills 450x330 mm
 or 4 trays 460x330 mm
 SPACE BETWEEN TRAYS: 72 mm
 POWER: 2,8 kW - 230 V
 TEMPERATURE: 65°C up to 250°C
 FANS: 1 non-auto reverse rotation

INFO

Stainless steel
 Grills included
 Trays not included

1.015 €+V.A.T.

**BC 45H****CONVECTION ELECTRIC OVEN
ANALOG**

DIMENSIONS: 580x570x510 mm
 CAPACITY: 4 grills 450x330 mm
 or 4 trays 460x330 mm
 SPACE BETWEEN TRAYS: 72 mm
 POWER: 2,8 kW - 230 V
 TEMPERATURE: 65°C up to 250°C
 FANS: 2 non-auto reverse rotation

INFO

Stainless steel
 Grills included
 Trays not included

980 €+V.A.T.





BC 460

CONVECTION ELECTRIC OVEN ANALOG

DIMENSIONS: 760x686x558 mm
CAPACITY: 4 trays 40x60 cm & GN 1/1
SPACE BETWEEN TRAYS: 75 mm
POWER: 4.6 kW - 400 V
TEMPERATURE: 65°C up to 250°C
FANS: 2 non-auto reverse rotation

INFO

Stainless steel casing
Timer 0-120 min
Trays not included

 **NEW**  **1.520 €** + V.A.T.



BC 550

CONVECTION ELECTRIC OVEN ANALOG

DIMENSIONS: 760x686x558 mm
CAPACITY: 4 trays 40x60 cm & GN 1/1
SPACE BETWEEN TRAYS: 75 mm
POWER: 5.6 kW - 400 V
TEMPERATURE: 65°C up to 250°C
FANS: 2 auto reverse rotation

INFO

Stainless steel casing
Timer 0-120 min
Trays not included

 **NEW**  **1.720 €** + V.A.T.

CONVECTION ELECTRIC OVENS

BC 4332

CONVECTION ELECTRIC OVEN ANALOG

DIMENSIONS: 590x630x580 mm
CAPACITY: 4 trays 435x320 mm
SPACE BETWEEN TRAYS: 75 mm
POWER: 2.8 kW
TEMPERATURE: 50°C up to 300°C
FANS: 2 non-auto reverse rotation

INFO
Stainless steel casing
Timer
Trays included

 **NEW**  **725 €**+V.A.T.



BC 4332GH

CONVECTION ELECTRIC OVEN ANALOG

DIMENSIONS: 590x630x580 mm
CAPACITY: 4 trays 435x320 mm
SPACE BETWEEN TRAYS: 75 mm
POWER: 2.8 kW
TEMPERATURE: 50°C up to 300°C
FANS: 2 non-auto reverse rotation

INFO
Grill 2 kw
Stainless steel casing
Humidity injection
Timer
Trays included
Separate grill & fans function

 **NEW**  **810 €**+V.A.T.





ON 0464MH

CONVECTION ELECTRIC OVEN ANALOG

DIMENSIONS: 725x650x560 mm
 CAPACITY: 4 trays 40x60 cm
 SPACE BETWEEN TRAYS: 80 mm
 POWER: 5.5 kW - 400V
 TEMPERATURE: 50°C up to 270°C
 FANS: 2 non-auto reverse rotation

INFO
 Stainless steel
 Humidity injection
 Trays not included

 **NEW**  **1.598 €** + V.A.T.



OS 0464M

CONVECTION ELECTRIC OVEN ANALOG

DIMENSIONS: 765x690x585 mm
 CAPACITY: 4 trays 40x60 cm & GN1/1
 SPACE BETWEEN TRAYS: 80 mm
 POWER: 6.1 kW - 400V
 TEMPERATURE: 50°C up to 270°C
 FANS: 1 big auto reverse rotation

INFO
 Stainless steel
 Humidity injection
 Trays not included

 **NEW**  **2.170 €** + V.A.T.

COMBI STEAM OVENS

OL 0511M**COMBI OVEN
ANALOG**

DIMENSIONS: 920x680x540 mm
 CAPACITY: 5 trays 40x60 cm & GN1/1
 SPACE BETWEEN TRAYS: 67 mm
 POWER: 6.1 kW - 400V
 TEMPERATURE: 50°C up to 270°C
 FANS: 1 big auto reverse rotation

INFO

Stainless steel casing
 Analog steam percentage regulation
 Trays not included

NEW 3.600 €+V.A.T.

**OL 0611M****COMBI OVEN
ANALOG**

DIMENSIONS: 920x680x670 mm
 CAPACITY: 6 trays 40x60 cm & GN1/1
 SPACE BETWEEN TRAYS: 80 mm
 POWER: 9.2 kW - 400V
 TEMPERATURE: 50°C up to 270°C
 FANS: 2 big auto reverse rotation

INFO

Stainless steel casing
 Analog steam percentage regulation
 Trays not included

NEW 4.200 €+V.A.T.

**OL 1011M****COMBI OVEN
ANALOG**

DIMENSIONS: 920x680x1020 mm
 CAPACITY: 10 trays 40x60 cm & GN1/1
 SPACE BETWEEN TRAYS: 80 mm
 POWER: 13,8 kW - 400V
 TEMPERATURE: 50°C up to 270°C
 FANS: 3 big auto reverse rotation

INFO

Stainless steel casing
 Analog steam percentage regulation
 Trays not included

NEW 5.390 €+V.A.T.



OV 0611D

COMBI STEAMER OVEN WASH

DIMENSIONS: 1000x710x730 mm
 CAPACITY: 6 GN1/1
 SPACE BETWEEN TRAYS: 80 mm
 POWER: 9.2 kW - 400V
 TEMPERATURE: 30°C up to 240°C
 FANS: 2 big auto reverse rotation
 FANS SPEED: 5 levels

INFO

Stainless steel casing
 Steam percentage regulation up to 100%
 Preheating function
 Fast Cooling function
 99 recipes | 3 phases
 Built-in washing system
 WiFi connection
 Trays not included

EXTRA

Core probe 300€+V.A.T.

 **NEW** 6.750 €+V.A.T.



OV 1011D

COMBI STEAMER OVEN WASH

DIMENSIONS: 1000x710x1090 mm
 CAPACITY: 10 GN1/1
 SPACE BETWEEN TRAYS: 80 mm
 POWER: 13.8 kW - 400V
 TEMPERATURE: 30°C up to 240°C
 FANS: 3 auto reverse rotation
 FANS SPEED: 5 levels

INFO

Stainless steel casing
 Steam percentage regulation up to 100%
 Preheating function
 Fast Cooling function
 99 recipes | 3 phases
 Built-in washing system
 WiFi connection
 Trays not included

EXTRA

Core probe 300€+V.A.T.

 **NEW** 7.900 €+V.A.T.





OC 1064M

PROVER



DIMENSIONS: 970x680x750 mm
CAPACITY: 12 trays 40x60 cm
TEMPERATURE: 30°C up to 90°C
POWER: 0.7 kW - 230 V

SUITABLE FOR:
Vesta ovens

 **NEW**  **2.350 €+V.A.T.**



LEC 4333

ALUMINIUM TRAY

DIMENSIONS: 460x330x15 mm

SUITABLE FOR:
BAKEPRO BC45 | BC45H

17 €+V.A.T.



LEC 30003

ALUMINIUM TRAY

DIMENSIONS: 442x325x15 mm

SUITABLE FOR:
PIRON CABOTO PF6204

42 €+V.A.T.

LEC 30037

ALUMINIUM TRAY

DIMENSIONS: 480x345x8 mm

SUITABLE FOR:
PIRON CABOTO PF5004P

45 €+V.A.T.

LEC 30005

ALUMINIUM PERFORATED TRAY

DIMENSIONS: 442x325x15 mm

42 €+V.A.T.

LEC 30010

ALUMINIUM PERFORATED TRAY

DIMENSIONS: 600x400x20 mm

50 €+V.A.T.

1001001

ALUMINIUM TRAY

DIMENSIONS: 600x400x20 mm

51 €+V.A.T.




LEC 6040B

ALUMINIUM TRAY

DIMENSIONS: 600x400x20 mm

30 €+V.A.T.



LEC 60404

ALUMINIUM TRAY

DIMENSIONS: 600x400x40 mm

NEW **33 €**+V.A.T.




GRILLS

GRI 30006**CHROME PLATED GRILL**

DIMENSIONS: 442x325 mm

SUITABLE FOR:
PIRON CABOTO PF6204**28 €** + V.A.T.**GRI 48345****CHROME PLATED GRILL**

DIMENSIONS: 480x345 mm

SUITABLE FOR:
PIRON CABOTO PF5004P**30 €** + V.A.T.**GRI 30005****CHROME PLATED GRILL**

DIMENSIONS: 600x400 mm

24 € + V.A.T.

OVEN CLEANERS

DET 30010

2in1 OVEN CLEANER / 5kg
DETERGENT & RINSE

SUITABLE FOR:
PIRON VESPUCCI: PF8904 | PF8906 | PF8910

 **105 €**+V.A.T.

5102002

2in1 OVEN CLEANER / 10kg
DETERGENT & RINSE

SUITABLE FOR:
VESTA: OV 0611D | OV 1011D

 **125 €**+V.A.T.

COFFEE MACHINE CLEANERS

DET225UN

COFFEE MACHINE CLEANING POWDER 900 gr

SUITABLE FOR:
Cleaning group, pipes & valves

 **NEW**  **17,50 €**+V.A.T.

PIZZA OVENS

**EP 30****PIZZA OVEN (1 PIZZA)**

DIMENSIONS EXT.: 490x380x190 mm
 GRILL DIMENSIONS: 360x340 mm
 POWER: 1130 Watt
 TEMPERATURE: 50°C up to 300°C

INFO

15' Timer
 Stainless steel

260 € +V.A.T.

**EP 60****PIZZA OVEN (2 PIZZA)**

DIMENSIONS EXT.: 490x380x330 mm
 GRILL DIMENSIONS: 360x340 mm
 POWER: 2260 Watt
 TEMPERATURE: 50°C up to 300°C

INFO

15' Timer
 Stainless steel

590 € +V.A.T.

**EP 31****ANALOG PIZZA OVEN
(1 PIZZA)**

DIMENSIONS EXT.: 485x410x195 mm
 GRILL DIMENSIONS: 310x310 mm
 CAPACITY: 1 pizza Ø30 cm
 POWER: 1.6 Kw/230V
 TEMPERATURE: 50°C up to 350°C

INFO

Timer
 Stainless steel

205 € +V.A.T.

**EP 41****ANALOG PIZZA OVEN
(1 PIZZA)**

DIMENSIONS EXT.: 585x500x225 mm
 GRILL DIMENSIONS: 410x410 mm
 CAPACITY: 1 pizza Ø40 cm
 POWER: 1.6 Kw/230V
 TEMPERATURE: 50°C up to 350°C

INFO

Timer
 Stainless steel

310 € +V.A.T.

EP 2S

ANALOG PIZZA OVEN (2 PIZZA)

DIMENSIONS EXT.: 580x580x440 mm
DIMENSIONS INT.: 420x420x150 mm
CAPACITY: 2 pizza Ø30 cm
POWER: 3 Kw/230V
TEMPERATURE: 50°C up to 300°C
THERMOSTATS: 1 analog (per resistance)

INFO
Fireproof stone
Timer
Stainless steel

 **NEW**  **465 €+V.A.T.**



BP 135M

ANALOG PIZZA OVEN (1 PIZZA)

DIMENSIONS EXT.: 580x460x280 mm
DIMENSIONS INT.: 350x350x100 mm
CAPACITY: 1 pizza Ø35 cm
POWER: 2.2 kW-230V
TEMPERATURE: 65°C up to 400°C
THERMOSTATS: 2 analog (per resistance)

INFO
30' timer
Internal illumination
Fireproof stone 1.5 cm thick
Stainless steel

 **680 €+V.A.T.**



BP 235M

ANALOG PIZZA OVEN (2 PIZZA)

DIMENSIONS EXT.: 580x460x510 mm
DIMENSIONS INT.: 350x350x100 mm
CAPACITY: 2 pizza Ø35 cm
POWER: 4.4 kW-230V
TEMPERATURE: 65°C up to 400°C
THERMOSTATS: 2 analog (per resistance)

INFO
30' timer
Internal illumination
Fireproof stone 1.5 cm thick
Stainless steel

 **1.035 €+V.A.T.**

PIZZA OVENS

BP 435M**PIZZA OVEN (1 PIZZA)**

DIMENSIONS EXT.: 1000x950x415 mm
 DIMENSIONS INT.: 720x720x140 mm
 CAPACITY: 4 pizza ø35 cm
 POWER: 6 kW-400V
 TEMPERATURE: 45°C up to 450°C
 THERMOSTATS: 2 analog (per resistance)

INFO

Internal illumination
 Fireproof stone 1.4 cm thick
 Stainless steel

2.280 €+V.A.T.

**BP 635M****PIZZA OVEN (1 PIZZA)**

DIMENSIONS EXT.: 1000x1315x415 mm
 DIMENSIONS INT.: 720x1080x140 mm
 CAPACITY: 6 pizza ø35 cm
 POWER: 9 kW-400V
 TEMPERATURE: 45°C up to 450°C
 THERMOSTATS: 2 analog (per resistance)

INFO

Internal illumination
 Fireproof stone 1.4 cm thick
 Stainless steel

3.070 €+V.A.T.

BP 635MW**PIZZA OVEN (1 PIZZA)**

DIMENSIONS EXT.: 1360x955x415 mm
 DIMENSIONS INT.: 1080x720x140 mm
 CAPACITY: 6 pizza ø35 cm
 POWER: 9 kW-400V
 TEMPERATURE: 45°C up to 450°C
 THERMOSTATS: 2 analog (per resistance)

INFO

Internal illumination
 Fireproof stone 1.4 cm thick
 Stainless steel

3.005 €+V.A.T.

BP 935M**PIZZA OVEN (1 PIZZA)**

DIMENSIONS EXT.: 1360x1315x415 mm
 DIMENSIONS INT.: 1080x1080x140 mm
 CAPACITY: 9 pizza ø35 cm
 POWER: 13.2 kW-400V
 TEMPERATURE: 45°C up to 450°C
 THERMOSTATS: 2 analog (per resistance)

INFO

Internal illumination
 Fireproof stone 1.4 cm thick
 Stainless steel

3.225 €+V.A.T.



BP 1235M

PIZZA OVEN (2 PIZZA)

DIMENSIONS EXT.: 1000x1315x745 mm
DIMENSIONS INT.: 720x1080x140 mm
CAPACITY: 6+6 pizza ø35 cm
POWER: 18 kW-230V
TEMPERATURE: 45°C up to 450°C
THERMOSTATS: 2 analog (per resistance)

INFO

Internal illumination
Fireproof stone 1.4 cm thick
Stainless steel

4.215 € + V.A.T.

BP 835M

PIZZA OVEN (2 PIZZA)

DIMENSIONS EXT.: 1000x950x745 mm
DIMENSIONS INT.: 720x720x140 mm
CAPACITY: 4+4 pizza ø35 cm
POWER: 12 kW-400V
TEMPERATURE: 45°C up to 450°C
THERMOSTATS: 2 analog (per resistance)

INFO

Internal illumination
Fireproof stone 1.4 cm thick
Stainless steel

4.045 € + V.A.T.

BP 1235MW

PIZZA OVEN (2 PIZZA)

DIMENSIONS EXT.: 1360x955x745 mm
DIMENSIONS INT.: 1080x720x140 mm
CAPACITY: 6+6 pizza ø35 cm
POWER: 18 kW-400V
TEMPERATURE: 45°C up to 450°C
THERMOSTATS: 2 analog (per resistance)

INFO

Internal illumination
Fireproof stone 1.4 cm thick
Stainless steel

5.490 € + V.A.T.

BP 1835M

PIZZA OVEN (2 PIZZA)

DIMENSIONS EXT.: 1360x1315x745 mm
DIMENSIONS INT.: 1080x1080x140 mm
CAPACITY: 9+9 pizza ø35 cm
POWER: 26.4 kW-400V
TEMPERATURE: 45°C up to 450°C
THERMOSTATS: 2 analog (per resistance)

INFO

Internal illumination
Fireproof stone 1.4 cm thick
Stainless steel

6.025 € + V.A.T.

WASHING



Dishwashers

NANSIE SERIES [112]

UNDERCOUNTER [115]

HOOD-TYPE [124]

UTENSIL [127]

TUNNELS [130]

WATER SOFTENERS [132]

ACCESSORIES [133]



NANSIE HOOD 500

HOOD-TYPE DISHWASHER

DIMENSIONS: 728x816x1505 mm
 BASKET SIZE: 50x50 cm
 USEFUL WASHING HEIGHT: 430 mm - GN 1/1
 WASHING ARMS: Top & Bottom
 RINSING ARMS: Top & Bottom
 OUTPUT: 20-30 baskets/hour
 CYCLE: 120'' - 180''
 WATER CONSUMPTION: 2,5lt/cycle
 TANK / BOILER TEMPERATURE: 60°C / 82°C
 TANK / BOILER RESISTANCE: 3 kW / 10 kW
 WASH PUMP: 750 W
 TOTAL POWER / VOLTAGE: 10.800 W / 400 V - 50 Hz
 TANK CAPACITY: 20 lt
 BOILER CAPACITY: 9,5 lt

INFO

Included:
 Electric rinse aid pump
 1 glass basket
 1 plate basket

EXTRA

Water extraction pump 250 € + V.A.T.
 Detergent pump 105€ + V.A.T.

NEW 3.850 € + V.A.T.





NANSIE 350

GLASS DISHWASHER ANALOG

DIMENSIONS: 415x530x680 mm
 BASKET SIZE: 35x35 cm
 USEFUL WASHING HEIGHT: 270 mm
 WASHING ARMS: Bottom
 RINSING ARMS: Top & Bottom
 OUTPUT: 20-30 baskets/hour
 CYCLE: 120'' - 180''
 WATER CONSUMPTION: 2,4lt/cycle
 TANK / BOILER TEMPERATURE: 60°C / 82°C
 TANK / BOILER RESISTANCE: 1.6 kW / 2.6 kW
 WASH PUMP: 190 W
 TOTAL POWER / VOLTAGE: 2.770 W / 230 V - 50 Hz
 TANK CAPACITY: 10 lt
 BOILER CAPACITY: 2,5 lt

INFO

Included:
 Electric rinse aid pump
 1 cutlery rack

EXTRA

Water extraction pump 250 € + V.A.T.
 Detergent pump 105€ + V.A.T.

NEW 1.375 €+V.A.T.



NANSIE 400

GLASS DISHWASHER ANALOG

DIMENSIONS: 465x565x720 mm
 BASKET SIZE: 40x40 cm
 USEFUL WASHING HEIGHT: 310 mm
 WASHING ARMS: Bottom
 RINSING ARMS: Top & Bottom
 OUTPUT: 20-30 baskets/hour
 CYCLE: 120'' - 180''
 WATER CONSUMPTION: 2,4lt/cycle
 TANK / BOILER TEMPERATURE: 60°C / 82°C
 TANK / BOILER RESISTANCE: 1.6 kW / 2.6 kW
 WASH PUMP: 190 W
 TOTAL POWER / VOLTAGE: 2.770 W | 230 V - 50 Hz
 TANK CAPACITY: 14 lt
 BOILER CAPACITY: 2,5 lt

INFO

Included:
 Electric rinse aid pump
 1 cutlery rack

EXTRA

Water extraction pump 250 € + V.A.T.
 Detergent pump 105€ + V.A.T.

NEW 1.460 €+V.A.T.

NANSIE 500

PLATE/GLASS DISHWASHER ANALOG

DIMENSIONS: 565x680x835 mm
 BASKET SIZE: 50x50 cm
 USEFUL WASHING HEIGHT: 340 mm
 WASHING ARMS: Top & Bottom
 RINSING ARMS: Top & Bottom
 OUTPUT: 20-30 baskets/hour
 CYCLE: 120'' - 180''
 WATER CONSUMPTION: 2,5lt/cycle
 TANK / BOILER TEMPERATURE: 60°C / 82°C
 TANK / BOILER RESISTANCE: 2 kW / 3 kW
 WASH PUMP: 400 W
 TOTAL POWER: 3.400 W
 TOTAL VOLTAGE: 230 V / 400 V - 50 Hz
 TANK CAPACITY: 26 lt
 BOILER CAPACITY: 5,5 lt

INFO

Included:
 Electric rinse aid pump
 1 glass basket
 1 plate basket

EXTRA

Water extraction pump 250 € + V.A.T.
 Detergent pump 105€ + V.A.T.

 **NEW**  **1.895 €**+V.A.T.



802010

DISHWASHER BASE WITH BASKET SIZE 50X50cm



DIMENSIONS:
 575x560x450 mm

INFO

Suitable for:
 NANSIE 500

 **NEW**  **275 €**+V.A.T.





AF 35.25 ESI

GLASS DISHWASHER DIGITAL

DIMENSIONS: 440x497x640 mm
 BASKET SIZE: 35x35 cm
 USEFUL WASHING HEIGHT: 250 mm
 WASHING ARMS: Bottom
 RINSING ARMS: Top & Bottom
 OUTPUT: 40-30-20-7 baskets/hour
 CYCLE: 90"-120"-180"-9'
 WATER CONSUMPTION: 2 lt / cycle
 TANK / BOILER TEMPERATURE: 60°C / 85°C
 TANK / BOILER RESISTANCE: 2.4 kW / 2.7 kW
 WASH PUMP: 190 W
 TOTAL POWER / VOLTAGE: 2.890 W / 230 V-50 Hz
 TANK CAPACITY: 10 lt
 BOILER CAPACITY: 3 lt

INFO

Included:
 Electric rinse aid pump
 2 glass baskets, 1 saucers' rack
 1 cutlery rack

EXTRA

Water extraction pump 250 € + V.A.T.
 Electric detergent pump 105€ + V.A.T.

1.620 € + V.A.T.

AF 40.30 ESI

GLASS DISHWASHER DIGITAL

DIMENSIONS: 455x550x700 mm
 BASKET SIZE: 40x40 cm
 USEFUL WASHING HEIGHT: 300 mm
 WASHING ARMS: Bottom
 RINSING ARMS: Top & Bottom
 OUTPUT: 40-30-20-7 baskets/hour
 CYCLE: 90"-120"-180"-9'
 WATER CONSUMPTION: 2 lt / cycle
 TANK / BOILER TEMPERATURE: 60°C / 85°C
 TANK / BOILER RESISTANCE: 2.4 kW / 2.7 kW
 WASH PUMP: 190 W
 TOTAL POWER / VOLTAGE: 2.890 W / 230 V-50 Hz
 TANK CAPACITY: 12 lt
 BOILER CAPACITY: 3 lt

INFO

Tank filter
 Included:
 Electric rinse aid pump
 2 glass baskets, 1 saucers' rack
 1 cutlery rack

EXTRA

Water extraction pump 250 € + V.A.T.
 Electric detergent pump 105€ + V.A.T.

1.860 € + V.A.T.

Details that make the difference!



» **STAINLESS STEEL WASH & RINSE ARMS**



» **PREFORMED WASH TANK**



» **DOOR ARMS 30/10**



» **EASY SERVICE ACCESS**

- » AISI304 stainless steel construction
- » Semi-double walls
- » Double door insulation

- » Electric rinse aid pump
- » Adjustable tank & boiler thermostat
- » Digital Control Panel - LCD screen



DISHWASHERS UNDERCOUNTER

AF series

**AF 40.30 ESI LS****PLATE/GLASS DISHWASHER
DIGITAL**

DIMENSIONS: 455x550x700 mm
 BASKET SIZE: 40x40 cm
 USEFUL WASHING HEIGHT: 290 mm
 WASHING ARMS: Top & Bottom
 RINSING ARMS: Top & Bottom
 OUTPUT: 40-30-20-7 baskets/hour
 CYCLE: 90" - 120" - 180" - 9'
 WATER CONSUMPTION: 2 lt / cycle
 TANK / BOILER TEMPERATURE: 60°C / 85°C
 TANK / BOILER RESISTANCE: 2.4 kW / 2.7 kW
 WASH PUMP: 330 W
 TOTAL POWER / VOLTAGE: 3.030 W / 230 V-50 Hz
 TANK CAPACITY: 12 lt
 BOILER CAPACITY: 3 lt

INFO

Tank filter
 Included:
 Electric rinse aid pump
 1 glass basket
 1 plate basket
 1 cutlery rack

EXTRA

Water extraction pump 250 € + V.A.T.
 Electric detergent pump 105€ + V.A.T.

**AF 45.30 ESI****PLATE/GLASS DISHWASHER
DIGITAL**



DIMENSIONS: 503x571x760 mm
 BASKET SIZE: 45x45 cm
 USEFUL WASHING HEIGHT: 290 mm
 WASHING ARMS: Top & Bottom
 RINSING ARMS: Top & Bottom
 OUTPUT: 40-30-20-7 baskets/hour
 CYCLE: 90" - 120" - 180" - 9'
 WATER CONSUMPTION: 2 lt / cycle
 TANK / BOILER TEMPERATURE: 60°C / 85°C
 TANK / BOILER RESISTANCE: 2.4 kW / 2.7 kW
 WASH PUMP: 550 W
 TOTAL POWER / VOLTAGE: 3.250 W / 230 V-50 Hz
 TANK CAPACITY: 18 lt
 BOILER CAPACITY: 5 lt

INFO

Included:
 Electric rinse aid pump
 1 glass basket
 1 plate basket
 1 cutlery rack

EXTRA

Water extraction pump 250 € + V.A.T.
 Electric detergent pump 105€ + V.A.T.



AF 50.35 ESI M

PLATE/GLASS DISHWASHER DIGITAL

DIMENSIONS: 572x633x814 mm
 BASKET SIZE: 50x50 cm
 USEFUL WASHING HEIGHT: 340mm - GN 1/1
 WASHING ARMS: Top & Bottom
 RINSING ARMS: Top & Bottom
 OUTPUT: 40-30-20-7 baskets/hour
 CYCLE: 90" - 120" - 180" - 9'
 WATER CONSUMPTION: 2 lt / cycle
 TANK / BOILER TEMPERATURE: 60°C / 85°C
 TANK / BOILER RESISTANCE: 2.4 kW / 2.7 kW
 WASH PUMP: 550 W
 TOTAL POWER / VOLTAGE: 3.250 W / 230 V-50 Hz
 TANK CAPACITY: 20 lt
 BOILER CAPACITY: 5 lt

INFO

Tank filter
 Included:
 Electric rinse aid pump
 1 glass basket, 1 plate basket
 1 cutlery rack

EXTRA

Water extraction pump 250 € + V.A.T.
 Electric detergent pump 105€ + V.A.T.
 Kit for two baskets simultaneous washing 250€ + V.A.T.

2.460 €+V.A.T.

AF 50.35 ESI T

PLATE/GLASS DISHWASHER DIGITAL

DIMENSIONS: 572x633x814 mm
 BASKET SIZE: 50x50 cm
 USEFUL WASHING HEIGHT: 340 mm - GN 1/1
 WASHING ARMS: Top & Bottom
 RINSING ARMS: Top & Bottom
 OUTPUT: 40-30-20-7 baskets/hour
 CYCLE: 90" - 120" - 180" - 9'
 WATER CONSUMPTION: 2 lt / cycle
 TANK / BOILER TEMPERATURE: 60°C / 85°C
 TANK / BOILER RESISTANCE: 2.4 kW / 4.5 kW
 WASH PUMP: 550 W
 TOTAL POWER / VOLTAGE: 5.050 W / 400 V-50 Hz
 TANK CAPACITY: 20 lt
 BOILER CAPACITY: 5 lt

INFO

Tank filter
 Included:
 Electric rinse aid pump
 1 glass basket, 1 plate basket
 1 cutlery rack

EXTRA

Water extraction pump 250 € + V.A.T.
 Electric detergent pump 105€ + V.A.T.
 Kit for two baskets simultaneous washing 250€ + V.A.T.

2.620 €+V.A.T.



AF 40.30 ESI LS PRS DD

PLATE/GLASS DISHWASHER DIGITAL

DIMENSIONS: 455x550x700 mm
 BASKET SIZE: 40x40 cm
 USEFUL WASHING HEIGHT: 290 mm
 WASHING ARMS: Top & Bottom
 RINSING ARMS: Top & Bottom
 OUTPUT: 40-30-20-7 baskets/hour
 CYCLE: 90'' - 120'' - 180'' - 9'
 WATER CONSUMPTION: 2 lt / cycle
 TANK TEMPERATURE: 60°C
 BOILER TEMPERATURE: 85°C
 TANK RESISTANCE: 2.4 kW
 BOILER RESISTANCE: 2.7 kW
 WASH PUMP: 330 W
 TOTAL POWER: 3.030 W
 TOTAL VOLTAGE: 230 V-50 Hz
 TANK CAPACITY: 12 lt
 BOILER CAPACITY: 4 lt


INFO

Tank filter
 Included:
 Electric rinse aid & detergent pumps
 2 glass baskets
 1 saucers' rack
 1 cutlery rack

EXTRA

Water extraction pump 250 € + V.A.T.

3.135 € + V.A.T.




- » AISI304 stainless steel construction
- » Semi-double walls
- » Double door insulation
- » Electric rinse aid pump
- » Thermostop system for constant boiler water temperature before rinse starting
- » Adjustable tank & boiler thermostat
- » Digital Control Panel - LCD screen
- » Self-cleaning program
- » Green Function - Energy saving
- » Soft Start System - Gradual and smooth start of the washing pump
- » Self-diagnosis system
- » Four washing programs
- » PRS system



AISI
304

Ø max
365 mm

H max
340 mm



GN 1/1
530x325

UP
DOWN

AF 45.30 ESI PRS DD

PLATE/GLASS DISHWASHER DIGITAL

DIMENSIONS: 503x571x760 mm
BASKET SIZE: 45x45cm
USEFUL WASHING HEIGHT: 290 mm
WASHING ARMS: Top & Bottom
RINSING ARMS: Top & Bottom
OUTPUT: 40-30-20-7 baskets/hour
CYCLE: 90'' - 120'' - 180'' - 9'
WATER CONSUMPTION: 2 lt / cycle
TANK TEMPERATURE: 60° C
BOILER TEMPERATURE: 85°C
TANK RESISTANCE: 2.4 kW
BOILER RESISTANCE: 6.0 kW
WASH PUMP: 550 W
TOTAL POWER: 6.550 W
TOTAL VOLTAGE: 400 V-50 Hz
TANK CAPACITY: 18 lt
BOILER CAPACITY: 5,5 lt

INFO

Included:
Electric rinse aid & detergent pumps
1 glass basket
1 plate basket
1 cutlery rack

EXTRA

Water extraction pump 250 € + V.A.T.
Kit for two baskets simultaneous washing 250€ + V.A.T.

3.545 € + V.A.T.

AF 50.35 ESI PRS DD

PLATE/GLASS DISHWASHER DIGITAL

DIMENSIONS: 572x633x814 mm
BASKET SIZE: 50x50 cm
USEFUL WASHING HEIGHT: 340 mm - GN 1/1
WASHING ARMS: Top & Bottom
RINSING ARMS: Top & Bottom
OUTPUT: 40-30-20-7 baskets/hour
CYCLE: 90'' - 120'' - 180'' - 9'
WATER CONSUMPTION: 2 lt / cycle
TANK TEMPERATURE: 60°C
BOILER TEMPERATURE: 85°C
TANK RESISTANCE: 2.4 kW
BOILER RESISTANCE: 6.0 kW
WASH PUMP: 550 W
TOTAL POWER: 6.550 W
TOTAL VOLTAGE: 400 V-50 Hz
TANK CAPACITY: 20 lt
BOILER CAPACITY: 5,5 lt

INFO

Tank filter
Included:
Electric rinse aid & detergent pumps
1 glass basket
1 plate basket
1 cutlery rack


EXTRA

Water extraction pump 250 € + V.A.T.
Kit for two baskets simultaneous washing 250€ + V.A.T.

3.840 € + V.A.T.

DISHWASHERS UNDERCOUNTER

PRS (Premium Rinse System)




- » AISI304 stainless steel construction
- » Semi-double walls
- » Double door insulation
- » Electric rinse aid pump
- » Thermostop system for constant boiler water temperature before rinse starting
- » Adjustable tank & boiler thermostat
- » Digital Control Panel - LCD screen
- » Self-cleaning program
- » Green Function - Energy saving
- » Soft Start System - Gradual and smooth start of the washing pump
- » Self-diagnosis system
- » Four washing programs
- » PRS system

- » AISI304 stainless steel construction
- » Double walls
- » Double door insulation
- » Electric rinse aid & detergent pumps
- » Thermostop system for constant boiler water temperature before rinse starting
- » Adjustable tank & boiler thermostat
- » Digital Control Panel - LCD screen
- » Self-cleaning program
- » Green Function - Energy saving
- » Soft Start System - Gradual and smooth start of the washing pump
- » Self-diagnosis system
- » Four washing programs
- » PRS system
- » SD system



PRS
system

SD
system



AS 40.30 EPI PRS SD


PLATE/GLASS DISHWASHER DIGITAL

DIMENSIONS: 483x550x700 mm
 BASKET SIZE: 40x40 cm
 USEFUL WASHING HEIGHT: 290 mm
 WASHING ARMS: Top & Bottom
 RINSING ARMS: Top & Bottom
 OUTPUT: 40-30-20-7 baskets/hour
 CYCLE: 90'' - 120'' - 180'' - 9'
 WATER CONSUMPTION: 2 lt / cycle
 TANK / BOILER TEMPERATURE: 60°C / 85°C
 TANK / BOILER RESISTANCE: 2.4 kW / 5.4 kW
 WASH PUMP: 330 W
 TOTAL POWER / VOLTAGE: 5.730 W / 380 V-50 Hz
 TANK CAPACITY: 12 lt
 BOILER CAPACITY: 3 lt

INFO

Tank filter
 Included:
 Electric rinse aid & detergent pumps
 2 glass baskets
 1 saucers' rack
 1 cutlery rack

4.100 € + V.A.T.



AS 50.35 EPI PRS SD

PLATE/GLASS DISHWASHER DIGITAL

DIMENSIONS: 600x633x814 mm
 BASKET SIZE: 50x50 cm
 USEFUL WASHING HEIGHT: 340 mm - GN 1/1
 WASHING ARMS: Top & Bottom
 RINSING ARMS: Top & Bottom
 OUTPUT: 40-30-20-7 baskets/hour
 CYCLE: 90'' - 120'' - 180'' - 9'
 WATER CONSUMPTION: 2 lt / cycle
 TANK / BOILER TEMPERATURE: 60°C / 85°C
 TANK / BOILER RESISTANCE: 2.4 kW / 6 kW
 WASH PUMP: 550 W
 TOTAL POWER / VOLTAGE: 6.550 W / 400 V-50 Hz
 TANK CAPACITY: 20 lt
 BOILER CAPACITY: 5.5 lt

INFO

Tank filter
 Included:
 Electric rinse aid & detergent pumps
 1 glass basket
 1 plate basket
 1 cutlery rack

EXTRA

Kit for two baskets simultaneous washing 250€ + V.A.T.

4.690 € + V.A.T.

AS 60.40 EPI PRS SD

PLATE/GLASS DISHWASHER DIGITAL

DIMENSIONS: 600x703x850 mm
 BASKET SIZE: 50x60 cm
 USEFUL WASHING HEIGHT: 380mm - Tray 60x40 cm
 WASHING ARMS: Top & Bottom
 RINSING ARMS: Top & Bottom
 OUTPUT: 40-30-20-7 baskets/hour
 CYCLE: 90'' - 120'' - 180'' - 9'
 WATER CONSUMPTION: 2 lt / cycle
 TANK / BOILER TEMPERATURE: 60°C / 85°C
 TANK / BOILER RESISTANCE: 2.4 kW / 6 kW
 WASH PUMP: 680 W
 TOTAL POWER / VOLTAGE: 6.680 W / 400 V - 50 Hz
 TANK CAPACITY: 22 lt
 BOILER CAPACITY: 5.5 lt

INFO



Tank filter
 Included:
 Electric rinse aid & detergent pumps
 1 glass basket
 1 plate basket
 1 cutlery rack

4.995 € + V.A.T.

SD (Smart Drain System) Clean water function

SD system maintains the water tank level without using the overflow pipe, but employing an automatically actioned and electronically driven drain pump. Prior to starting to rinse with clean water, the SD system partially empties the water present in tank by draining the dirtiest water from the bottom & not from the top, as it used to be with the overflow pipe. This way all the clean water introduced during rinsing phase «regenerates» the tank water, increasing water quality. SD system is only available with PRS system. What are the benefits of SD system?

- » Improved washing performance in continuous & and intensive use.
- » Reduction of detergent consumption.
- » Energy & water saving.



AH 800 ESI

HOOD-TYPE DISHWASHER DIGITAL

DIMENSIONS: 657/760x793x1494/1969 mm
 BASKET SIZE: 50x50 cm
 USEFUL WASHING HEIGHT: 425 mm - GN 1/1
 WASHING ARMS: Top & Bottom
 RINSING ARMS: Top & Bottom
 OUTPUT: 60-30-20-7 baskets/hour
 CYCLE: 60'' - 120'' - 180'' - 9'
 WATER CONSUMPTION: 2.5 lt / cycle
 TANK TEMPERATURE: 60°C
 BOILER TEMPERATURE: 85°C
 TANK RESISTANCE: 2.8 kW
 BOILER RESISTANCE: 6 kW
 WASH PUMP: 750 W
 TOTAL POWER: 6.750 W
 TOTAL VOLTAGE: 400 V-50 Hz
 TANK CAPACITY: 30 lt
 BOILER CAPACITY: 8 lt

INFO

Included:
 Electric rinse aid pump
 1 glass basket
 2 plate baskets
 2 cutlery racks

EXTRA

Water extraction pump 250 € + V.A.T.
 Electric detergent pump 105€ + V.A.T.

4.750 € + V.A.T.





AH 60.42 EPI XL

HOOD-TYPE DISHWASHER DIGITAL

DIMENSIONS: 681/785x793x1494/1969 mm
 BASKET SIZE: 50x60 cm
 USEFUL WASHING HEIGHT: 415 mm
 (ksuitable for tray 40x60cm)
 WASHING ARMS: Top & Bottom
 RINSING ARMS: Top & Bottom
 OUTPUT: 60-30-20-7 baskets/hour
 CYCLE: 60" - 120" - 180" - 9'
 WATER CONSUMPTION: 2.5 lt / cycle
 TANK TEMPERATURE: 60°C
 BOILER TEMPERATURE: 85°C
 TANK RESISTANCE: 4.5 kW
 BOILER RESISTANCE: 9 kW
 WASH PUMP: 1.300 W.
 TOTAL POWER: 10.300 W
 TOTAL VOLTAGE: 400 V-50 Hz
 TANK CAPACITY: 40 lt
 BOILER CAPACITY: 8 lt

FO
 Double-skinned insulated body
 Included:
 Electric rinse aid & detergent pumps
 1 glass basket, 2 plate baskets, 2 cutlery racks

EXTRA
 Water extraction pump 250 € + V.A.T.


PRS VERSION 8.825€ + V.A.T.
ES VERSION 11.555€ + V.A.T.

8.210 € + V.A.T.

ES (Energy Saving System)

In ES system a tangential fan recycles the hot steam generated during the wash and rinse phases, making it pass through a highly efficient heat exchanger, with cold water circulating inside, provided by the water supply. The cold water supplied is introduced into the boiler at a temperature of approximately 45°C and the steam produced is used to heat the cold water (energy saving). We also avoid annoying emissions of steam with detergent in the work area, without using an external steam absorption system. ES system is only available with PRS system. What are the benefits of ES system?

- » Energy & water saving.
- » No need for external ventilation system.
- » No steam in working area.



The smallest
undercounter
utensil dishwasher!



AU 60.40 EPI

DIGITAL UTENSIL DISHWASHER

DIMENSIONS: 600x703x850 mm
 BASKET SIZE: 50x60 cm
 USEFUL WASHING HEIGHT: 400 mm - tray 40x60 cm
 WASHING ARMS: Top & Bottom
 RINSING ARMS: Top & Bottom
 OUTPUT: 30-15-10-7 baskets/hour
 CYCLE: 2' - 4' - 6' - 9'
 WATER CONSUMPTION: 2 lt / cycle
 TANK / BOILER TEMPERATURE: 60°C / 85°C
 TANK / BOILER RESISTANCE: 2.4 kW / 4.5 kW
 WASH PUMP: 680 W
 TOTAL POWER / VOLTAGE: 5.180 W / 400 V-50 Hz
 TANK CAPACITY: 22 lt
 BOILER CAPACITY: 5 lt

INFO

Tank filter
 Double-skinned insulated body
 Included:
 Electric rinse aid & detergent pumps
 1 utensil basket, 1 stainless steel rack for 4 trays 40x60 cm

EXTRA

Water extraction pump 450 € + V.A.T.

PRS SD VERSION 5.915€ + V.A.T.

4.940 € + V.A.T.

Details that make the difference!



» **STAINLESS STEEL WASH & RINSE ARM**



» **PREFORMED WASH TANK**



» **VERTICAL PUMP**



» **EASY SERVICE ACCESS**

- » AISI304 stainless steel construction
- » Double door insulation
- » Adjustable tank & boiler thermostat
- » Energy saving insulated boiler
- » Tank & boiler AISI316 stainless steel constructed
- » Analog or digital Control Panel - LCD screen

PLUS DIGITAL VERSION

- » Self-cleaning program
- » Green Function - Energy saving
- » Soft Start System - Gradual and smooth start of the washing pump
- » Self-diagnosis system
- » Four washing programs
- » Thermostop system for constant boiler water temperature before rinse starting
- » PRS system
- » SD system



AU 55.65 ESI EASY PRS

DIGITAL UTENSIL DISHWASHER

DIMENSIONS: 706x883x1829/1997 mm
 BASKET SIZE: 56.5x69 cm
 USEFUL WASHING HEIGHT:
 650 mm - tray 40x60 cm
 WASHING ARMS: Top & Bottom
 RINSING ARMS: Top & Bottom
 OUTPUT: 30 - 20 - 10 - 7 baskets/hour
 CYCLE: 2' - 3' - 6' - 9'
 WATER CONSUMPTION: 3 lt / cycle
 TANK / BOILER TEMPERATURE: 60°C / 85°C
 TANK / BOILER RESISTANCE: 2.8 kW / 6 kW
 WASH PUMP: 1.300 W
 TOTAL POWER / VOLTAGE: 7.300 W / 400 V-50 Hz
 TANK CAPACITY: 50 lt
 BOILER CAPACITY: 11 lt

INFO

Electric rinse aid pump
 PRS system
 Included:
 1 utensil basket

EXTRA

Water extraction pump 450 € + V.A.T.
 Electric detergent pump 105€ + V.A.T.

9.765 €+V.A.T.



AU 65.65 EPI PRS

DIGITAL UTENSIL DISHWASHER

DIMENSIONS: 835x1023x1883/2111 mm
 BASKET SIZE: 66x81.5 cm
 USEFUL WASHING HEIGHT:
 650 mm - tray 60x80 cm
 WASHING ARMS: Top & Bottom
 RINSING ARMS: Top & Bottom
 OUTPUT: 30 - 20 - 10 - 7 baskets/hour
 CYCLE: 2' - 3' - 6' - 9'
 WATER CONSUMPTION: 3.5 lt / cycle
 TANK / BOILER TEMPERATURE: 60°C / 85°C
 TANK / BOILER RESISTANCE: 6 kW / 6 kW
 WASH PUMP: 2.300 W
 TOTAL POWER / VOLTAGE: 8.300 W / 400 V-50 Hz
 TANK CAPACITY: 65 lt
 BOILER CAPACITY: 11 lt

INFO

Electric rinse aid & detergent pumps
 Double-skinned insulated body
 PRS system
 Included:
 1 utensil basket

EXTRA

Water extraction pump 450 € + V.A.T.

17.495 €+V.A.T.



AU 55.80 EPI PRS

ΠΛΥΝΤΗΡΙΟ ΣΚΕΥΩΝ ΗΛΕΚΤΡΟΝΙΚΟ

DIMENSIONS: 740x876x2034/2330 mm
 BASKET SIZE: 56.5x69 cm
 USEFUL WASHING HEIGHT:
 800 mm - tray 60x80 cm
 WASHING ARMS: Top & Bottom
 RINSING ARMS: Top & Bottom
 OUTPUT: 30 - 20 - 10 - 7 baskets/hour
 CYCLE: 2' - 3' - 6' - 9'
 WATER CONSUMPTION: 3.5 lt / cycle
 TANK / BOILER TEMPERATURE: 60°C / 85°C
 TANK / BOILER RESISTANCE: 6 kW / 6 kW
 WASH PUMP: 1.500 W
 TOTAL POWER / VOLTAGE: 7.500 W / 400 V-50 Hz
 TANK CAPACITY: 65 lt
 BOILER CAPACITY: 11 lt

INFO

Electric rinse aid & detergent pumps
 Double-skinned insulated body
 PRS system
 Included:
 1 utensil basket

EXTRA

Water extraction pump 450 € + V.A.T.

13.395 € + V.A.T.

AU 125.80 PRS

ΠΛΥΝΤΗΡΙΟ ΣΚΕΥΩΝ ΗΛΕΚΤΡΟΝΙΚΟ

DIMENSIONS: 1436x995x2034/2330 mm
 BASKET SIZE: 126x81.5 cm
 USEFUL WASHING HEIGHT:
 800 mm - tray 60x80 cm
 WASHING ARMS: Top & Bottom
 RINSING ARMS: Top & Bottom
 OUTPUT: 30 - 20 - 10 - 7 baskets/hour
 CYCLE: 2' - 3' - 6' - 9'
 WATER CONSUMPTION: 7 lt / cycle
 TANK / BOILER TEMPERATURE: 60°C / 85°C
 TANK / BOILER RESISTANCE: 9 kW / 9 kW
 WASH PUMP: 2X3000 W
 TOTAL POWER / VOLTAGE: 15.000 W / 400 V-50 Hz
 TANK CAPACITY: 100 lt
 BOILER CAPACITY: 17 lt

INFO

Electric rinse aid & detergent pumps
 Double-skinned insulated body
 PRS system
 Included:
 1 utensil basket

EXTRA

Water extraction pump 450 € + V.A.T.

27.220 € + V.A.T.

Details that make the difference!



» **STAINLESS STEEL ARMS**



» **BOILER INSULATION INOX AISI316**



» **VERTICAL PUMP**



» **EASY SERVICE ACCESS**

- » AISI304 stainless steel construction
- » Double-skinned insulated body
- » Adjustable tank & boiler thermostat
- » Energy saving insulated boiler

- » Tank & boiler AISI316 stainless steel constructed
- » Analog or digital Control Panel - LCD screen



	AR 1200	AR 1650	AR 2000	AR 2500
DIMENSIONS	1150x770x1710/2110 mm	1550x770x1710/2110 mm	1800x770x1710/2110 mm	1800x770x1710/2110 mm
USEFUL HEIGHT	470 mm - GN 1/1	470 mm - GN 1/1	470 mm - GN 1/1	470 mm - GN 1/1
WASH PUMP	0.9 kw	2 kw	2 kw	2.35 kw
WATER CONSUMPTION	150 lt/h	165 lt/h	225 lt/h	240 lt/h
RESISTANCE TANK	9 kw	9 kw	12 kw	12 kw
RESISTANCE BOILER	9 kw	9 kw	12 kw	15 kw
TANK CAPACITY	65 lt	105 lt	105 lt	105 lt
BOILER CAPACITY	9 lt	9 lt	9 lt	2x9 lt
CYCLE	Washing - Rinsing	Washing - Rinsing	Washing - Rinsing	Washing - Rinsing
PROGRAMMES	3 Light/Standard/DIN10510	3 Light/Standard/DIN10510	3 Light/Standard/DIN10510	3 Light/Standard/DIN10510
BASKETS/HOUR	100/90/70	110/100/90	150/120/93	160/140/93
	ARR2500	AR 3000	ARR 3500	ARR 4000
DIMENSIONS	2000x770x1710/2110 mm	2400x770x1710/2110 mm	2600x770x1710/2110 mm	2600x770x1710/2110 mm
USEFUL HEIGHT	470 mm - GN 1/1	470 mm - GN 1/1	470 mm - GN 1/1	470 mm - GN 1/1
WASH PUMP	2.35 kw	2.35 kw	2.35 kw	2.35 kw
WATER CONSUMPTION	240 lt/h	345 lt/h	325 lt/h	351 lt/h
RESISTANCE TANK	12 kw	12 kw	12 kw	12 kw
RESISTANCE BOILER	15 kw	18 kw	18 kw	21 kw
TANK CAPACITY	105 lt	105 lt	105 lt	105 lt
BOILER CAPACITY	2x9 lt	2x9 lt	2x9 lt	2x9 lt
CYCLE	Washing - Double rinsing	Washing - Double rinsing	Prewashing - Washing - Double rinsing	Double washing - Double rinsing
PROGRAMMES	3 Light/Standard/DIN10510	3 Light/Standard/DIN10510	3 Light/Standard/DIN10510	3 Light/Standard/DIN10510
BASKETS/HOUR	170/150/105	230/200/145	250/220/145	270/250/145

WASHING

DISHWASHERS TUNNEL WITH BELT

AFX series



	AFX 3500	AFX 4000	AFX 6000	AFX 8000
DIMENSIONS	4500x985x1860/2200mm	5100x985x1860/2200 mm	6000x985x1860/2200 mm	7300x985x1860/2200 mm
USEFUL HEIGHT	710x450 mm	710x450 mm	710x450 mm	710x450 mm
WASH PUMP	2kw	2 kw	2 kw	2 kw
WATER CONSUMPTION	190 lt/h	230 lt/h	386 lt/h	504 lt/h
RESISTANCE TANK	14 kw	14 kw	14 kw	12 kw
RESISTANCE BOILER	10.5 kw	12 kw	18 kw	24 kw
TANK CAPACITY	100 lt	100 lt	100 lt	100 lt
BOILER CAPACITY	2x10 lt	2x10 lt	2x10 lt	2x10 lt
CYCLE	Washing - Double rinsing	Washing - Rinsing	Double washing - Double rinsing	Prewashing - Double washing Double rinsing
PROGRAMMES	5 Max / DIN10510	5 Max / DIN10510	5 Max / DIN10510	5 Max / DIN10510
BASKETS/HOUR	3.675 / 1950	4.050 / 2.400	6.450 / 4.200	8.100 / 5.250

WATER SOFTENERS

DVL111UN**WATER SOFTENER 8 LT**

DIMENSIONS: Ø185x400 mm
 TEMPERATURE: 60°C maximum
 CONNECTION: 3/4
 RESIN: 5,8 ltr

INFO

Manual resin regeneration with salt
 Salt per regeneration 1 kg

 **NEW**  **175 €+V.A.T.**



WASHING

DVL211UN**ΑΦΑΛΑΤΩΤΗΣ 12 LT**

DIMENSIONS: Ø185x500 mm
 TEMPERATURE: 60°C maximum
 CONNECTION: 3/4
 RESIN: 9 ltr

INFO

Manual resin regeneration with salt
 Salt per regeneration 1,5 kg

 **NEW**  **195 €+V.A.T.**



NSF Certification 



2462
GLASS BASKET
350x350x150 mm

18 €+V.A.T.



630 S
GLASS BASKET
380x380x150 mm

20 €+V.A.T.



2146
GLASS BASKET
400x400x150 mm

22 €+V.A.T.



2150
PLATES BASKET
400x400x110 mm

27 €+V.A.T.



2491
GLASS BASKET
450x450x165 mm

27 €+V.A.T.



2492
PLATES RACK
450x450x106 mm

29 €+V.A.T.



2493
CUTLERY RACK
450x450x106 mm

27 €+V.A.T.



240 N
GLASS RACK
500x500x106 mm

21 €+V.A.T.



239
CUTLERY RACK
500x500x106 mm

27 €+V.A.T.



237 N
PLATES RACK
500x500x106 mm

24 €+V.A.T.



238
DISKS RACK
500x500x106 mm

32 €+V.A.T.



510
PLATES RACK
500x500x109 mm

24 €+V.A.T.



530
BASKET SIZE ΠΥΚΝΗΣ ΠΛΕΞΗΣ ΓΕΝΙΚΗΣ ΧΡΗΣΗΣ
500x500x109 mm

23 €+V.A.T.



550
GLASS BASKET
500x500x106 mm

22 €+V.A.T.



570
RACK FOR TRAYS 40x60
500x500x109 mm

25 €+V.A.T.



2151
GLASS BASKET
400x400x130 mm

20 €+V.A.T.

ACCESSORIES BASKETS & RACKS



5780
ROUND
GLASS BASKET
 Ø350x160 (h) mm

25 €+V.A.T.



5782
ROUND
GLASS BASKET
 Ø380x170 (h) mm

26 €+V.A.T.



5781
ROUND
GLASS BASKET
 Ø400x180 (h) mm

28 €+V.A.T.



1878
EXTENDER
 500x500x30 mm

10 €+V.A.T.



1879
EXTENDER
 (GLASS DIVIDER OPTION)
 500x500x50 mm

10 €+V.A.T.



6661
BASKET COVER
 500x500x25 mm

25 €+V.A.T.



GLASS
SEPARATOR
 Suitable for glass basket
 50x50 cm

- 1884** 9 glasses Ø150 mm
- 1880** 16 glasses Ø110 mm
- 1881** 25 glasses Ø89 mm
- 1882** 36 glasses Ø73 mm
- 1883** 49 glasses Ø62 mm

10 €+V.A.T.



EXTENDER
WITH INCORPORATED
GLASS DIVIDER
 Suitable for glass rack
 50x50 cm

- 1009** 9 glasses Ø150 mm
- 1016** 16 glasses Ø110 mm
- 1025** 25 glasses Ø89 mm
- 1035** 36 glasses Ø73 mm
- 1049** 49 glasses Ø62 mm

15 €+V.A.T.



1877
TILTING CLIP
FOR GLASSES

Suitable for glass basket
 40x40 cm

8 €+V.A.T.



6642
SQUARE BASKET
FOR CUTLERY
 113x113x89 mm

3 €+V.A.T.



6643
8 COMPARTMENT
CUTLERY BASKET
 485x230x146 mm

22 €+V.A.T.



187
12 SAUCERS'
RACK
 290x90x75 mm


8 €+V.A.T.

NSF
Certification




8395-0025
CONNECTION KIT FOR
TWO BASKETS 50x50 cm

250 €+V.A.T.



8080-0023
STAINLESS STEEL
RACK FOR 4 GN
500x500x170 mm

250 €+V.A.T.



8380-0009
STAINLESS STEEL
RACK FOR 6 GN
500x500x170 mm

250 €+V.A.T.



1368
FILTER UNIT 16LT

2 €+V.A.T.



KIT 01
INSTALLATION KIT
FOR RINSE AID PUMP

15 €+V.A.T.



PS
DRAIN PUMP
FACTORY INSTALLED

250 €+V.A.T.



B04 REG
RINSE AID PUMP
ELECTRIC
PERISTALTIC
Adjustment 0-0,4l/h

110 €+V.A.T.



B08 REG
RINSE AID PUMP
ELECTRIC
PERISTALTIC
Adjustment 0-0,8l/h

110 €+V.A.T.



D3 REG
DETERGENT PUMP
ELECTRIC
PERISTALTIC
Adjustment 0-3l/h

105 €+V.A.T.



4120
3 WAYS DISTRIBUTOR

2 €+V.A.T.



2503
PRESSURE ATTACK

6 €+V.A.T.



5075
DETERGENT INJECTOR
FEED-THROUGH
STAINLESS STEEL

11 €+V.A.T.



1000
RINSE AID
INNER TUBE

15 €+V.A.T.



2000
DETERGENT
INNER TUBE

15 €+V.A.T.




61
RUBBER HOSE
TRANSPARENT

1 €+V.A.T.



610
RUBBER HOSE
BLUE

1 €+V.A.T.



ICEMAKERS



Icemakers

ICEMAKERS ARISTARCO

FULL ICE CUBE [138]

HOLLOW ICE CUBE [145]

GRANULAR ICE [147]

FLAT ICE FLAKE [149]

STORAGE BINS [150]

ICEMAKERS PLUM

HOLLOW ICE CUBE [152]

DICE ICE CUBE [153]

GRANULAR ICE [155]

STORAGE BINS [156]

FULL ICE CUBE

CP 20.6

FULL ICE CUBE ICEMAKER

DIMENSIONS: 365x495x600 mm
 FEET: + (0-20 mm)
 OUTPUT: 20 kg (≈ 1111 ice cubes) / 24h
 STORAGE CAPACITY: 6 kg
 POWER / VOLTAGE: 450 W / 230V/50Hz
 REFRIGERANT: R290
 COOLING SYSTEM: Air cooled / Water cooled

INFO

Ice cubes/cycle: 24
 Type: Solid ice cube 18gr

EXTRA

Air filter 50€+V.A.T.

1.395 €+V.A.T.

CP 25.6

FULL ICE CUBE ICEMAKER

DIMENSIONS: 365x495x600 mm
 FEET: + (0-20 mm)
 OUTPUT: 25 kg (≈ 1388 ice cubes) / 24h
 STORAGE CAPACITY: 6 kg
 POWER / VOLTAGE: 450 W / 230V/50Hz
 REFRIGERANT: R290
 COOLING SYSTEM: Air cooled / Water cooled

INFO

Ice cubes/cycle: 28
 Type: Solid ice cube 18gr

EXTRA

Air filter 50€+V.A.T.

1.595 €+V.A.T.

CP 30.10

FULL ICE CUBE ICEMAKER

DIMENSIONS: 365x495x690 mm
 FEET: + (0-20 mm)
 OUTPUT: 30 kg (≈ 1666 ice cubes) / 24h
 STORAGE CAPACITY: 10 kg
 POWER / VOLTAGE: 450 W / 230V/50Hz
 REFRIGERANT: R290
 COOLING SYSTEM: Air cooled / Water cooled

INFO

Ice cubes/cycle: 28
 Type: Solid ice cube 18gr

EXTRA

Air filter 50€+V.A.T.

1.740 €+V.A.T.



Reduced water consumption



Energy efficiency

Reduced maintenance costs



100% made in Italy



- » High density, pure, crystal clear solid ice cubes
- » Made entirely of stainless steel
- » Maximum efficiency
- » Latest technology
- » Compressor Tropical
- » Attractive and ergonomic design



Daily production is estimated at 21°C room temperature and 15°C water temperature

CP 40.15

FULL ICE CUBE ICEMAKER

DIMENSIONS: 500x585x685 mm
FEET: + (0-20 mm)
OUTPUT: 40 kg (≈ 2222 ice cubes) / 24h
STORAGE CAPACITY: 15 kg
POWER / VOLTAGE: 570 W / 230V/50Hz
REFRIGERANT: R290
COOLING SYSTEM: Air cooled / Water cooled

INFO

Ice cubes/cycle: 40
Type: Solid ice cube 18gr

EXTRA

Air filter 50€+V.A.T.

1.880 €+V.A.T.

CP 50.25

FULL ICE CUBE ICEMAKER

DIMENSIONS: 500x585x795 mm
FEET: + (0-20 mm)
OUTPUT: 50 kg (≈ 2778 ice cubes) / 24h
STORAGE CAPACITY: 25 kg
POWER / VOLTAGE: 750 W / 230V/50Hz
REFRIGERANT: R290
COOLING SYSTEM: Air cooled / Water cooled

INFO

Ice cubes/cycle: 40
Type: Solid ice cube 18gr

EXTRA

Air filter 50€+V.A.T.

2.095 €+V.A.T.



CP 45.15

FULL ICE CUBE ICEMAKER

DIMENSIONS: 500x585x685 mm
FEET: + (0-20 mm)
OUTPUT: 45 kg (≈ 2500 ice cubes) / 24h
STORAGE CAPACITY: 15 kg
POWER / VOLTAGE: 600 W / 230V/50Hz
REFRIGERANT: R290
COOLING SYSTEM: Air cooled / Water cooled

INFO

Ice cubes/cycle: 40
Type: Solid ice cube 18gr

EXTRA

Air filter 50€+V.A.T.

1.995 €+V.A.T.

CP 60.40

FULL ICE CUBE ICEMAKER

DIMENSIONS: 740x605x915 mm
FEET: + (40-50 mm)
OUTPUT: 60 kg (≈ 3333 ice cubes) / 24h
STORAGE CAPACITY: 40 kg
POWER / VOLTAGE: 780 W / 230V/50Hz
REFRIGERANT: R290
COOLING SYSTEM: Air cooled / Water cooled

INFO

Ice cubes/cycle: 64
Type: Solid ice cube 18gr

EXTRA

Air filter 50€+V.A.T.

2.780 €+V.A.T.

CP 85.40

FULL ICE CUBE ICEMAKER

DIMENSIONS: 740x605x915 mm
FEET: + (40-50 mm)
OUTPUT: 85 kg (≈ 4722 ice cubes) / 24h
STORAGE CAPACITY: 40 kg
POWER / VOLTAGE: 1050 W / 230V/50Hz
REFRIGERANT: R290
COOLING SYSTEM: Air cooled / Water cooled

INFO

Ice cubes/cycle: 64
Type: Solid ice cube 18gr

EXTRA

Air filter 50€+V.A.T.

3.250 €+V.A.T.

FULL ICE CUBE

CP 100.60

FULL ICE CUBE ICEMAKER

DIMENSIONS: 740x605x1015 mm
 FEET: + (40-50 mm)
 OUTPUT: 100 kg (≈ 5556 ice cubes) / 24h
 STORAGE CAPACITY: 60 kg
 POWER / VOLTAGE: 1200 W / 230V/50Hz
 REFRIGERANT: R290
 COOLING SYSTEM: Air cooled / Water cooled

INFO

Ice cubes/cycle: 64
 Type: Solid ice cube 18gr

EXTRA

Air filter 50€+V.A.T.

3.295 €+V.A.T.



Reduced water consumption



Energy efficiency



Reduced maintenance costs



100% made in Italy

CP 130.75

FULL ICE CUBE ICEMAKER

DIMENSIONS: 840x745x1070 mm
 FEET: + (40-50 mm)
 OUTPUT: 130 kg (≈ 7222 ice cubes) / 24h
 STORAGE CAPACITY: 75 kg
 POWER / VOLTAGE: 1250 W / 230V/50Hz
 REFRIGERANT: R290
 COOLING SYSTEM: Air cooled / Water cooled

INFO

Ice cubes/cycle: 108
 Type: Solid ice cube 18gr

EXTRA

Air filter 50€+V.A.T.

4.185 €+V.A.T.



Solid ice cube
18gr



Daily production is estimated at 21°C room temperature and 15°C water temperature

CP 165.75

FULL ICE CUBE ICEMAKER

DIMENSIONS: 840x745x1070 mm
 FEET: + (40-50 mm)
 OUTPUT: 165 kg (≈ 9167 ice cubes) / 24h
 STORAGE CAPACITY: 75 kg
 POWER / VOLTAGE: 1900 W / 230V/50Hz
 REFRIGERANT: R290
 COOLING SYSTEM: Air cooled / Water cooled

INFO

Ice cubes/cycle: 108
 Type: Solid ice cube 18gr

EXTRA

Air filter 50€+V.A.T.

4.450 €+V.A.T.



AIR FILTER

50 €+V.A.T.

CP 165

FULL ICE CUBE ICEMAKER WITHOUT STORAGE BIN

DIMENSIONS: 865x560x810 mm
 OUTPUT: 165 kg (≈ 9167 ice cubes) / 24h
 POWER / VOLTAGE: 1900 W / 230V/50Hz
 REFRIGERANT: R290
 COOLING SYSTEM: Air cooled / Water cooled

INFO

Ice cubes/cycle: 108
 Type: Solid ice cube 18gr


Suitable storage bin:

STS 250 | STS 400 (p. 142)

EXTRA

Air filter 50€+V.A.T.

5.350 €+V.A.T.



CP 300

FULL ICE CUBE ICEMAKER WITHOUT STORAGE BIN

DIMENSIONS: 1255x595x860 mm
 OUTPUT: 300 kg (≈ 16667 ice cubes) / 24h
 POWER / VOLTAGE: 2700 W / 230V/50Hz
 REFRIGERANT: R290
 COOLING SYSTEM: Air cooled / Water cooled

INFO

Ice cubes/cycle: 216
 Type: Solid ice cube 18gr

Suitable storage bin:

STS 400 (p. 142)

EXTRA

Air filter 50€+V.A.T.

7.250 €+V.A.T.

FULL ICE CUBE

CS 25.6

FULL ICE CUBE ICEMAKER

DIMENSIONS: 365x495x600 mm
 FEET: + (0-20 mm)
 OUTPUT: 25 kg (≈ 625 ice cubes) / 24h
 STORAGE CAPACITY: 6 kg
 POWER / VOLTAGE: 450 W / 230V/50Hz
 REFRIGERANT: R452a
 COOLING SYSTEM: Air cooled / Water cooled

INFO
 Ice cubes/cycle: 18
 Type: Solid ice cube 36gr

EXTRA
 Air filter 50€+V.A.T.

1.595 €+V.A.T.

CS 30.10

FULL ICE CUBE ICEMAKER

DIMENSIONS: 365x495x690 mm
 FEET: + (0-20 mm)
 OUTPUT: 30 kg (≈ 750 ice cubes) / 24h
 STORAGE CAPACITY: 10 kg
 POWER / VOLTAGE: 450 W / 230V/50Hz
 REFRIGERANT: R452a
 COOLING SYSTEM: Air cooled / Water cooled

INFO
 Ice cubes/cycle: 18
 Type: Solid ice cube 36gr

EXTRA
 Air filter 50€+V.A.T.

1.740 €+V.A.T.

CS 37.15

FULL ICE CUBE ICEMAKER

DIMENSIONS: 500x585x685 mm
 FEET: + (0-20 mm)
 OUTPUT: 37 kg (≈ 1250 ice cubes) / 24h
 STORAGE CAPACITY: 15 kg
 POWER / VOLTAGE: 570 W / 230V/50Hz
 REFRIGERANT: R452a
 COOLING SYSTEM: Air cooled / Water cooled

INFO
 Ice cubes/cycle: 24
 Type: Solid ice cube 36gr

EXTRA
 Air filter 50€+V.A.T.

2.050 €+V.A.T.



Reduced water consumption



Energy efficiency



Reduced maintenance costs



100% made in Italy

ICEMAKERS



Solid ice cube
36gr

- » High density, pure, crystal clear solid ice cubes
- » Made entirely of stainless steel
- » Maximum efficiency
- » Latest technology
- » Compressor Tropical
- » Attractive and ergonomic design



Daily production is estimated at 21°C room temperature and 15°C water temperature

CS 45.15

FULL ICE CUBE ICEMAKER

DIMENSIONS: 500x585x685 mm
FEET: + (0-20 mm)
OUTPUT: 45 kg (≈ 1250 ice cubes) / 24h
STORAGE CAPACITY: 15 kg
POWER / VOLTAGE: 600 W / 230V/50Hz
REFRIGERANT: R452a
COOLING SYSTEM: Air cooled / Water cooled

INFO

Ice cubes/cycle: 24
Type: Solid ice cube 36gr

EXTRA

Air filter 50€+V.A.T.

2.150 €+V.A.T.

CS 60.40

FULL ICE CUBE ICEMAKER

DIMENSIONS: 740x605x915 mm
FEET: + (40-50 mm)
OUTPUT: 60 kg (≈ 1667 ice cubes) / 24h
STORAGE CAPACITY: 40 kg
POWER / VOLTAGE: 780 W / 230V/50Hz
REFRIGERANT: R452a
COOLING SYSTEM: Air cooled / Water cooled

INFO

Ice cubes/cycle: 36
Type: Solid ice cube 36gr

EXTRA

Air filter 50€+V.A.T.

2.260 €+V.A.T.



CS 50.25

FULL ICE CUBE ICEMAKER

DIMENSIONS: 500x585x795 mm
FEET: + (0-20 mm)
OUTPUT: 50 kg (≈ 1390 ice cubes) / 24h
STORAGE CAPACITY: 25 kg
POWER / VOLTAGE: 750 W / 230V/50Hz
REFRIGERANT: R452a
COOLING SYSTEM: Air cooled / Water cooled

INFO

Ice cubes/cycle: 24
Type: Solid ice cube 36gr

EXTRA

Air filter 50€+V.A.T.

2.985 €+V.A.T.

CS 80.40

FULL ICE CUBE ICEMAKER

DIMENSIONS: 740x605x915 mm
FEET: + (40-50 mm)
OUTPUT: 80 kg (≈ 2222 ice cubes) / 24h
STORAGE CAPACITY: 40 kg
POWER / VOLTAGE: 1050 W / 230V/50Hz
REFRIGERANT: R452a
COOLING SYSTEM: Air cooled / Water cooled

INFO

Ice cubes/cycle: 36
Type: Solid ice cube 36gr

EXTRA

Air filter 50€+V.A.T.

3.260 €+V.A.T.

CS 90.60

FULL ICE CUBE ICEMAKER

DIMENSIONS: 740x605x1015 mm
FEET: + (40-50 mm)
OUTPUT: 90 kg (≈ 2500 ice cubes) / 24h
STORAGE CAPACITY: 60 kg
POWER / VOLTAGE: 1200 W / 230V/50Hz
REFRIGERANT: R452a
COOLING SYSTEM: Air cooled / Water cooled

INFO

Ice cubes/cycle: 36
Type: Solid ice cube 36gr

EXTRA

Air filter 50€+V.A.T.

3.590 €+V.A.T.

CS 130.75

FULL ICE CUBE ICEMAKER

DIMENSIONS: 840x745x1070 mm
 FEET: + (40-50 mm)
 OUTPUT: 130 kg (≈ 3611 ice cubes) / 24h
 STORAGE CAPACITY: 75 kg
 POWER / VOLTAGE: 1250 W / 230V/50Hz
 REFRIGERANT: R452a
 COOLING SYSTEM: Air cooled / Water cooled

INFO

Ice cubes/cycle: 60
 Type: Solid ice cube 36gr

EXTRA

Air filter 50€+V.A.T.

4.450 €+V.A.T.



Reduced water consumption



Energy efficiency



Reduced maintenance costs



100% made in Italy



CS 140

FULL ICE CUBE ICEMAKER WITHOUT STORAGE BIN

DIMENSIONS: 865x560x810 mm
 OUTPUT: 140 kg (≈ 3889 ice cubes) / 24h
 POWER / VOLTAGE: 1900 W / 230V/50Hz
 REFRIGERANT: R452a
 COOLING SYSTEM: Air cooled / Water cooled

INFO

Ice cubes/cycle: 60
 Type: Solid ice cube 36gr


Suitable storage bin:

STS 250 | STS 400 (p. 142)

EXTRA

Air filter 50€+V.A.T.

4.470 €+V.A.T.



CS 280

FULL ICE CUBE ICEMAKER WITHOUT STORAGE BIN

DIMENSIONS: 1255x595x860 mm
 OUTPUT: 280 kg (≈ 7778 ice cubes) / 24h
 POWER / VOLTAGE: 2700 W / 230V/50Hz
 REFRIGERANT: R452a
 COOLING SYSTEM: Air cooled / Water cooled

INFO

Ice cubes/cycle: 120
 Type: Solid ice cube 36gr


Suitable storage bin:

STS 400 (p. 142)

EXTRA

Air filter 50€+V.A.T.

7.190 €+V.A.T.



Hollow ice cube
21gr

- » High density, pure, crystal clear solid ice cubes
- » Made entirely of stainless steel
- » Maximum efficiency
- » Latest technology
- » Compressor Tropical
- » Attractive and ergonomic design

i Daily production is estimated at 21°C room temperature and 15°C water temperature



Reduced water consumption



Energy efficiency



Reduced maintenance costs



100% made in Italy

CV 20.5

HOLLOW ICE CUBE ICEMAKER

DIMENSIONS: 340x545x620 mm
FEET: + (0-10 mm)
OUTPUT: 20 kg (≈ 952 ice cubes) / 24h
STORAGE CAPACITY: 5 kg
POWER / VOLTAGE: 220 W / 230V/50Hz
REFRIGERANT: R290
COOLING SYSTEM: Air cooled or Water cooled

INFO

Ice cubes/cycle: 15
Type: Hollow ice cube 21gr

1.895 € + V.A.T.

CV 35.12

HOLLOW ICE CUBE ICEMAKER

DIMENSIONS: 450x545x690 mm
FEET: + (0-10 mm)
OUTPUT: 35 kg (≈ 1666 ice cubes) / 24h
STORAGE CAPACITY: 12 kg
POWER / VOLTAGE: 230 W / 230V/50Hz
REFRIGERANT: R290
COOLING SYSTEM: Air cooled or Water cooled

INFO

Ice cubes/cycle: 20
Type: Hollow ice cube 21gr

2.350 € + V.A.T.

CV 25.7

HOLLOW ICE CUBE ICEMAKER

DIMENSIONS: 340x545x690 mm
FEET: + (0-10 mm)
OUTPUT: 25 kg (≈ 1190 ice cubes) / 24h
STORAGE CAPACITY: 7 kg
POWER / VOLTAGE: 200 W / 230V/50Hz
REFRIGERANT: R290
COOLING SYSTEM: Air cooled or Water cooled

INFO

Ice cubes/cycle: 15
Type: Hollow ice cube 21gr

1.995 € + V.A.T.

CV 45.16

HOLLOW ICE CUBE ICEMAKER

DIMENSIONS: 500x600x690 mm
FEET: + (0-10 mm)
OUTPUT: 45 kg (≈ 2143 ice cubes) / 24h
STORAGE CAPACITY: 16 kg
POWER / VOLTAGE: 240 W / 230V/50Hz
REFRIGERANT: R290
COOLING SYSTEM: Air cooled or Water cooled

INFO

Ice cubes/cycle: 35
Type: Hollow ice cube 21gr

2.480 € + V.A.T.

CV 50.21**HOLLOW ICE CUBE ICEMAKER**

DIMENSIONS: 500x585x880 mm
 FEET: + (80-100 mm)
 OUTPUT: 50 kg (≈ 2380 ice cubes) / 24h
 STORAGE CAPACITY: 21 kg
 POWER / VOLTAGE: 310 W / 230V/50Hz
 REFRIGERANT: R290
 COOLING SYSTEM: Air cooled / Water cooled

INFO

Ice cubes/cycle: 35
 Type: Hollow ice cube 21gr

2.895 €+V.A.T.

**CV 60.28****HOLLOW ICE CUBE ICEMAKER**

DIMENSIONS: 600x585x880 mm
 FEET: + (80-100 mm)
 OUTPUT: 60 kg (≈ 2587 ice cubes) / 24h
 STORAGE CAPACITY: 28 kg
 POWER / VOLTAGE: 460 W / 230V/50Hz
 REFRIGERANT: R290
 COOLING SYSTEM: Air cooled / Water cooled

INFO

Ice cubes/cycle: 35
 Type: Hollow ice cube 21gr

2.990 €+V.A.T.



Reduced
water
consumption



Energy
efficiency



Reduced
maintenance
costs



100%
made in Italy


CV 90.40**HOLLOW ICE CUBE ICEMAKER**

DIMENSIONS: 800x585x880 mm
 FEET: + (80-100 mm)
 OUTPUT: 90 kg (≈ 4285 ice cubes) / 24h
 STORAGE CAPACITY: 40 kg
 POWER / VOLTAGE: 600 W / 230V/50Hz
 REFRIGERANT: R290
 COOLING SYSTEM: Air cooled / Water cooled

INFO

Ice cubes/cycle: 60
 Type: Hollow ice cube 21gr

3.590 €+V.A.T.



Daily production is estimated
at 21°C room temperature
and 15°C water temperature



Reduced water consumption



Energy efficiency



Reduced maintenance costs



100% made in Italy



- » High density, pure, crystal clear ice
- » Made entirely of stainless steel
- » Maximum efficiency
- » Latest technology
- » Attractive and ergonomic design
- » Vertical pump



Daily production is estimated at 21°C room temperature and 15°C water temperature

SG 100.15

GRANULAR ICEMAKER WITH STORAGE BIN

DIMENSIONS: 500x670x696 mm
FEET: + (40-50 mm)
OUTPUT: 100 kg / 24h
STORAGE CAPACITY: 15 kg
POWER / VOLTAGE: 700 W / 230V/50Hz
REFRIGERANT: R452a
COOLING SYSTEM: Air cooled / Water cooled

INFO

Type: Granular ice

EXTRA

Air filter 50€+V.A.T.

3.790 €+V.A.T.

SG 140.25

GRANULAR ICEMAKER WITH STORAGE BIN

DIMENSIONS: 500x670x796 mm
FEET: + (40-50 mm)
OUTPUT: 140 kg / 24h
STORAGE CAPACITY: 25 kg
POWER / VOLTAGE: 700 W / 230V/50Hz
REFRIGERANT: R452a
COOLING SYSTEM: Air cooled / Water cooled

INFO

Type: Granular ice

EXTRA

Air filter 50€+V.A.T.

4.550 €+V.A.T.

SG 140.60

GRANULAR ICEMAKER WITH STORAGE BIN

DIMENSIONS: 740x700x934 mm
FEET: + (40-50 mm)
OUTPUT: 140 kg / 24h
STORAGE CAPACITY: 60 kg
POWER / VOLTAGE: 700 W / 230V/50Hz
REFRIGERANT: R452a
COOLING SYSTEM: Air cooled / Water cooled

INFO

Type: Granular ice

EXTRA

Air filter 50€+V.A.T.

4.800 €+V.A.T.

SG 140

GRANULAR ICEMAKER WITHOUT STORAGE BIN

DIMENSIONS: 560x525x560 mm
 OUTPUT: 140 kg / 24h
 POWER / VOLTAGE: 700 W / 230V/50Hz
 REFRIGERANT: R452a
 COOLING SYSTEM: Air cooled / Water cooled

INFO
Granularice

Suitable storage bin:
 STS150|STS200|STS250|STC140(p.142-143)

EXTRA
 Airfilter50€+V.A.T.

4.280 €+V.A.T.



SG 300

GRANULAR ICEMAKER WITHOUT STORAGE BIN

DIMENSIONS: 560x525x560 mm
 OUTPUT: 300 kg / 24h
 POWER / VOLTAGE: 1300 W / 230V/50Hz
 REFRIGERANT: R452a
 COOLING SYSTEM: Air cooled / Water cooled

INFO
Granular ice

Suitable storage bin:
 STS 150 | STS 200 | STS 250 | STS 400 | STC 140 |
 STC 300 (p. 142-143)

EXTRA
 Air filter 50€+V.A.T.

5.960 €+V.A.T.



Reduced
water
consumption



Energy
efficiency



Reduced
maintainance
costs



100%
made in Italy

SG 600

GRANULAR ICEMAKER WITHOUT STORAGE BIN


DIMENSIONS: 605x570x725 mm
 OUTPUT: 600 kg / 24h
 POWER / VOLTAGE: 2000 W / 230V/50Hz
 REFRIGERANT: R452a
 COOLING SYSTEM: Air cooled / Water cooled

INFO
Granular ice

Suitable storage bin:
 STS 200 | STS 250 | STS 400 | STSD 500 | STC 300 |
 STC 600 (p. 142-143)

EXTRA
 Air filter 50€+V.A.T.

7.690 €+V.A.T.



**AIR
FILTER**

50 €+V.A.T.



Flat Ice Flakes
thickness
1,5 mm



- » Made entirely of stainless steel
- » Maximum efficiency
- » Latest technology
- » Attractive and ergonomic design



Daily production is estimated
at 21°C room temperature
and 15°C water temperature



Reduced
water
consumption



Energy
efficiency



Reduced
maintainance
costs



100%
made in Italy

SPS 250

FLAT FLAKE ICEMAKER

DIMENSIONS: 1015x590x765 mm
FEET: + (20-50 mm)
OUTPUT: 250 kg / 24h
POWER / VOLTAGE: 1000 W / 230V/50Hz
REFRIGERANT: R452a
COOLING SYSTEM: Air cooled

INFO

Type: Flat ice flakes

Suitable storage bin:

STS 400 | STSD 500 | STC 600 (p. 142-143)

12.600 € +V.A.T.

SPS 600

FLAT FLAKE ICEMAKER

DIMENSIONS: 1110x640x800 mm
FEET: + (20-50 mm)
OUTPUT: 600 kg / 24h
POWER / VOLTAGE: 2600 W / 400V/50Hz
REFRIGERANT: R452a
COOLING SYSTEM: Air cooled

INFO

Type: Flat ice flakes

Suitable storage bin:

STS 400 | STSD 500 | STSD 1000 | STC 600 (p. 142-143)

14.980 € +V.A.T.

SPS 1000

FLAT FLAKE ICEMAKER

DIMENSIONS: 1110x640x840 mm
FEET: + (20-50 mm)
OUTPUT: 1000 kg / 24h
POWER / VOLTAGE: 4500 W / 400V/50Hz
REFRIGERANT: R452a
COOLING SYSTEM: Air cooled

INFO

Type: Flat ice flakes

Suitable storage bin:

STS 400 | STSD 500 | STSD 1000 | STC 600 (p. 142-143)

19.200 € +V.A.T.

SPS 1500

FLAT FLAKE ICEMAKER

DIMENSIONS: 1380x740x970 mm
FEET: + (20-50 mm)
OUTPUT: 1500 kg / 24h
POWER / VOLTAGE: 5500 W / 400V/50Hz
REFRIGERANT: R452a
COOLING SYSTEM: Air cooled

INFO

Type: Flat ice flakes

Suitable storage bin:

STSD 1000 | STC 600 (p. 143)

26.500 € +V.A.T.

STORAGE BINS

STS 150

STORAGE BIN

DIMENSIONS: 569x850(1034)x1048 mm

CAPACITY: 130 kg

INFO

Suitable for:
SG 140 | SG 300

1.980 €+V.A.T.

STS 200

STORAGE BIN

DIMENSIONS: 769x850(1034)x1048 mm

CAPACITY: 180 kg

INFO

Suitable for:
SG 140 | SG 300 | SG 600

2.080 €+V.A.T.

STS 250

STORAGE BIN

DIMENSIONS: 1081x824(944)x968 mm

CAPACITY: 250 kg

INFO

Suitable for:
CP 165 | CS 140| SG 140 | SG 300 | SG 600

2.850 €+V.A.T.

STS 400

STORAGE BIN


DIMENSIONS: 1235x873(1155)x1270 mm

CAPACITY: 400 kg

INFO

Suitable for:
CP 165 | CP 300 | CS 140| CS 280 | SG 140 | SG 300 | SG 600 | SPS 250 | SPS 600 | SPS 1000

3.390 €+V.A.T.



- » Made entirely of stainless steel
- » Maximum efficiency
- » Latest technology
- » Attractive and ergonomic design



Reduced water consumption



Energy efficiency



Reduced maintenance costs



100% made in Italy



STSD 500

STORAGE BIN

DIMENSIONS: 1220x1128(1410)x1427 mm
CAPACITY: 550 kg

INFO

Suitable for:
SG 600 | SPS 250 | SPS 600 | SPS 1000

8.790 €+V.A.T.



STC 140

STORAGE BIN WITH CART

DIMENSIONS: 885x1025(1169)x1343 mm
CAPACITY: 137+73 kg

INFO

Suitable for:
SG 140 | SG 300

7.950 €+V.A.T.

STSD 1000

STORAGE BIN

DIMENSIONS: 1830x1470(1750)x1290 mm
CAPACITY: 550 kg

INFO

Suitable for:
SPS 600 | SPS 1000 | SPS 1500

12.300 €+V.A.T.

STC 300

STORAGE BIN WITH CART

DIMENSIONS: 885x1267(1553)x1803 mm
CAPACITY: 318+73 kg

INFO

Suitable for:
SG 300 | SG 600

10.750 €+V.A.T.

STC 600

STORAGE BIN WITH 2 CARTS

DIMENSIONS: 1753x1267(1553)x1803 mm
CAPACITY: 613+146 kg

INFO

Suitable for:
SG 600 | SPS 250 | SPS 600 | SPS 1000 | SPS 1500

18.450 €+V.A.T.

SD 31

FULL ICE CUBE ICEMAKER

DIMENSIONS: 375x575x762 mm
 OUTPUT: 25 kg / 24h
 STORAGE CAPACITY: 15 kg
 POWER / VOLTAGE: 300 W / 230V/50Hz
 REFRIGERANT: R290
 COOLING SYSTEM: Air cooled

INFO

Type: Hollow ice cube Ø28x39 mm, 15gr

1.380 €+V.A.T.



SD 41

FULL ICE CUBE ICEMAKER

DIMENSIONS: 375x575x762 mm
 OUTPUT: 35 kg / 24h
 STORAGE CAPACITY: 15 kg
 POWER / VOLTAGE: 320 W / 230V/50Hz
 REFRIGERANT: R290
 COOLING SYSTEM: Air cooled

INFO

Type: Hollow ice cube Ø28x39 mm, 15gr

1.620 €+V.A.T.



Hollow
ice cube
15gr



Daily production is estimated
at 21°C room temperature
and 15°C water temperature

SDU 61

FULL ICE CUBE ICEMAKER

DIMENSIONS: 667x637x775 mm
 OUTPUT: 55 kg / 24h
 STORAGE CAPACITY: 30 kg
 POWER / VOLTAGE: 500 W / 230V/50Hz
 REFRIGERANT: R290
 COOLING SYSTEM: Air cooled

INFO

Type: Hollow ice cube Ø28x39 mm, 15gr

3.070 €+V.A.T.



SQ 61



SQU 81



SQ 61

DICE ICE CUBE ICEMAKER

DIMENSIONS: 500x590x850 mm
 OUTPUT: 55 kg / 24h
 STORAGE CAPACITY: 18 kg
 POWER / VOLTAGE: 360 W / 230V/50Hz
 REFRIGERANT: R290
 COOLING SYSTEM: Air cooled

INFO

Type: Dice ice cube 28x32x22mm, 16gr

1.915 € + V.A.T.

SQU 81

DICE ICE CUBE ICEMAKER

DIMENSIONS: 660x640x785 mm
 OUTPUT: 80 kg / 24h
 STORAGE CAPACITY: 25 kg
 POWER / VOLTAGE: 420 W / 230V/50Hz
 REFRIGERANT: R404a
 COOLING SYSTEM: Air cooled


INFO

Type: Dice ice cube 28x32x22mm, 16gr

3.235 € + V.A.T.



Dice ice cube
16gr
17gr
20gr



i Daily production is estimated at 21°C room temperature and 15°C water temperature

SQ 61PT

DICE ICE CUBE ICEMAKER

DIMENSIONS: 500x590x850 mm
 OUTPUT: 55 kg / 24h
 STORAGE CAPACITY: 18 kg
 POWER / VOLTAGE: 300 W / 230V/50Hz
 REFRIGERANT: R290
 COOLING SYSTEM: Air cooled

INFO

Type: Dice ice cube 28x32x22mm, 16gr

2.015 € + V.A.T.

SQ 61PT



SQ 100



SQ 100

DICE ICE CUBE ICEMAKER

DIMENSIONS: 660x685x920 mm
 OUTPUT: 95 kg / 24h
 STORAGE CAPACITY: 36 kg
 POWER / VOLTAGE: 580 W / 230V/50Hz
 REFRIGERANT: R404a
 COOLING SYSTEM: Air cooled

INFO

Type: Dice ice cube 28x32x22mm, 16gr

2.860 € + V.A.T.

SQ 130

DICE ICE CUBE ICEMAKER

DIMENSIONS: 660x685x920 mm
 OUTPUT: 130 kg / 24h
 STORAGE CAPACITY: 36 kg
 POWER / VOLTAGE: 580 W / 230V/50Hz
 REFRIGERANT: R290
 COOLING SYSTEM: Air cooled

INFO

Type: Dice ice cube 32x32x22 mm, 17 gr

3.560 €+V.A.T.



SQ 231

DICE ICE CUBE ICEMAKER WITHOUT STORAGE BIN

DIMENSIONS: 760x618x568 mm
 OUTPUT: 225 kg / 24h
 POWER / VOLTAGE: 1240 W / 230V/50Hz
 REFRIGERANT: R290
 COOLING SYSTEM: Air cooled

INFO

Type: Dice ice cube 38x38x22 mm, 20 gr

Suitable storage bin:

BIN 200 | BIN 360

5.115 €+V.A.T.



SQ 231 + BIN 200

SQ 501

DICE ICE CUBE ICEMAKER WITHOUT STORAGE BIN

DIMENSIONS: 760x618x743 mm
 OUTPUT: 455 kg / 24h
 POWER / VOLTAGE: 2300 W / 230V/50Hz
 REFRIGERANT: R404a
 COOLING SYSTEM: Air cooled

INFO

Type: Dice ice cube 38x38x22 mm, 20 gr

Suitable storage bin:

BIN 200 | BIN 360

7.095 €+V.A.T.





GS 60.20

GRANULAR ICE WITH STORAGE BIN

DIMENSIONS: 520x550x960 mm
 OUTPUT: 60 kg / 24h
 STORAGE CAPACITY: 20 kg
 POWER / VOLTAGE: 300 W / 230V/50Hz
 REFRIGERANT: R290
 COOLING SYSTEM: Air cooled

INFO

Type: Granular ice

NEW 4.830 €+V.A.T.

GS 130.50

GRANULAR ICE WITH STORAGE BIN

DIMENSIONS: 650x640x1050 mm
 OUTPUT: 130 kg / 24h
 STORAGE CAPACITY: 50 kg
 POWER / VOLTAGE: 350 W / 230V/50Hz
 REFRIGERANT: R290
 COOLING SYSTEM: Air cooled

INFO

Type: Granular ice

NEW 6.000 €+V.A.T.

GS 450 + BIN 275



GS 450

GRANULAR ICE WITHOUT STORAGE BIN

DIMENSIONS: 560x620x715 mm
 OUTPUT: 450 kg / 24h
 POWER / VOLTAGE: 1240 W / 230V/50Hz
 REFRIGERANT: R290
 COOLING SYSTEM: Air cooled

INFO

Type: Granular ice

Suitable storage bin:
 BIN 275

NEW 10.830 €+V.A.T.

STORAGE BINS

BIN 200**STORAGE BIN**

DIMENSIONS: 760x830x1100 mm

CAPACITY: 170 kg

INFO

Suitable for:

SQ 231 | SQ 501

 **1.290 €**+V.A.T.**BIN 275****STORAGE BIN**

DIMENSIONS: 560x830x1150 mm

CAPACITY: 125 kg

INFO

Suitable for:

GS 450

 **1.540 €**+V.A.T.**BIN 360****STORAGE BIN**

DIMENSIONS: 1227x973x1245 mm

CAPACITY: 350 kg

INFO

Suitable for:

SQ 501 | SQ 231

Connection kit required

EXTRA

Connection kit 200 €+V.A.T.

 **2.190 €**+V.A.T.



INOX



Inox



	GREASE COLLECTORS [160]
	HAND SINKS HACCP [161]
	RACKS [161]
	WASTE CONTAINERS [162]
	WALL VENTILATION FUNNELS / FILTERS / TUBULAR SHELVES [163]
	GLASSWARE CABINETS [164]
	WORKING TABLES [165]
	TABLES WITH SINK [166]
	REFRIGERATED COUNTERS [170]
	REFRIGERATED SALAD COUNTERS [178]
	CABINETS [181]
	BAR STATIONS [184]
	HEATING CABINETS [185]
	COFFEE STATIONS [186]
	GASTRONORME CONTAINERS [187]

GREASE COLLECTORS



OWS 30

GREASE COLLECTORS 30 lt

DIMENSIONS: 568x318x312 mm

CAPACITY: 30 lt

INFO

Stainless steel construction
Input & output diameter Ø50 mm

196 € + V.A.T.

OWS 100

GREASE COLLECTORS 100 lt

DIMENSIONS: 780x435x476 mm

CAPACITY: 100 lt

INFO

Stainless steel construction
Input & output diameter Ø20 mm

285 € + V.A.T.

OWS 180

GREASE COLLECTORS 180 lt


DIMENSIONS: 823x521x627 mm

CAPACITY: 180 lt

INFO

Stainless steel construction
Input & output diameter Ø50 mm

415 € + V.A.T.



HAND SINKS HACCP



700430

WALL MOUNTED HAND SINK HACCP

DIMENSIONS: 400x340x585 mm (200+385 mm)

INFO

Stainless steel construction
Thermomix valve
Knee operated
Full hydraulic equipment

230 €+V.A.T.



800430

FLOOR MOUNTED HAND SINK HACCP

DIMENSIONS: 400x510x878 mm (850+28 mm)

INFO

Stainless steel construction
Thermomix valve
Foot operated
Full hydraulic equipment

425 €+V.A.T.

RACKS



VE 412SR

INOX RACK

DIMENSIONS: 1200x500x1550 mm

SHELVES: 4 fixed

INFO

Stainless steel construction
Easy to assemble

460 €+V.A.T.

VE 415SR

INOX RACK

DIMENSIONS: 1500x500x1550 mm

SHELVES: 4 fixed

INFO

Stainless steel construction
Easy to assemble

500 €+V.A.T.

WASTE CONTAINERS

900904**WASTE CONTAINER**

DIMENSIONS: Ø 380x630 mm

CAPACITY: 60 lt

INFOStainless steel construction
Rubber castors**145 €**+V.A.T.**900470****WASTE CONTAINER**

DIMENSIONS: 700x400x770 mm

CAPACITY: 120 lt

INFOStainless steel construction
Rubber castors**320 €**+V.A.T.**800550****WASTE CABINET**

DIMENSIONS: 500x530x1200mm(+25mm)

INFO

Stainless steel construction

NEW **455 €**+V.A.T.

FUNNELS / FILTERS / TUBULAR SHELVES




WALL VENTILATION FUNNELS

VLR 107	1000x700x450 mm		450 € + V.A.T.
VLR 157	1500x700x450 mm		540 € + V.A.T.
VLR 207	2000x700x450 mm		685 € + V.A.T.
VLR 257	2500x700x450 mm		835 € + V.A.T.



FILTERS

HF 500	500x500x38 mm		33 € + V.A.T.
HF 495	450x450x38 mm		28 € + V.A.T.
TH 55	500x500x21 mm		57 € + V.A.T.



TUBULAR SHELVES

VTS 1230	1200x300 mm		95 € + V.A.T.
VTS 1530	1500x300 mm		110 € + V.A.T.
VTS 1240	1200x400 mm		120 € + V.A.T.
VTS 1540	1500x400 mm		135 € + V.A.T.
VTS 1840	1800x400 mm		170 € + V.A.T.

GLASSWARE CABINETS

GLASSWARE CABINETS

Stainless steel construction, durable shelf, stainless steel sliding doors



500640	800x400x650 mm		360 € + V.A.T.
500840	800x400x650 mm		370 € + V.A.T.
501040	1000x400x650 mm		380 € + V.A.T.
501240	1200x400x650 mm		415 € + V.A.T.
501440	1400x400x650 mm		425 € + V.A.T.
501540	1500x400x650 mm		440 € + V.A.T.
501640	1600x400x650 mm		520 € + V.A.T.
501840	1800x400x650 mm		530 € + V.A.T.
502040	2000x400x650 mm		540 € + V.A.T.

CABINETS

Stainless steel construction, durable shelf, stainless steel sliding doors



167085	600x700x850 mm		615 € + V.A.T.
187085	800x700x850 mm		635 € + V.A.T.
207085	1000x700x850 mm		645 € + V.A.T.
227085	1200x700x850 mm		690 € + V.A.T.
247085	1400x700x850 mm		700 € + V.A.T.
267085	1600x700x850 mm		790 + V.A.T.
287085	1800x700x850 mm		825 + V.A.T.
307085	2000x700x850 mm		865 + V.A.T.

WORKING TABLES

WORKING TABLES

Stainless steel construction, durable shelf, easy to assemble



600670	600x700x850 mm		195 € + V.A.T.
600770	700x700x850 mm	NEW	200 € + V.A.T.
600870	800x700x850 mm	NEW	275 € + V.A.T.
601070	1000x700x850 mm		285 € + V.A.T.
601270	1200x700x850 mm		305 € + V.A.T.
601470	1400x700x850 mm		340 € + V.A.T.
601570	1500x700x850 mm	NEW	345 € + V.A.T.
601670	1600x700x850 mm	NEW	390 € + V.A.T.
601870	1800x700x850 mm	NEW	400 € + V.A.T.
602070	2000x700x850 mm	NEW	415 € + V.A.T.

600660	600x600x850 mm	NEW	176 € + V.A.T.
600760	700x600x850 mm	NEW	186 € + V.A.T.
600860	800x600x850 mm		194 € + V.A.T.
601060	1000x600x850 mm		205 € + V.A.T.
601260	1200x600x850 mm		215 € + V.A.T.
601460	1400x600x850 mm	NEW	225 € + V.A.T.
601560	1500x600x850 mm		235 € + V.A.T.
601660	1600x600x850 mm	NEW	250 € + V.A.T.
601860	1800x600x850 mm	NEW	275 € + V.A.T.
602060	2000x600x850 mm	NEW	295 € + V.A.T.

TABLES WITH SINK

607095

TABLE WITH SINGLE SINK

DIMENSIONS: 600x700x950 mm
SINK DIMENSIONS: 400x500x250 mm
SINKS: 1

INFO

Stainless steel construction
Durable shelf
Backsplash
Easy to assemble

495 € + V.A.T.



1207095

TABLE WITH SINGLE SINK

DIMENSIONS: 1200x700x950 mm
SINK DIMENSIONS: 1060x500x350 mm
SINKS: 1

INFO

Stainless steel construction
Durable shelf
Backsplash
Easy to assemble

650 € + V.A.T.



107095 L

TABLE WITH SINGLE SINK

DIMENSIONS: 1000x700x950 mm
SINK DIMENSIONS: 400x500x250 mm
SINKS: 1 left

INFO

Stainless steel construction
Durable shelf
Backsplash
Easy to assemble

620 € + V.A.T.



107095 R

TABLE WITH SINGLE SINK

DIMENSIONS: 1000x700x950 mm
SINK DIMENSIONS: 400x500x250 mm
SINKS: 1 right

INFO

Stainless steel construction
Durable shelf
Backsplash
Easy to assemble

620 € + V.A.T.



127095 L

TABLE WITH SINGLE SINK

DIMENSIONS: 1200x700x950 mm
SINK DIMENSIONS: 500x500x250 mm
SINKS: 1 left

INFO

Stainless steel construction
Durable shelf
Backsplash
Easy to assemble

680 € + V.A.T.



127095 R

TABLE WITH SINGLE SINK

DIMENSIONS: 1200x700x950 mm
SINK DIMENSIONS: 500x500x250 mm
SINKS: 1 right

INFO

Stainless steel construction
Durable shelf
Backsplash
Easy to assemble

680 € + V.A.T.



167095 L

TABLE WITH DOUBLE SINK

DIMENSIONS: 1600x700x950 mm
SINK DIMENSIONS: 400x500x250 mm
SINKS: 2 left

INFO

Stainless steel construction
Durable shelf
Backsplash
Easy to assemble

760 € + V.A.T.



167095

TABLE WITH DOUBLE SINK

DIMENSIONS: 1600x700x950 mm
SINK DIMENSIONS: 400x500x250 mm
SINKS: 2 right

INFO

Stainless steel construction
Durable shelf
Backsplash
Easy to assemble

760 € + V.A.T.

187095 L

TABLE WITH DOUBLE SINK

DIMENSIONS: 1800x700x950 mm
SINK DIMENSIONS: 500x500x250 mm
SINKS: 2 left

INFO

Stainless steel construction
Durable shelf
Backsplash
Easy to assemble

870 € + V.A.T.

187095

TABLE WITH DOUBLE SINK

DIMENSIONS: 1800x700x950 mm
SINK DIMENSIONS: 500x500x250 mm
SINKS: 2 right

INFO

Stainless steel construction
Durable shelf
Backsplash
Easy to assemble

870 € + V.A.T.



667095 DS

TABLE WITH SINGLE SINK

DIMENSIONS: 600x700x950 mm
SINK DIMENSIONS: 400x500x250 mm
SINKS: 1

INFO

Stainless steel construction
Backsplash

650 € + V.A.T.



1207095 DS

TABLE WITH SINGLE SINK

DIMENSIONS: 1200x700x950 mm
SINK DIMENSIONS: 1060x500x350 mm
SINKS: 1

INFO

Stainless steel construction
Backsplash

960 € + V.A.T.



107095 LDS

TABLE WITH SINGLE SINK

DIMENSIONS: 1000x700x950 mm
SINK DIMENSIONS: 400x500x250 mm
SINKS: 1 left

INFO

Stainless steel construction
Backsplash

870 € + V.A.T.



107095 RDS

TABLE WITH SINGLE SINK

DIMENSIONS: 1000x700x950 mm
SINK DIMENSIONS: 400x500x250 mm
SINKS: 1 right

INFO

Stainless steel construction
Backsplash

870 € + V.A.T.

127095 LDS

TABLE WITH SINGLE SINK

DIMENSIONS: 1200x700x950 mm
SINK DIMENSIONS: 500x500x250 mm
SINKS: 1 left

INFO

Stainless steel construction
Backsplash

940 € + V.A.T.

127095 RDS

TABLE WITH SINGLE SINK

DIMENSIONS: 1200x700x950mm
SINK DIMENSIONS: 500x500x250mm
SINKS: 1 right

INFO

Stainless steel construction
Backsplash

940 € + V.A.T.



167095 LDS

TABLE WITH DOUBLE SINK

DIMENSIONS: 1600x700x950mm
SINK DIMENSIONS: 400x500x250mm
SINKS: 2 left

INFO

Stainless steel construction
Backsplash

■ **1.270 €**+V.A.T.

187095 LDS

TABLE WITH DOUBLE SINK

DIMENSIONS: 1800x700x950mm
SINK DIMENSIONS: 500x500x250mm
SINKS: 2 left

INFO

Stainless steel construction
Backsplash

■ **1.390 €**+V.A.T.

167095 RDS

TABLE WITH DOUBLE SINK

DIMENSIONS: 1600x700x950mm
SINK DIMENSIONS: 400x500x250mm
SINKS: 2 right

INFO

Stainless steel construction
Backsplash

■ **1.270 €**+V.A.T.

187095 RDS

TABLE WITH DOUBLE SINK

DIMENSIONS: 1800x700x950mm
SINK DIMENSIONS: 500x500x250mm
SINKS: 2 right

INFO

Stainless steel construction
Backsplash

■ **1.390 €**+V.A.T.



REFRIGERATED COUNTERS

**312100 Snack****REFRIGERATED COUNTER**

DIMENSIONS: 1360x600x860 mm
 CAPACITY: 215 lt
 POWER: 180 Watt
 TEMPERATURE: +1°C up to +8°C
 COOLING: Ventilated
 DEFROST: Automatic
 REFRIGERANT: R290
 DOORS: 2 (42x63 cm)
 GRIDS: 2 (43x32.5 cm)

INFO

Stainless steel construction
 Self reversed doors up to 90°
 Plastic laminated grids
 Stainless steel adjustable feet
 Right side compressor
 60 mm insulation

NEW 1.620 € + V.A.T.

**313100 Snack****REFRIGERATED COUNTER**

DIMENSIONS: 1795x600x860 mm
 CAPACITY: 333 lt
 POWER: 270 Watt
 TEMPERATURE: +1°C up to +8°C
 COOLING: Ventilated
 DEFROST: Automatic
 REFRIGERANT: R290
 DOORS: 3 (42x63 cm)
 GRIDS: 3 (43x32.5 cm)

INFO

Stainless steel construction
 Self reversed doors up to 90°
 Plastic laminated grids
 Stainless steel adjustable feet
 Right side compressor
 60 mm insulation

NEW 1.840 € + V.A.T.

314100 Snack**REFRIGERATED COUNTER**

DIMENSIONS: 2230x600x860 mm
 CAPACITY: 451 lt
 POWER: 310 Watt
 TEMPERATURE: +1°C up to +8°C
 COOLING: Ventilated
 DEFROST: Automatic
 REFRIGERANT: R290
 DOORS: 4 (42x63 cm)
 GRIDS: 4 (43x32.5 cm)

INFO

Stainless steel construction
 Self reversed doors up to 90°
 Plastic laminated grids
 Stainless steel adjustable feet
 Right side compressor
 60 mm insulation



NEW 2.085 € + V.A.T.



312100

REFRIGERATED COUNTER

DIMENSIONS: 1360x700x860 mm
 CAPACITY: 260 lt
 POWER: 180 Watt
 TEMPERATURE: +1°C up to +8°C
 COOLING: Ventilated
 DEFROST: Automatic
 REFRIGERANT: R290
 DOORS: 2 (42x63 cm)
 GRIDS: 2 (53x32.5 cm)

INFO

Stainless steel construction
 Self reversed doors up to 90°
 Plastic laminated adjustable grids
 Stainless steel adjustable feet
 Right side compressor
 60 mm insulation

1.860 € + V.A.T.



313100

REFRIGERATED COUNTER

DIMENSIONS: 1795x700x860 mm
 CAPACITY: 406 lt
 POWER: 270 Watt
 TEMPERATURE: +1°C up to +8°C
 COOLING: Ventilated
 DEFROST: Automatic
 REFRIGERANT: R290
 DOORS: 3 (42x63 cm)
 GRIDS: 3 (53x32.5 cm)

INFO

Stainless steel construction
 Self reversed doors up to 90°
 Plastic laminated adjustable grids
 Stainless steel adjustable feet
 Right side compressor
 60 mm insulation

2.190 € + V.A.T.

314100

REFRIGERATED COUNTER

DIMENSIONS: 2230x700x860 mm
 CAPACITY: 550 lt
 POWER: 310 Watt
 TEMPERATURE: +1°C up to +8°C
 COOLING: Ventilated
 DEFROST: Automatic
 REFRIGERANT: R290
 DOORS: 4 (42x63 cm)
 GRIDS: 4 (53x32.5 cm)

INFO

Stainless steel construction
 Self reversed doors up to 90°
 Plastic laminated adjustable grids
 Stainless steel adjustable feet
 Right side compressor
 60 mm insulation

2.520 € + V.A.T.

➤ Also available in version with embedded sink of dimensions 25x40x20 cm.

GAL2100TN

DIMENSIONS: 1360x700x860 mm

NEW **2.305 €** + V.A.T.

GAL3100TN

DIMENSIONS: 1795x700x860 mm

NEW **2.740 €** + V.A.T.

GAL4100TN

DIMENSIONS: 2230x700x860 mm

NEW **3.280 €** + V.A.T.



S 901

REFRIGERATED COUNTER

DIMENSIONS EXT.: 900x700x870mm

DIMENSIONS INT.: 830x595x500mm

CAPACITY: 240 lt

COOLING: Static

DEFROST: Manual

REFRIGERANT: R290

TEMPERATURE: +1°C / +8°C

POWER: 210 Watt

DOORS: 2


GRIDS: 2

INFO

Stainless steel construction

NEW

1.115 €+V.A.T.



312140

REFRIGERATED COUNTER

DIMENSIONS: 1360x700x860 mm
 CAPACITY: 280 lt
 POWER: 180 Watt
 TEMPERATURE: +1°C up to +8°C
 THERMOSTAT: Electronic
 COOLING: Ventilated
 DEFROST: Automatic
 REFRIGERANT: R290
 SHELVES: 4 GN ½

INFO

Stainless steel construction
 Stainless steel adjustable feet
 Right side compressor
 60 mm insulation



2.850 €+V.A.T.

313140

REFRIGERATED COUNTER

DIMENSIONS: 1795x700x860 mm
 CAPACITY: 415 lt
 POWER: 270 Watt
 TEMPERATURE: +1°C up to +8°C
 THERMOSTAT: Electronic
 COOLING: Ventilated
 DEFROST: Automatic
 REFRIGERANT: R290
 DOORS: 1 (42x63 cm)
 SHELVES: 4 GN ½

INFO

Stainless steel construction
 Stainless steel adjustable feet
 Right side compressor
 60 mm insulation



3.075 €+V.A.T.

REFRIGERATED COUNTERS

313160/650**REFRIGERATED COUNTER**

DIMENSIONS: 1795x700x650 mm

POWER: 270 Watt

TEMPERATURE: +1°C / +8°C

COOLING: Ventilated

DEFROST: Automatic

REFRIGERANT: R290

SHELVES: 6

INFO

Stainless steel construction
Stainless steel adjustable feet
Right side compressor
60 mm insulation



NEW 3.170 €+V.A.T.

314180/650**REFRIGERATED COUNTER**

DIMENSIONS: 2230x700x650 mm

POWER: 310 Watt

TEMPERATURE: +1°C / +8°C

COOLING: Ventilated

DEFROST: Automatic

REFRIGERANT: R290

SHELVES: 8

INFO

Stainless steel construction
Stainless steel adjustable feet
Right side compressor
60 mm insulation



NEW 4.110 €+V.A.T.

FREEZING COUNTERS



312100 BT

FREEZING COUNTER

DIMENSIONS: 1360x700x860 mm
CAPACITY: 260 lt
POWER: 538 Watt
TEMPERATURE: -18°C up to -22°C
COOLING: Ventilated
DEFROST: Automatic
REFRIGERANT: R290
DOORS: 2 (42x63 cm)
GRIDS: 2 (53x32.5 cm)

INFO

Stainless steel construction
Self reversed doors up to 90°
Plastic laminated adjustable grids
Stainless steel adjustable feet
Right side compressor
60 mm insulation

 **NEW** 2.160 €+V.A.T.



313100 BT

FREEZING COUNTER

DIMENSIONS: 1795x700x860 mm
CAPACITY: 403 lt
POWER: 580 Watt
TEMPERATURE: -18°C up to -22°C
COOLING: Ventilated
DEFROST: Automatic
REFRIGERANT: R290
DOORS: 3 (42x63 cm)
GRIDS: 3 (53x32.5 cm)

INFO

Stainless steel construction
Self reversed doors up to 90°
Plastic laminated adjustable grids
Stainless steel adjustable feet
Right side compressor
60 mm insulation

 **NEW** 2.305 €+V.A.T.



314100 BT

FREEZING COUNTER

DIMENSIONS: 2230x700x860 mm
CAPACITY: 545 lt
POWER: 680 Watt
TEMPERATURE: -18°C up to -22°C
COOLING: Ventilated
DEFROST: Automatic
REFRIGERANT: R290
DOORS: 4 (42x63 cm)
GRIDS: 4 (53x32.5 cm)

INFO

Stainless steel construction
Self reversed doors up to 90°
Plastic laminated adjustable grids
Stainless steel adjustable feet
Right side compressor
60 mm insulation

 **NEW** 2.630 €+V.A.T.

REFRIGERATED PIZZA COUNTERS

**150580 PZ****REFRIGERATED PIZZA COUNTER**

DIMENSIONS: 1505x800x1000 mm
 CAPACITY: 360 lt
 POWER: 290 Watt
 TEMPERATURE: +2°C up to +8°C
 COOLING: Ventilated
 DEFROST: Automatic
 REFRIGERANT: R290
 DOORS: 2

INFO

Stainless steel construction
 Self reversed doors up to 90°
 Plastic laminated adjustable grids
 Right side compressor

NEW 2.290 € + V.A.T.





**151080 PZ****REFRIGERATED PIZZA COUNTER**

DIMENSIONS: 1510x800x1000 mm
 CAPACITY: 165 lt
 POWER: 290 Watt
 TEMPERATURE: +2°C up to +8°C
 COOLING: Ventilated
 DEFROST: Automatic
 REFRIGERANT: R290
 DOORS: 1
 DOUGH SHELVES: 7 (485x770x75 mm)

INFO

Stainless steel construction
 Self reversed doors up to 90°
 Plastic laminated adjustable grids
 Right side compressor

NEW 2.630 € + V.A.T.





202080 PZ

REFRIGERATED PIZZA COUNTER

DIMENSIONS: 2020x800x1000 mm

CAPACITY: 360 lt

POWER: 290 Watt

TEMPERATURE: +2°C up to +8°C

COOLING: Ventilated

DEFROST: Automatic

REFRIGERANT: R290

DOORS: 2

DOUGH SHELVES: 7 (485x770x75 mm)

INFO

Stainless steel construction

Self reversed doors up to 90°

Plastic laminated adjustable grids

Right side compressor

60 mm insulation

NEW 3.040 € + V.A.T.



GRANITE
WORKTOP



ADJUSTABLE
SHELVES



DOUGH
SHELVES



REFRIGERATED SALAD COUNTERS

S 900**REFRIGERATED SALAD COUNTER WITH LID**

DIMENSIONS EXT.: 900x700x870 mm

DIMENSIONS INT.: 830x595x500 mm

CAPACITY: 240 lt

COOLING: Static

DEFROST: Manual

REFRIGERANT: R290

TEMPERATURE: +1°C up to +8°C

POWER: 210 Watt

DOORS: 2

GRIDS: 2

INFO

Stainless steel construction

With lid


 **NEW** 1.025 €+V.A.T.

SALAD DISPLAYS

136070 SLD/KGS**SALAD DISPLAY**

DIMENSIONS: 1360x700x1310 mm

CAPACITY: 260 lt / 2 GN 1/1

POWER: 180 Watt

TEMPERATURE: +2°C up to +8°C

COOLING: Ventilated

DEFROST: Automatic

REFRIGERANT: R290

DOORS: 2

INFO

Stainless steel construction

Self reversed doors up to 90°


Plastic laminated adjustable grids


Stainless steel adjustable feet

Right side compressor

60 mm insulation

Castors


 **NEW** 2.475 €+V.A.T.



179570 SLD/KGS

SALAD DISPLAY

DIMENSIONS: 1795x700x1310 mm
CAPACITY: 430 lt / 3 GN 1/1
POWER: 270 Watt
TEMPERATURE: +2°C up to +8°C
COOLING: Ventilated
DEFROST: Automatic
REFRIGERANT: R290
DOORS: 3

INFO

Stainless steel construction
Self reversed doors up to 90°
Plastic laminated adjustable grids
Stainless steel adjustable feet
Right side compressor
60 mm insulation
Castors

 **3.070 €** + V.A.T.



153082 SLD/KGS

SALAD DISPLAY

DIMENSIONS: 1530x820x1250 mm
CAPACITY: 430 lt / 4 GN 1/1
POWER: 110 Watt
TEMPERATURE: +2°C up to +8°C
COOLING: Ventilated
DEFROST: Automatic
REFRIGERANT: R290
DOORS: 2

INFO

Stainless steel construction
Self reversed doors up to 90°
Plastic laminated adjustable grids
Stainless steel adjustable feet
Right side compressor
60 mm insulation
Castors

 **3.210 €** + V.A.T.

SALAD DISPLAYS

188082 SLD/KGS

SALAD DISPLAY

DIMENSIONS: 1880x820x1250 mm

CAPACITY: 560 lt / 5 GN 1/1

POWER: 170 Watt

TEMPERATURE: +2°C up to +8°C

COOLING: Ventilated


DEFROST: Automatic

REFRIGERANT: R290

DOORS: 3

INFO

Stainless steel construction
 Self reversed doors up to 90°
 Plastic laminated adjustable grids
 Stainless steel adjustable feet
 Right side compressor
 60 mm insulation
 Castors



NEW 3.900 € + V.A.T.

223082 SLD/KGS

SALAD DISPLAY

DIMENSIONS: 2230x820x1250 mm

CAPACITY: 720 lt / 6 GN 1/1

POWER: 170 Watt

TEMPERATURE: +2°C up to +8°C

COOLING: Ventilated


DEFROST: Automatic

REFRIGERANT: R290


DOORS: 4

INFO


Stainless steel construction
 Self reversed doors up to 90°
 Plastic laminated adjustable grids
 Stainless steel adjustable feet
 Right side compressor
 60 mm insulation
 Castors




NEW 4.385 € + V.A.T.



FG



KG



KGS

CABINETS



220600

COOLING CABINET

DIMENSIONS EXT.: 680x810x2010 mm

DIMENSIONS INT.: 564x680x1394 mm

CAPACITY: 475 lt

POWER: 300 Watt

TEMPERATURE: +1°C up to +8°C

COOLING: Ventilated

DEFROST: Automatic

REFRIGERANT: R290

DOORS: 1

GRIDS: 3

INFO

Stainless steel construction
Self reversed doors up to 90°
Plastic laminated adjustable grids
Stainless steel adjustable feet
60 mm insulation
Electronic thermostat
Led illumination

2.250 € + V.A.T.



PA 800TN

COOLING CABINET

DIMENSIONS EXT.: 740x990x2010 mm

DIMENSIONS INT.: 624x845x1390 mm

CAPACITY: 750 lt

POWER: 350 Watt / 230 V / 50 Hz

TEMPERATURE: +1°C up to +8°C

COOLING: Ventilated

DEFROST: Automatic

REFRIGERANT: R290

DOORS: 1

GRIDS: 3

INFO

Stainless steel construction
Lock
Electronic thermostat
Led illumination

2.285 € + V.A.T.



211200

COOLING CABINET

DIMENSIONS EXT.: 1340x810x2010 mm

DIMENSIONS INT.: 1120x680x1394 mm

CAPACITY: 1040 lt

POWER: 380 Watt

TEMPERATURE: +1°C up to +8°C

COOLING: Ventilated

DEFROST: Automatic

REFRIGERANT: R290

DOORS: 2

GRIDS: 3+3

INFO

Stainless steel construction
Self reversed doors up to 90°
Plastic laminated adjustable grids
Stainless steel adjustable feet
60 mm insulation
Electronic thermostat
Led illumination

2.960 € + V.A.T.

CABINETS

**100600****FREEZING CABINET**

DIMENSIONS EXT.: 680x810x2010 mm
 DIMENSIONS INT.: 564x680x1394 mm
 CAPACITY: 475 lt
 POWER: 585 Watt
 TEMPERATURE: 0°C up to -18°C
 COOLING: Ventilated
 DEFROST: Automatic
 REFRIGERANT: R290
 DOORS: 1
 GRIDS: 3

INFO

Stainless steel construction
 Self reversed doors up to 90°
 Plastic laminated adjustable grids
 Stainless steel adjustable feet
 60 mm insulation
 Electronic thermostat
 Led illumination

2.360 € + V.A.T.

101200**FREEZING CABINET**

DIMENSIONS EXT.: 1340x810x2010 mm
 DIMENSIONS INT.: 1112x680x1394 mm
 CAPACITY: 1040 lt
 POWER: 760 Watt
 TEMPERATURE: 0°C up to -18°C
 COOLING: Ventilated
 DEFROST: Automatic
 REFRIGERANT: R290
 DOORS: 2
 GRIDS: 3+3

INFO

Stainless steel construction
 Self reversed doors up to 90°
 Plastic laminated adjustable grids
 Stainless steel adjustable feet
 60 mm insulation
 Electronic thermostat
 Led illumination

3.145 € + V.A.T.

**PA 800BT****FREEZING CABINET**

DIMENSIONS EXT.: 740x990x2010 mm
 DIMENSIONS INT.: 624x845x1390 mm
 CAPACITY: 750 lt
 POWER: 660 Watt / 230 V / 50 Hz
 TEMPERATURE: -18°C up to -22°C
 COOLING: Ventilated
 DEFROST: Automatic
 REFRIGERANT: R290
 DOORS: 1
 GRIDS: 3

INFO

Stainless steel construction
 Lock
 Electronic thermostat
 Led illumination

2.795 € + V.A.T.



VFR 400SS

COOLING CABINET

DIMENSIONS EXT.: 600x585x1850 mm

CAPACITY: 357 lt

POWER: 300 Watt

TEMPERATURE: +1°C up to +5°C

COOLING: Static with auxiliary fan

DEFROST: Manual

REFRIGERANT: R600a

DOORS: 1

GRIDS: 4

INFO

Stainless steel construction

Lock

Electronic thermostat

Led illumination

1.255 € + V.A.T.



VFR 600SS

COOLING CABINET

DIMENSIONS EXT.: 777x695x1890 mm

CAPACITY: 543 lt

POWER: 442 Watt

TEMPERATURE: +1°C up to +5°C

COOLING: Static with auxiliary fan

DEFROST: Manual

REFRIGERANT: R600a

DOORS: 1

GRIDS: 4

INFO

Stainless steel construction

Lock

Electronic thermostat

Led illumination

1.325 € + V.A.T.



VFD 400SS

COOLING CABINET

DIMENSIONS EXT.: 600x585x1850 mm

CAPACITY: 304 lt

POWER: 384 Watt

TEMPERATURE: -18°C up to -20°C

COOLING: Static

DEFROST: Manual

REFRIGERANT: R290

DOORS: 1

SHELVES: 6 ψυχόμενα

INFO


Stainless steel construction

Lock

Electronic thermostat

Led illumination

1.185 € + V.A.T.



VFD 600SS

COOLING CABINET

DIMENSIONS EXT.: 777x695x1890 mm

CAPACITY: 538 lt

POWER: 450 Watt

TEMPERATURE: -18°C up to -20°C

COOLING: Static

DEFROST: Manual

REFRIGERANT: R290

DOORS: 1

SHELVES: 6 ψυχόμενα

INFO

Stainless steel construction

Lock

Electronic thermostat

Led illumination

1.395 € + V.A.T.



BAR STATION



GN3100 TN-CTS

BAR STATION

DIMENSIONS: 1800x700x850+100 mm

POWER: 393 Watt

TEMPERATURE: +1°C up to +8°C

COOLING: Ventilated

DEFROST: Automatic

REFRIGERANT: R134/R290

DOORS: 1

SHELVES: 2 GN 2/3

INFO

Stainless steel construction

Self reversed doors up to 90°

Sink 27x33 cm

Pitcher rinser, bottle holder, ice container, blender shelf




Stainless steel adjustable feet

Right side compressor



NEW

5.485 €+V.A.T.



HEATING CABINETS

DNC 11DG

HEATING CABINET WITH CASTORS

DIMENSIONS EXT.: 790x970x1810 mm

DIMENSIONS INT.: 540x680x1380 mm

TEMPERATURE: up to 80°C

THERMOSTAT: Analog

POWER: 2.620 Watt / 230 V / 50 Hz

GRIDS: 11 (65X53cm)

INFO

Stainless steel construction

Castors

Heated water pan

Hot air circulation fan

Grids are not included

 **NEW**

2.810 €+V.A.T.



DNC 211DG

HEATING CABINET WITH CASTORS

DIMENSIONS EXT.: 1540x970x1810 mm

DIMENSIONS INT.: 1350x680x1380 mm

TEMPERATURE: up to 80°C

THERMOSTAT: Analog

POWER: 2.620 Watt / 230 V / 50 Hz

GRIDS: 22 (65X53cm)

INFO

Stainless steel construction

Castors

Heated water pan

Hot air circulation fan

Grids are not included

 **NEW**

4.420 €+V.A.T.




COFFEE STATION

**150700****COFFEE STATION**

DIMENSIONS: 1500x600x1050+100 mm

INFO



Stainless steel construction
 Stainless steel adjustable feet
 Drawers for coffee, hold drawer, storage space

 **980 €**+V.A.T.
**200700****COFFEE STATION**






DIMENSIONS: 2000x600x1050+100 mm

INFO

Stainless steel construction
 Stainless steel adjustable feet
 Drawers for coffee, hold drawer, storage space

 **1.150 €**+V.A.T.


GASTRONORM CONTAINERS



CODE	DESCRIPTION	THICKNESS	LT
------	-------------	-----------	----

ΑΝΟΞΕΙΔΩΤΟ AISI201 53x65 cm

GN 2120	GN 2/1 20 mm depth	0,70 mm	5,00
GN 2140	GN 2/1 40 mm depth	0,70 mm	10,00
GN 2165	GN 2/1 65 mm depth	0,80 mm	18,50
GN 21100	GN 2/1 100 mm depth	0,80 mm	28,50
GN 21150	GN 2/1 150 mm depth	0,80 mm	42,50
GN 21200	GN 2/1 200 mm depth	0,80 mm	57,50

ΑΝΟΞΕΙΔΩΤΟ AISI201 53x32,5 cm

GN 1120	GN 1/1 20 mm depth	0,60 mm	2,50
GN 1140	GN 1/1 40 mm depth	0,60 mm	5,00
GN 1165	GN 1/1 65 mm depth	0,60 mm	9,00
GN 11100	GN 1/1 100 mm depth	0,60 mm	14,00
GN 11150	GN 1/1 150 mm depth	0,60 mm	21,00
GN 11200	GN 1/1 200 mm depth	0,70 mm	28,00

ΑΝΟΞΕΙΔΩΤΟ AISI201 35,4x32,5 cm

GN 2320	GN 2/3 20 mm depth	0,60 mm	1,50
GN 2340	GN 2/3 40 mm depth	0,60 mm	3,00
GN 2365	GN 2/3 65 mm depth	0,60 mm	5,50
GN 23100	GN 2/3 100 mm depth	0,60 mm	9,00
GN 23150	GN 2/3 150 mm depth	0,60 mm	13,00
GN 23200	GN 2/3 200 mm depth	0,70 mm	18,00

ΑΝΟΞΕΙΔΩΤΟ AISI201 32,5x26,5 cm

GN 1220	GN 1/2 20 mm depth	0,60 mm	1,25
GN 1240	GN 1/2 40 mm depth	0,60 mm	2,00
GN 1265	GN 1/2 65 mm depth	0,60 mm	4,00
GN 12100	GN 1/2 100 mm depth	0,60 mm	6,50
GN 12150	GN 1/2 150 mm depth	0,60 mm	5,50
GN 12200	GN 1/2 200 mm depth	0,70 mm	12,50

ΑΝΟΞΕΙΔΩΤΟ AISI201 53x65 cm

GN 1320	GN 1/3 20 mm depth	0,60 mm	0,75
GN 1340	GN 1/3 40 mm depth	0,60 mm	1,50
GN 1365	GN 1/3 65 mm depth	0,60 mm	2,50
GN 13100	GN 1/3 100 mm depth	0,60 mm	4,00
GN 13150	GN 1/3 150 mm depth	0,60 mm	5,70
GN 13200	GN 1/3 200 mm depth	0,70 mm	7,80

ΑΝΟΞΕΙΔΩΤΟ AISI201 53x32,5 cm

GN 1420	GN 1/4 20 mm depth	0,60 mm	0,50
GN 1440	GN 1/4 40 mm depth	0,60 mm	1,20
GN 1465	GN 1/4 65 mm depth	0,60 mm	1,80
GN 14100	GN 1/4 100 mm depth	0,60 mm	2,80
GN 14150	GN 1/4 150 mm depth	0,70 mm	4,00
GN 14200	GN 1/4 200 mm depth	0,70 mm	5,50

ΑΝΟΞΕΙΔΩΤΟ AISI201 35,4x32,5 cm

GN 1665	GN 1/6 65 mm depth	0,60 mm	0,10
GN 16100	GN 1/6 100 mm depth	0,60 mm	1,60
GN 16150	GN 1/6 150 mm depth	0,70 mm	2,40
GN 16200	GN 1/6 200 mm depth	0,70 mm	3,40

ΑΝΟΞΕΙΔΩΤΟ AISI201 32,5x26,5 cm

GN 1965	GN 1/9 65 mm depth	0,70 mm	0,60
GN 19100	GN 1/9 100 mm depth	0,70 mm	1,00

ΑΝΟΞΕΙΔΩΤΟ AISI201

GNL 21	ΚΑΠΑΚΙ GN 2/1	0,70 mm	
GNL 11	ΚΑΠΑΚΙ GN 1/1	0,60 mm	
GNL 23	ΚΑΠΑΚΙ GN 2/3	0,60 mm	
GNL 12	ΚΑΠΑΚΙ GN 1/2	0,60 mm	
GNL 13	ΚΑΠΑΚΙ GN 1/3	0,60 mm	
GNL 14	ΚΑΠΑΚΙ GN 1/4	0,60 mm	
GNL 16	ΚΑΠΑΚΙ GN 1/6	0,60 mm	
GNL 19	ΚΑΠΑΚΙ GN 1/9	0,60 mm	

INOX

BLAST CHILLERS / SHOCK FREEZERS



Blast Chillers Shock Freezers

BC5T

BLAST CHILLER / SHOCK FREEZER

DIMENSIONS: 800x800x1000 mm
CAPACITY: 5 GN 1/1 or 5 trays 40x60 cm
BLAST CHILLING: At 90': +75°C → +3°C 25 kg
DEEP FREEZING: At 240': +75°C → -18°C 12,5 kg
LEVELS DISTANCE: 75 mm
INSULATION: 85 mm
POWER: 1250 watt
DEFROST: Automatic with resistors
REFRIGERANT: R404a

INFO

Digital control panel
LCD touch screen
Single point core probe

5.990 €+V.A.T.



BC10T

BLAST CHILLER / SHOCK FREEZER

DIMENSIONS: 800x800x1630 mm
CAPACITY: 10 GN 1/1 or 10 trays 40x60 cm
BLAST CHILLING: At 90': +75°C --> +3°C 50 kg
DEEP FREEZING: At 240': +75°C --> -18°C 25 kg
LEVELS DISTANCE: 75 mm
INSULATION: 85 mm
POWER: 1800 watt
DEFROST: Automatic with resistors
REFRIGERANT: R404a

INFO

Digital control panel
LCD touch screen
Single point core probe

10.390 €+V.A.T.





BC15T

BLAST CHILLER / SHOCK FREEZER

DIMENSIONS: 800x800x1980 mm
CAPACITY: 15 GN 1/1 or 15 trays 40x60 cm
BLAST CHILLING: At 90': +75°C → +3°C 75 kg
DEEP FREEZING: At 240': +75°C → -18°C 37 kg
LEVELS DISTANCE: 75 mm
INSULATION: 85 mm
POWER: 2500 watt
DEFROST: Automatic with resistors
REFRIGERANT: R404a

INFO

Digital control panel
LCD touch screen
Single point core probe

11.930 € + V.A.T.

COOKING



series 70

Kitchen Equipment

COUNTERTOP ELECTRIC STOVES [194]

COUNTERTOP GAS STOVES [195]

COUNTERTOP ELECTRIC FRYERS [196]

BAIN MARIE & NEUTRALS [197]

ELECTRIC GRIDDLE PLATES [198]

ELECTRIC CHROMIUM GRIDDLE PLATES [199]

GAS GRIDDLE PLATES [200]

GAS CHROMIUM GRIDDLE PLATES [201]

ELECTRIC WATER GRILLS [202]

ELECTRIC & GAS RANGES WITH OVEN [202]

FLOOR MOUNTED GAS FRYERS [203]

FLOOR MOUNTED ELECTRIC & GAS PASTA COOKERS [204]

ELECTRIC & GAS TILTING BRATT PANS [204]

FLOOR MOUNTED INDUCTION COOKERS [205]

FREE STANDING GAS RANGES [205]

COUNTERTOP ELECTRIC STOVES

9705000

ELECTRIC STOVE

DIMENSIONS: 400x700x250 mm
 POWER: 2 x 2,6 Kw/400V
 PLATES: Electric
 PLATE DIAMETER: 220 mm

825 €+V.A.T.



9706000

ELECTRIC STOVE

DIMENSIONS: 800x700x250 mm
 POWER: 4 x 2,6 Kw/400V
 PLATES: Electric
 PLATE DIAMETER: 220 mm

1.225 €+V.A.T.



9707000

ELECTRIC STOVE

DIMENSIONS: 1200x700x250 mm
 POWER: 6 x 2,6 Kw/400V
 PLATES: Electric
 PLATE DIAMETER: 220 mm

1.658 €+V.A.T.



9705500

ELECTRIC STOVE

DIMENSIONS: 400x700x250 mm
 POWER: 2 x 2,5 Kw/400V
 PLATES: Ceramic
 PLATE DIAMETER: 225 mm

1.087 €+V.A.T.



9706500

ELECTRIC STOVE

DIMENSIONS: 800x700x250 mm
 POWER: 4 x 2,5 Kw/400V
 PLATES: Ceramic
 PLATE DIAMETER: 225 mm

1.912 €+V.A.T.



COUNTERTOP GAS STOVES

made in
POLAND 



9705230

GAS STOVE

DIMENSIONS: 400x700x250 mm

POWER: 1x3,5 + 1x7 Kw

PLATES: Gas

INFO

Pilot flame

Anti leakage safety device

1.100 € + V.A.T.



9706330

GAS STOVE

DIMENSIONS: 800x700x250 mm

POWER: 2x5 + 2x7 Kw

PLATES: Gas

INFO

Pilot flame

Anti leakage safety device

1.857 € + V.A.T.



9707230

GAS STOVE

DIMENSIONS: 1200x700x250 mm

POWER: 1x3,5 + 2x5 + 2x7 + 1x9 Kw

PLATES: Gas

INFO

Pilot flame

Anti leakage safety device

2.421 € + V.A.T.

COUNTERTOP ELECTRIC FRYERS

9725000

ELECTRIC FRYER

DIMENSIONS: 400x700x250 mm
 CAPACITY: 10 lt
 POWER: 9 Kw / 400 V
 BASKET DIMENSIONS: 210x350x110 mm

INFO

Cold zone system
 Oil tap
 Safety thermostat

2.064 €+V.A.T.



9725500

ELECTRIC FRYER

DIMENSIONS: 400x700x250 mm
 CAPACITY: 15 lt
 POWER: 15 Kw / 400 V
 BASKET DIMENSIONS: 210x350x110 mm

INFO

Cold zone system
 Oil tap
 Safety thermostat

2.476 €+V.A.T.



9726000

ELECTRIC FRYER

DIMENSIONS: 800x700x250 mm
 CAPACITY: 2x10 lt
 POWER: 18 Kw / 400 V
 BASKET DIMENSIONS: 210x350x110 mm

INFO

Cold zone system
 Oil tap
 Safety thermostat

3.261 €+V.A.T.

9724500

ADJUSTABLE FRIES HEATER

DIMENSIONS: 400x700x440 mm
 CAPACITY: GN 1/1
 POWER: 1 Kw / 230 V

1.609 €+V.A.T.



BAIN MARIE & NEUTRALS

made in
POLAND 



9720000

BAIN MARIE

DIMENSIONS: 400x700x250 mm
CAPACITY: GN1/1-150 mm
POWER: 0,8 Kw / 230V

INFO
Oil tap

1.094 € + V.A.T.



9721000

BAIN MARIE

DIMENSIONS: 800x700x250 mm
CAPACITY: GN1/1-150 mm
POWER: 1,6 Kw / 230V

INFO
Oil tap

1.651 € + V.A.T.



9700210

NEUTRAL

DIMENSIONS: 400x700x250 mm

INFO
Full extension drawer

578 € + V.A.T.



9700410

NEUTRAL

DIMENSIONS: 800x700x250 mm

INFO
Full extension drawer

737 € + V.A.T.

ELECTRIC GRIDDLE PLATES



9730100

ELECTRIC GRIDDLE PLATE

DIMENSIONS: 400x700x250 mm
POWER: 4 Kw/400V
SURFACE: Smooth

INFO
Grease drawer
Safety thermostat

1.443 €+V.A.T.



9730200

ELECTRIC GRIDDLE PLATE

DIMENSIONS: 400x700x250 mm
POWER: 4 Kw/400V
SURFACE: Ribbed

INFO
Grease drawer
Safety thermostat

1.713 €+V.A.T.



9731100

ELECTRIC GRIDDLE PLATE

DIMENSIONS: 800x700x250 mm
POWER: 8,1 Kw/400V
SURFACE: Smooth

INFO
Grease drawer
Safety thermostat

2.298 €+V.A.T.

9731200

ELECTRIC GRIDDLE PLATE

DIMENSIONS: 800x700x250 mm
POWER: 8,1 Kw/400V
SURFACE: Ribbed

INFO
Grease drawer
Safety thermostat

2.477 €+V.A.T.



9731300

ELECTRIC GRIDDLE PLATE

DIMENSIONS: 800x700x250 mm
POWER: 8,1 Kw/400V
SURFACE: ½ smooth & ½ ribbed

INFO
Grease drawer
Safety thermostat

2.477 €+V.A.T.



ELECTRIC CHROMIUM GRIDDLE PLATES

made in 
POLAND



9736100

CHROME PLATED ELECTRIC GRIDDLE

DIMENSIONS: 400x700x250 mm
POWER: 4 Kw/400V
SURFACE: Smooth chrome plated

INFO

Grease drawer
Safety thermostat

1.699 € + V.A.T.



9736200

CHROME PLATED ELECTRIC GRIDDLE

DIMENSIONS: 400x700x250 mm
POWER: 4 Kw/400V
SURFACE: Ribbed chrome plated

INFO

Grease drawer
Safety thermostat

1.892 € + V.A.T.



9737100

CHROME PLATED ELECTRIC GRIDDLE

DIMENSIONS: 800x700x250 mm
POWER: 8,1 Kw/400V
SURFACE: Smooth chrome plated

INFO

Grease drawer
Safety thermostat

2.710 € + V.A.T.



9737200

CHROME PLATED ELECTRIC GRIDDLE

DIMENSIONS: 800x700x250 mm
POWER: 8,1 Kw/400V
SURFACE: Ribbed chrome plated

INFO

Grease drawer
Safety thermostat

2.889 € + V.A.T.



9737300

CHROME PLATED ELECTRIC GRIDDLE

DIMENSIONS: 800x700x250 mm
POWER: 8,1 Kw/400V
SURFACE: ½ smooth & ½ ribbed chrome plated

INFO

Grease drawer
Safety thermostat

2.889 € + V.A.T.

GAS GRIDDLE PLATES

COOKING



9730130

GAS GRIDDLE PLATE

DIMENSIONS: 400x700x250 mm
POWER: 6,5 Kw
SURFACE: Smooth

INFO
Grease drawer
Safety thermostat

1.857 €+V.A.T.



9730230

GAS GRIDDLE PLATE

DIMENSIONS: 400x700x250 mm
POWER: 6,5 Kw
SURFACE: Ribbed

INFO
Grease drawer
Safety thermostat

1.843 €+V.A.T.




9731130

GAS GRIDDLE PLATE

DIMENSIONS: 800x700x250 mm
POWER: 13 Kw
SURFACE: Smooth

INFO
Grease drawer
Safety thermostat

3.247 €+V.A.T.



9731230

GAS GRIDDLE PLATE

DIMENSIONS: 800x700x250 mm
POWER: 13 Kw
SURFACE: Ribbed

INFO
Grease drawer
Safety thermostat

3.233 €+V.A.T.

9731330

GAS GRIDDLE PLATE

DIMENSIONS: 800x700x250 mm
POWER: 13 Kw
SURFACE: ½ smooth & ½ ribbed

INFO
Grease drawer
Safety thermostat

3.261 €+V.A.T.



GAS CHROMIUM GRIDDLE PLATES

made in
POLAND 



9736130

CHROME PLATED GAS GRIDDLE

DIMENSIONS: 400x700x250 mm
POWER: 6,5 kW
SURFACE: Smooth chrome plated

INFO

Grease drawer
Safety thermostat

2.132 € + V.A.T.



9736230

CHROME PLATED GAS GRIDDLE

DIMENSIONS: 400x700x250 mm
POWER: 6,5 kW
SURFACE: Ribbed chrome plated

INFO

Grease drawer
Safety thermostat

2.229 € + V.A.T.



9737130

CHROME PLATED GAS GRIDDLE

DIMENSIONS: 800x700x250 mm
POWER: 13 kW
SURFACE: Smooth chrome plated

INFO

Grease drawer
Safety thermostat

3.990 € + V.A.T.



9737230

CHROME PLATED GAS GRIDDLE

DIMENSIONS: 800x700x250 mm
POWER: 13 kW
SURFACE: Ribbed chrome plated

INFO

Grease drawer
Safety thermostat

4.045 € + V.A.T.



9737330

CHROME PLATED GAS GRIDDLE

DIMENSIONS: 800x700x250 mm
POWER: 13 kW
SURFACE: ½ smooth & ½ ribbed chrome plated

INFO

Grease drawer
Safety thermostat

3.990 € + V.A.T.

ELECTRIC WATER GRILLS



9732000

ELECTRIC WATER GRILL

DIMENSIONS: 400x700x250 mm
POWER: 4.08 Kw

INFO
Safety thermostat

2.710 €+V.A.T.



9733000

ELECTRIC WATER GRILL

DIMENSIONS: 800x700x250 mm
POWER: 8.16 Kw

INFO
Safety thermostat

4.126 €+V.A.T.

ELECTRIC & GAS RANGES WITH OVEN



9715000

ELECTRIC RANGE WITH ELECTRIC OVEN

DIMENSIONS: 800x700x850 mm
PLATES: Electric, 4x2.6 kW
OVEN: Electric, 7 kW
TOTAL POWER: 17.4 kW / 400 V
PLATE DIAMETER: 220 mm

OVEN DIMENSIONS: 660x445x285 mm

INFO
Oven suitable for GN 1/1 & 40x60 cm trays
Oven cooking modes:
Static
Air flow
Humidity injection

3.206 €+V.A.T.



9710330

GAS RANGE WITH GAS OVEN

DIMENSIONS: 800x700x850 mm
PLATES: Gas, 2x5 kW & 2x7 kW
OVEN: Gas, 6 kW
TOTAL POWER: 30 kW

OVEN DIMENSIONS: 660x545x285 mm

INFO
Oven suitable for GN 2/1
Oven cooking modes:
Static

3.232 €+V.A.T.

made in
POLAND 



9715330

GAS RANGE WITH ELECTRIC OVEN

DIMENSIONS: 800x700x850 mm
PLATES: Gas, 2x5 kW & 2x7 kW
OVEN: 7 kW
TOTAL POWER: 30 kW

OVEN DIMENSIONS: 660x445x285 mm

INFO

Oven suitable for GN 1/1
Oven cooking modes:
Static
Air flow
Humidity injection

 **3.735 €** + V.A.T.

FLOOR MOUNTED GAS FRYERS



9725130

GAS FRYER SINGLE

DIMENSIONS: 400x700x850 mm
CAPACITY: 17 lt
POWER: 15 kW
BASKET DIMENSIONS: 310x300x120 mm

INFO

Pilot flame
Anti leakage safety device

 **3.426 €** + V.A.T.

9725230

GAS FRYER DOUBLE

DIMENSIONS: 400x700x850 mm
CAPACITY: 2x7 lt
POWER: 12 kW
BASKET DIMENSIONS: 130x300x120 mm

INFO

Pilot flame
Anti leakage safety device

 **4.815 €** + V.A.T.

FLOOR MOUNTED ELECTRIC & GAS PASTA COOKERS

9745000**ELECTRIC PASTA COOKER**

DIMENSIONS: 400x700x850 mm

CAPACITY: 25 lt

POWER: 6 kW / 400 V

INFO

Water drain

Safety thermostat

Baskets not included

COMBINATIONS

Basket GN 1/3 x 2 pcs

Basket GN 1/6 x 4 pcs

Basket 1x GN 1/3 + 2 x GN 1/6

2.325 €+V.A.T.**9745130****GAS PASTA COOKER**

DIMENSIONS: 400x700x850 mm

CAPACITY: 25 lt

POWER: 9.1 kW

INFO

Water drain

Safety thermostat

Baskets not included

COMBINATIONS

Basket GN 1/3 x 2 pcs

Basket GN 1/6 x 4 pcs

Basket 1x GN 1/3 + 2 x GN 1/6

BASKET CODES**9799920** GN 1/3**9799930** GN 1/6**2.944 €**+V.A.T.**ELECTRIC & GAS TILTING BRATT PANS****9740000****ELECTRIC TILTING BRATT PAN**

DIMENSIONS: 800x700x850 mm

CAPACITY: 58 lt

POWER: 10.8 kW / 400 V

INFO

Manual tilting

4.747 €+V.A.T.**9740030****GAS TILTING BRATT PAN**

DIMENSIONS: 800x700x850 mm

CAPACITY: 58 lt

POWER: 17 kW

INFO

Manual tilting

4.843 €+V.A.T.

FLOOR MOUNTED INDUCTION COOKERS

made in
POLAND 



9705100

INDUCTION COOKER

DIMENSIONS: 400x700x850 mm
POWER: 7 kW / 400 V
PLATES: 2 induction
PLATE DIAMETER: 250 mm

4.300 € + V.A.T.

9706100

INDUCTION COOKER

DIMENSIONS: 800x700x850 mm
POWER: 14 kW / 400 V
PLATES: 4 induction
PLATE DIAMETER: 250 mm

7.581 € + V.A.T.

FREE STANDING GAS RANGES



979533

FREE STANDING GAS RANGE

DIMENSIONS: 800x700x850 mm
POWER: 2x5 + 2x7 kW
PLATES: Gas

INFO
Pilot flame
Anti leakage safety device

2.050 € + V.A.T.



979623

FREE STANDING GAS RANGE

DIMENSIONS: 1200x700x850 mm
POWER: 1x3,5 + 2x5 + 2x7 + 1x9 kW
PLATES: Gas

INFO
Pilot flame
Anti leakage safety device

2.875 € + V.A.T.

STORING

10

Doors/Cold Rooms/Shelves

DOORS [208]

REFRIGERATION SYSTEMS [213]

COLD ROOMS [215]

COLD ROOM SHELVES [216]




DOORS

HINGED & SLIDING



Standard characteristics

- Door insulation made of high density polyurethane 40 kg/m³
- Door lining made of laminated metal sheet 0.5 mm thick
- CSI safety latch with lock certified to EN 179:2008
- Heavy duty 3D adjustable hinges
- Insulated case
- High quality rubber door seals
- Single door/ Double door
- Inox version
- Wide variety of available RAL
- Custom dimensions
- Thermal resistance in rubber door seal or door frame (freezer version)



TYPE	TEMPERATURE	THICKNESS	THERMAL RESISTANCE	MEAT RAIL PASSAGE
500 TN	Cooling (+0°C)	68 mm	-	-
GV5	Cooling (+0°C)	68 mm	-	•
603 LWT	Freezing (-20°C)	92 mm	Rubber door seal	-
604 LWT	Freezing (-25°C)	121 mm	Rubber door seal	-
740 LWT	Freezing (-30°C)	121 mm	Door frame	-
745 LWT	Freezing (-40°C)	121 mm	Door frame & rubber seal	-
750 LWT	Freezing (-45°C)	151 mm	Door frame & rubber seal	-



Standard characteristics

- Door insulation made of high density polyurethane 40 kg/m³
- Door lining made of laminated metal sheet 0.5 mm thick
- Lever type handle or fixed depending on the version
- Thermally insulated door frame
- High quality rubber door seals
- Single door/ Double door
- Inox version
- Wide variety of available RAL
- Custom dimensions
- Thermal resistance in rubber door seal or door frame (freezer version)
- Door automation



TYPE	TEMPERATURE	THICKNESS	THERMAL RESISTANCE	MEAT RAIL PASSAGE
360 LS/FLS	Cooling (+0°C)	68 mm	-	-
480 PT	Cooling (+0°C)	68 mm	-	-
480 TN	Cooling (-5°C)	92 mm	Rubber door seal	-
480 LT	Freezing (-20°C)	92 mm	Rubber door seal	-
480 LTB	Freezing (-25°C)	121 mm	Rubber door seal	-
480 LWT	Freezing (-30°C)	121 mm	Door frame & rubber seal	-
485 LWT	Freezing (-40°C)	121 mm	Door frame & rubber seal	-
490 LWT	Freezing (-45°C)	151 mm	Door frame & rubber seal	-

DOORS

SEMI-INSULATING





Standard characteristics

VA E VIENI


- Door insulation made of high density polyurethane 40 kg/m³
- Door lining made of laminated sheet 0.5 mm thick
- Hinges with stop at 90°
- High quality rubber door seals
- Single door/ Double door
- Stainless steel protection on the lower part of the door 30 cm high
- Oblo window 25x75 cm
- Inox or polyethylene version
- Wide variety of available RAL
- Custom dimensions

SERVICE DOOR


- Door insulation made of high density polyurethane 40 kg/m³
- Door lining made of laminated sheet 0.5 mm thick
- Aluminum door frame
- High quality rubber door seals
- Single door/ Double door
- Inox version
- Wide variety of available RAL
- Custom dimensions



TYPE	TEMPERATURE	THICKNESS	THERMAL RESISTANCE	MEAT RAIL PASSAGE
CA	Cooling (+0°C)	92 mm	-	-
480 PGV	Cooling (+0°C)	68 mm	-	•
450 GV	Cooling (+0°C)	92 mm	-	•
240 AM	Cooling (+0°C)	68 mm	-	-
240 S	Cooling (+0°C)	68 mm	-	-
VERTICAL TN	Cooling (-5°C)	92 mm	-	-
VERTICAL LWT	Freezing (-40°C)	121 mm	Door frame	-

11014	Perimetral gasket for hinged/sliding, cooling cold room door		Suitable for: 500TN, GV5, 240S-AM, 480ST, 480PT, 480PGV
11015	Perimetral gasket for hinged/sliding, cooling/freezing cold room door		Suitable for: 740LWT, 480TN, 480LWT, 450GV, VCD, 480CA
11016	Perimetral gasket with heating cable passage for cooling/freezing cold room door, hinged and sliding		Suitable for: 603LWT, 604LWT, 480LT, VCD, SECTIONAL, 745LWT
11021	Lower gasket for hinged/sliding, cooling cold room door		Suitable for: 360FLS, 480PGV, 480PT, 500TN, 540TN, 240AM, GV5, 240S
11022	Lower gasket for hinged/sliding, freezing cold room door		Suitable for: 740LWT, 745LWT, 750LWT, 450GV, 480TN, 480LWT, 485LWT, 490LWT, VSD TN, VSDLWT, 603LWT, 604LWT, 480LT, 480LTB
18PC0005	Electric heating cable 30W/m-230V for hinged/sliding, freezing cold room door		Suitable for: 480LWT, 485LWT, 490LWT, VSDLWT, 603LWT, 604LWT, 480LT, 480LTB, 740LWT, 745LWT, 750LWT
13CLE056	External handle set with lock for hinged, cooling/freezing cold room door		Suitable for: 500TN, 540TN, GV5, 740LWT, 745LWT, 750LWT, 603LWT, 604LWT
13CIN002	External handle CSI for hinged, cooling/freezing cold room door		Suitable for: 500TN, 540TN, 740LWT, 745LWT, 750LWT, 603LWT, 604LWT
13SEF046	External lever handle for sliding cooling cold room door		Suitable for: 480PGV, 480PT
13SEF048	External lever handle for sliding, cooling/freezing cold room door		Suitable for: 450GV, 480TN, 480LWT, 485LWT, 490LWT, 480LT, 480ATMC, 480LTB
14ALU201 (right) 14ALU202 (left)	Aluminium door hinge		Suitable for: SERVICE DOOR
14039	Sliding cold room door roller with bearing		Suitable for: 480PGV, 480ST, 480PT, 450GV, 480TN, 480LWT, 485LWT, 490LWT, 480LT, 480ATMC, 480LTB
14068 (left) 14069 (right)	Sliding cold room door pulley wheel		Suitable for: 240S-AM

HYGIENIC PROFILES

 100% MADE IN ITALY


Hygienic profiles and components, suitable for industrial refrigeration, food industry, pharmaceutical warehouses. Complete range of products, ideal for compliance with sanitary regulations. The sanitary corners are used in order to avoid any kind of contamination and to facilitate the cleaning of each area.

12 CEL 500	Sanitary corner PVC 35x35 Length 4000 mm White RAL 9010		
12 CEL 501	Corner profile PVC 30x30 Length 4000 mm		
12 CEL 502	Rounded sanitary corner PVC Length 4000 mm White RAL 9010		
12 CEL 550	Trihedral internal corner White RAL 9010		
12 CEL 551	Dihedral external corner White RAL 9010		
12 CEL 552	Sanitary corner end cap White RAL 9010		

REFRIGERANTS

MONOBLOCK UNITS

 100% MADE IN ITALY



CODE	DESCRIPTION	APPLICATION	VOLUME (m ³)	HP
19131040	MONOBLOCCO UMZHU/04S1-R290	0°C / +43°C	4,0	0,5
19131050	MONOBLOCCO UMZHU/05S1-R290		5,0	0,8
19131090	MONOBLOCCO UMZHU/09S2-R290		9,0	2x1/2
19131120	MONOBLOCCO UMZHU/12S2-R290		12,0	2x3/4
19131180	MONOBLOCCO UMZHU/18A3-R290		18,0	2x1
19135030	MONOBLOCCO UMZU/03S1-R290	-25°C/+43°C	3,0	1,0
19135040	MONOBLOCCO UMZU/04A1-R290		4,0	1,2
19135080	MONOBLOCCO UMZU/08S2-R290		8,5	2x1
19135130	MONOBLOCCO UMZU/13A3-R290		13,0	2x1,2

CODE	DESCRIPTION	APPLICATION	VOLUME (m ³)	HP
19101040	UMZHG/04A1	0°C / +43°C	5,2	0,5
19101050	UMZHG/05A1		6,9	0,6
19101070	UMZHG/07A1		9,6	0,8
19101080	UMZHG/08A1		10,6	1,0
19101123	UMZHG/12A2		16,11	1,2
19101163	UMZHG/16A2		20,7	1,5
19102191	T UMZHG/19U3		23,2	1,8
19102231	T UMZHG/23U3		28,8	2,0
19105030	UMZG/03A1	-25°C/+43°C	2,6	1,2
19105050	UMZG/05A1		4,2	1,5
19105081	UMZG/08U2		7,0	2,0
19105111	UMZG/11U2		10,6	2,7
19106151	TUMZG/15U3		15,0	3,0
19106171	TUMZG/17U3		17,0	4,0

CODE	DESCRIPTION	DIMENSIONS	SIZE	COLOUR
KT/00191	KIT PANELTHROUGHWALLSP.mm.60TN	450x500	1	White
KT/00192	KIT PANELTHROUGHWALLSP.mm.60TN	750x500	2	White
KT/00193	KIT PANELTHROUGHWALLSP.mm.60TN	750x600	3	White
KT/00198	KIT PANELTHROUGHWALLSP.mm.80	450x500	1	White
KT/00199	KIT PANELTHROUGHWALLSP.mm.80	750x500	2	White
KT/00200	KIT PANELTHROUGHWALLSP.mm.80	750x600	3	White
KT/00194	KIT PANELTHROUGHWALLSP.mm.100	450x500	1	White
KT/00195	KIT PANELTHROUGHWALLSP.mm.100	750x500	2	White
KT/00196	KIT PANELTHROUGHWALLSP.mm.100	750x600	3	White

REFRIGERANTS

MOTORS / VENTILATORS

 100% MADE IN ITALY



STORING

COLD ROOMS

MODULAR

 100% MADE IN ITALY

Modular cold rooms
cooling & freezing

Panel: 8cm / 10cm / 12cm / 14cm
Dimensional development every 20cm!



Multi-door cabinets
cooling & freezing

SHELVES

COLD ROOM SHELVES

LIGHT VERSION // M



STORING

dimensions


SHELF WIDTH
30 / 40 / 45 / 60 cm

SHELF LENGTH
3.2 cm

UPRIGHT HEIGHT
155 / 165 / 185 / 205 cm

ADJUSTABLE SHELF HEIGHT
κάθε 15 cm

compositions



i technical characteristics

- 

**AL+PP
+AISI 304** Certified anodised aluminium alloy frame and polypropylene staves
- 

Open-faced corner compositions
- 

Suitable for direct food contact
- 

Stable and resistant
- 

Adjustable feet
- 

HACCP Haccp Standards
- 

Easy and quick assembly
- 

Certified weight strength (Eurocode 9) with load capacity 130 – 240 kg per shelf



SHELF WITH POLYPROPYLENE PERFORATED STAVES

Single perforated stave ideal for 30, 40 and 45 cm shelves

Double perforated stave ideal for 60 cm shelves

SHELF WITH STAINLESS STEEL AISI 304 COVER M-1

HANGING BARS FOR SALAMI

Available with 2, 3 or 4 bars

134 M

135 M 136 M

SHELVES

COLD ROOM SHELVES

STRONG VERSION // P



STORING

dimensions

SHELF WIDTH

30 / 40 / 45 / 60 / 70 / 75 /
80 / 85 / 90 cm

SHELF LENGTH

9 cm


UPRIGHT HEIGHT

150 / 180 / 200 cm

ADJUSTABLE SHELF HEIGHT


κάθε 15 cm

compositions



i technical characteristics

- AL+PP + AISI 304** Certified anodised aluminium alloy frame and polypropylene staves
- Open-faced corner compositions**
- Suitable for direct food contact**
- Stable and resistant**
- Adjustable feet**
- HACCP** Haccp Standards
- Easy and quick assembly**
- Certified weight strength (Eurocode 9) with load capacity 175 – 725 kg per shelf**



SHELF WITH POLYPROPYLENE STAVES

Single perforated stave ideal for 30, 40 and 45 cm shelves

Double perforated stave ideal for 60, 70, 75, 80, 85 and 90 cm

SHELF WITH POLYPROPYLENE PERFORATED STAVES

Q

SHELF WITH STAINLESS STEEL AISI 304 COVER

P-1 / Q-1

HANGING BARS FOR SALAMI

Available with 2, 3 or 4 bars

134 P/Q

135 P/Q

136 P/Q

BANK ACCOUNTS

ALPHA BANK

151002002014873

IBAN: GR 8601401510151002002014873

PIRAEUS BANK

6420140036472

IBAN: GR 7401714200006420140036472

EUROBANK

0026.0220.91.0200767515

IBAN: GR 2202602200000910200767515

PANCRETABANK

30000328954-4

IBAN: GR 9808700560000300003289544

BANK ACCOUNTS

2025



Λεωφόρος Αθηνών 271, 124 61 Χαϊδάρη, Αθήνα
271 Athens Avenue, 124 61 Chaidari, Greece

T +30 210.58.10.600 F +30 210.58.10.610 E info@ventus.com.gr S www.ventus.com.gr